R3850-1108 W

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP LENGTH OF STAY BY OPERATION



UNITED STATES
WESTERN REGION



1981



Length of Stay by Operation, Western Region, 1981

A Companion Volume To Length of Stay by Diagnosis, Western Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 6
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 15
    Summary of All Patients. 16
    Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1981

Hospital Class (1)	Short-Term Nonfederal Hospitals: U.S. Total[2] (2)	Short-Term Nonfederal Hospitals: Number in Books (3)	Short-Term Nonfederal Hospitals: Percent in Books (4)	Beds: U.S. Total[2] (5)	Beds: Number in Books (6)	Beds: Percent in Books (7)
Bed Size						
Less than 25 beds	266	23	8.6	5,064	453	8.9
25-49	1,024	137	13.4	37,104	5,320	14.3
50-99	1,428	302	21.1	102,847	22,330	21.7
100-199	1,320	371	28.1	186,598	53,217	28.5
200-299	702	260	37.0	170,295	63,815	37.5
300-399	404	150	37.1	137,385	51,389	37.4
400-499	266	96	36.1	117,812	42,796	36.3
500 or more	316	82	25.9	218,042	54,935	25.2
Total	5,726	1,421	24.8	975,147	294,255	30.2
Region and Census Division						
Northeast	834	300	36.0	211,237	75,760	35.9
New England	244	66	27.0	49,134	14,900	30.3
Middle Atlantic	590	234	39.7	162,103	60,860	37.5
North Central	1,685	501	29.7	288,845	105,014	36.4
East North Central	892	383	42.9	191,524	82,064	42.8
West North Central	793	118	14.9	97,321	22,950	23.6
South	2,138	339	15.9	329,860	69,651	21.1
South Atlantic	806	236	29.3	155,152	47,941	30.9
East South Central	495	34	6.9	70,808	8,635	12.2
West South Central	837	69	8.2	103,900	13,075	12.6
West	1,069	281	26.3	145,205	43,830	30.2
Mountain	366	96	26.2	40,745	15,473	38.0
Pacific	703	185	26.3	104,460	28,357	27.1
Total	5,726	1,421	24.8	975,147	294,255	30.2

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - transurethral 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

281 Hospitals, Western Region, 1981, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91300	2.7	11	<1	<1	2	3	5	7	15
20-34	208409	2.9	8	<1	1	2	3	5	7	13
35-49	70757	4.1	17	<1	1	3	5	8	11	19
50-64	64218	4.8	22	1	1	3	6	10	13	22
65+	62635	5.8	35	1	1	4	8	13	17	28
2. MULTIPLE DX										
0-19 YRS	60631	4.9	61	<1	1	3	5	10	16	45
20-34	150172	4.9	34	1	1	4	5	9	13	31
35-49	96581	6.5	49	1	1	5	8	12	18	37
50-64	129175	7.9	71	1	2	6	10	16	23	46
65+	204239	10.0	94	2	2	7	13	21	28	52
TOT. SINGLE DX	497319	3.7	16	<1	1	2	4	7	10	19
" MULTIPLE DX	640798	7.4	70	1	2	5	9	16	22	45
TOTAL 0-19 YRS	151931	3.6	32	<1	1	2	4	7	10	30
20-34	358581	3.8	20	1	1	3	4	7	9	22
35-49	167338	5.4	37	1	1	4	7	11	15	30
50-64	193393	6.9	57	1	1	5	9	14	20	40
65+	266874	9.0	83	1	2	6	12	19	26	49
GRAND TOTAL	1138117	5.7	50	1	1	4	7	12	18	36

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	9.8	47	1	2	9	13	18	23	33
20-34	158	8.7	89	1	1	7	12	19	24	53
35-49	128	12.3	103	3	5	10	14	21	24	57
50-64	179	12.7	112	1	2	11	16	21	34	63
65+	133	13.3	77	3	5	11	16	24	30	42
2. MULTIPLE DX										
0-19 YRS	110	18.3	354	1	3	14	23	55	90	99+
20-34	118	22.9	399	4	7	16	29	62	93	99+
35-49	140	21.4	395	4	5	15	26	57	84	99+
50-64	274	22.3	268	5	8	17	31	48	67	99+
65+	323	25.0	316	7	9	19	33	53	73	99+
TOT. SINGLE DX	687	11.4	93	1	1	10	14	21	26	57
" MULTIPLE DX	965	22.7	332	4	7	17	30	53	76	99+
TOTAL 0-19 YRS	199	14.5	235	1	2	11	18	33	61	99+
20-34	276	14.8	271	1	1	11	18	35	58	99+
35-49	268	17.1	276	4	5	12	19	33	58	99+
50-64	453	18.5	229	2	6	14	23	43	60	99+
65+	456	21.6	275	6	8	17	27	48	67	99+
GRAND TOTAL	1652	18.0	263	1	4	13	23	42	62	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	9.6	86	3	3	7	9	21	27	55
20-34	62	10.0	26	4	4	9	13	17	21	25
35-49	65	13.4	144	4	5	10	16	26	31	80
50-64	88	15.1	173	4	7	12	16	27	41	82
65+	69	15.0	160	5	6	11	16	27	44	74
2. MULTIPLE DX										
0-19 YRS	93	21.3	402	4	5	15	32	64	87	99+
20-34	119	23.0	448	5	6	15	33	63	91	99+
35-49	69	20.2	249	5	7	17	29	51	97	99+
50-64	132	23.6	347	7	8	17	33	54	78	99+
65+	174	23.4	339	6	7	19	29	59	79	99+
TOT. SINGLE DX	350	12.8	128	4	5	10	15	23	30	75
" MULTIPLE DX	587	22.6	361	5	7	17	31	58	82	99+
TOTAL 0-19 YRS	159	16.4	303	3	5	9	23	42	78	99+
20-34	181	18.6	341	4	6	12	23	42	81	99+
35-49	134	16.9	209	5	6	12	24	39	65	99+
50-64	220	20.2	294	6	7	14	24	45	70	99+
65+	243	21.0	302	6	7	16	26	49	72	99+
GRAND TOTAL	937	19.0	296	4	6	13	24	45	73	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	5.4	38	2	2	4	6	8	10	32
20-34	79	5.6	6	2	3	5	7	8	11	13
35-49	33	5.9	18	2	3	5	7	11	15	22
50-64	20	10.4	104	3	4	8	12	14	33	51
65+	8	6.8	2	4	4	7	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	111	9.6	115	3	3	7	10	21	28	82
20-34	86	10.1	90	2	3	7	11	19	32	49
35-49	38	13.2	270	2	3	6	15	42	65	99+
50-64	35	10.1	133	2	3	6	10	37	40	44
65+	14	17.1	346	3	4	9	15	43	62	67
TOT. SINGLE DX	252	6.0	31	2	3	5	7	10	12	22
" MULTIPLE DX	284	10.6	143	2	3	7	11	24	40	77
TOTAL 0-19 YRS	223	7.5	81	2	3	5	8	12	21	67
20-34	165	7.9	55	2	3	6	9	14	20	42
35-49	71	9.8	165	2	3	5	10	25	44	96
50-64	55	10.2	120	2	3	7	11	16	40	51
65+	22	13.3	241	3	4	8	13	39	51	67
GRAND TOTAL	536	8.4	96	2	3	6	8	14	29	66

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	7.0	20	2	3	6	8	11	16	30
20-34	16	10.1	47	4	4	9	10	16	28	33
35-49	11	7.3	6	5	5	7	9	11	13	13
50-64	21	12.9	228	3	5	9	14	20	47	75
65+	47	17.3	153	5	7	13	23	35	49	50
2. MULTIPLE DX										
0-19 YRS	89	17.7	441	3	4	9	20	39	79	93
20-34	27	13.7	294	4	5	9	17	29	94	99+
35-49	25	18.1	396	4	5	10	20	55	85	99+
50-64	52	26.5	469	5	6	23	41	74	97	99+
65+	134	27.4	278	8	9	24	36	50	65	75
TOT. SINGLE DX	146	11.5	112	3	4	8	13	24	33	51
" MULTIPLE DX	327	22.8	385	4	6	16	33	52	73	99+
TOTAL 0-19 YRS	140	13.8	313	3	4	8	13	31	54	90
20-34	43	12.3	202	4	5	9	13	20	52	99+
35-49	36	14.8	299	4	5	8	15	48	72	99+
50-64	73	22.6	434	4	6	14	39	62	90	99+
65+	181	24.8	264	7	8	22	34	49	61	71
GRAND TOTAL	473	19.3	327	4	5	12	27	46	64	98

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	7.1	45	2	2	5	8	15	23	36
20-34	51	11.5	112	1	2	8	13	25	31	59
35-49	22	10.6	144	1	2	6	14	30	38	48
50-64	16	10.1	48	2	3	8	14	20	25	27
65+	16	13.4	127	3	3	9	19	29	39	43
2. MULTIPLE DX										
0-19 YRS	184	11.7	197	2	3	7	14	24	41	88
20-34	78	21.2	407	2	3	15	29	48	76	98
35-49	58	17.2	272	3	4	11	22	38	55	82
50-64	63	20.5	287	3	5	15	26	40	55	83
65+	69	20.1	220	3	4	17	31	45	49	91
TOT. SINGLE DX	221	9.1	80	2	2	6	11	21	29	44
" MULTIPLE DX	452	16.5	275	2	3	11	22	40	53	90
TOTAL 0-19 YRS	300	9.9	143	2	3	6	11	21	33	80
20-34	129	17.3	312	2	3	11	24	43	59	94
35-49	80	15.4	244	2	3	10	19	30	47	80
50-64	79	18.4	255	3	4	14	25	39	52	81
65+	85	18.8	208	3	4	15	30	43	49	84
GRAND TOTAL	673	14.1	223	2	3	8	18	33	47	83

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	12.5	154	4	5	9	15	39	80	99+
20-34	215	9.9	33	4	5	9	12	17	22	30
35-49	337	10.0	30	4	5	9	12	17	20	30
50-64	369	10.0	29	4	5	9	12	17	21	30
65+	232	12.8	64	5	6	11	15	21	28	53
2. MULTIPLE DX										
0-19 YRS	35	17.9	175	5	6	15	20	36	44	67
20-34	168	13.0	105	5	6	10	14	24	32	52
35-49	368	14.1	162	5	5	10	16	25	33	78
50-64	520	14.7	132	6	7	11	16	27	37	71
65+	488	18.3	149	7	8	15	23	34	44	75
TOT. SINGLE DX	1172	10.6	41	4	5	9	12	18	22	39
" MULTIPLE DX	1579	15.6	146	5	6	12	18	29	40	74
TOTAL 0-19 YRS	54	16.0	172	5	6	13	18	36	57	98
20-34	383	11.3	67	4	5	9	13	19	27	44
35-49	705	12.1	104	4	5	9	14	20	27	61
50-64	889	12.7	95	5	6	10	14	21	29	57
65+	720	16.5	128	6	7	13	21	31	41	69
GRAND TOTAL	2751	13.4	107	5	6	10	16	25	33	62

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	14.0	256	2	3	8	16	31	40	85
20-34	96	8.5	90	1	1	5	10	22	32	45
35-49	101	7.0	61	1	1	4	9	15	17	45
50-64	86	6.6	54	1	1	4	9	15	23	39
65+	44	9.5	70	1	1	8	12	24	29	33
2. MULTIPLE DX										
0-19 YRS	67	14.3	93	3	5	12	18	29	34	46
20-34	111	16.0	282	1	2	10	21	40	52	80
35-49	88	12.8	249	1	2	8	15	30	55	98
50-64	118	16.0	248	2	3	12	19	39	57	88
65+	74	19.6	323	2	5	13	23	43	56	83
TOT. SINGLE DX	360	8.2	90	1	1	5	10	18	28	45
" MULTIPLE DX	458	15.7	249	2	3	11	19	36	52	84
TOTAL 0-19 YRS	100	14.2	145	3	4	11	18	30	35	66
20-34	207	12.5	206	1	2	8	15	33	43	67
35-49	189	9.7	157	1	1	6	12	19	32	86
50-64	204	12.0	188	1	2	8	15	27	44	77
65+	118	15.8	252	2	2	11	19	36	50	81
GRAND TOTAL	818	12.4	192	1	2	8	15	29	42	78

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	2.4	3	<1	<1	2	3	4	7	10
20-34	285	2.6	5	<1	<1	2	3	5	8	13
35-49	347	3.2	11	<1	<1	2	3	7	9	24
50-64	355	3.1	7	<1	<1	2	4	7	9	13
65+	140	3.4	10	<1	1	2	4	8	9	18
2. MULTIPLE DX										
0-19 YRS	33	4.7	17	<1	1	4	6	9	17	18
20-34	150	5.3	35	<1	1	3	6	12	17	30
35-49	179	6.2	48	1	1	3	9	14	19	51
50-64	250	6.4	33	<1	1	4	9	15	17	28
65+	158	7.5	57	2	2	4	9	16	24	38
TOT. SINGLE DX	1173	3.0	9	<1	<1	2	3	6	9	14
" MULTIPLE DX	770	6.3	42	1	1	4	8	14	20	32
TOTAL 0-19 YRS	79	3.4	11	<1	<1	2	4	7	10	18
20-34	435	3.6	18	<1	<1	2	4	8	11	25
35-49	526	4.2	26	<1	1	2	5	10	14	27
50-64	605	4.5	21	<1	1	3	5	10	14	23
65+	298	5.6	40	<1	1	3	7	12	20	35
GRAND TOTAL	1943	4.3	24	<1	1	3	5	10	14	26

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	175	1.9	1	<1	<1	2	2	3	4	7
20-34	1060	2.1	2	<1	<1	2	2	3	4	8
35-49	1113	2.2	2	<1	<1	2	3	4	5	9
50-64	1097	2.3	3	<1	<1	2	3	4	5	11
65+	582	2.3	2	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	156	2.4	5	1	1	2	2	4	6	14
20-34	538	3.1	11	<1	1	2	4	6	9	16
35-49	535	3.5	16	<1	1	2	4	6	10	24
50-64	656	3.6	24	<1	1	2	4	7	11	21
65+	446	4.3	26	1	1	3	4	10	13	30
TOT. SINGLE DX	4027	2.2	3	<1	<1	2	3	4	5	10
" MULTIPLE DX	2331	3.5	19	<1	1	2	4	7	11	22
TOTAL 0-19 YRS	331	2.2	3	<1	1	2	2	4	5	11
20-34	1598	2.4	6	<1	<1	2	3	4	6	12
35-49	1648	2.6	8	<1	<1	2	3	4	6	13
50-64	1753	2.8	12	<1	<1	2	3	5	8	14
65+	1028	3.2	14	<1	1	2	3	6	10	19
GRAND TOTAL	6358	2.7	9	<1	<1	2	3	5	7	14

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.6	15	2	2	7	9	12	12	12
20-34	32	5.2	9	1	2	5	6	9	12	16
35-49	24	7.0	56	1	2	5	8	12	23	38
50-64	28	7.7	38	2	3	6	10	15	20	30
65+	25	8.0	15	3	4	7	10	15	16	17
2. MULTIPLE DX										
0-19 YRS	4	9.3	110	4	4	4	15	25	25	25
20-34	42	6.0	5	2	3	6	7	9	10	13
35-49	32	13.1	136	4	5	10	16	22	23	68
50-64	60	11.8	116	2	4	9	13	23	37	59
65+	123	15.3	155	5	6	11	17	29	43	68
TOT. SINGLE DX	114	6.9	28	1	2	5	8	13	16	33
" MULTIPLE DX	261	12.6	129	4	4	9	15	24	34	64
TOTAL 0-19 YRS	9	7.8	51	2	3	4	9	20	25	25
20-34	74	5.6	7	1	3	5	6	9	12	15
35-49	56	10.5	110	2	3	7	12	22	23	66
50-64	88	10.5	95	2	3	8	12	20	31	55
65+	148	14.1	139	5	6	10	16	27	36	65
GRAND TOTAL	375	10.9	105	3	4	8	12	21	29	60

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0	54	<1	<1	1	7	18	18	18
20-34	17	5.1	22	1	1	3	7	11	17	19
35-49	22	6.0	19	1	1	5	10	12	14	15
50-64	21	6.9	31	1	2	6	8	15	20	24
65+	9	4.1	15	1	1	2	5	11	13	13
2. MULTIPLE DX										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	18	6.4	48	<1	1	3	9	20	21	21
35-49	26	8.5	182	1	1	4	9	23	35	66
50-64	32	9.3	256	1	1	5	9	16	41	86
65+	39	11.7	132	1	2	10	15	24	27	65
TOT. SINGLE DX	74	5.7	25	1	1	4	8	13	16	23
" MULTIPLE DX	118	9.3	161	1	1	5	10	22	26	72
TOTAL 0-19 YRS	8	4.1	35	<1	<1	1	5	14	18	18
20-34	35	5.8	35	1	1	3	7	18	20	21
35-49	48	7.4	107	1	1	4	10	14	24	66
50-64	53	8.4	166	1	1	5	8	15	23	85
65+	48	10.3	119	1	1	8	14	24	26	65
GRAND TOTAL	192	7.9	111	1	1	5	10	17	24	66

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	3.5	2	2	2	3	4	5	6	9
20-34	572	3.7	2	2	2	4	4	5	6	9
35-49	534	3.7	1	2	2	4	4	5	6	9
50-64	463	4.0	2	2	3	4	4	5	6	11
65+	199	4.4	3	2	3	4	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	36	4.8	3	2	3	5	5	7	9	10
20-34	267	5.1	18	2	3	4	5	9	11	29
35-49	316	4.6	7	2	3	4	5	6	8	18
50-64	289	5.1	12	3	3	4	5	8	11	19
65+	222	7.2	53	3	3	5	8	11	19	46
TOT. SINGLE DX	1843	3.8	2	2	2	4	4	5	6	10
" MULTIPLE DX	1130	5.4	21	2	3	4	5	8	11	30
TOTAL 0-19 YRS	111	3.9	3	2	2	4	5	6	7	10
20-34	839	4.2	8	2	2	4	5	6	8	14
35-49	850	4.0	4	2	3	4	4	6	7	14
50-64	752	4.4	7	3	3	4	5	6	8	16
65+	421	5.9	31	3	3	4	6	10	12	35
GRAND TOTAL	2973	4.4	10	2	3	4	5	6	8	17

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	2.1	2	<1	1	2	3	4	5	8
20-34	119	2.4	1	1	1	2	3	4	5	5
35-49	97	3.2	3	1	1	3	4	6	6	11
50-64	85	3.7	2	1	2	3	4	6	7	10
65+	47	5.3	15	1	2	5	6	8	14	24
2. MULTIPLE DX										
0-19 YRS	27	4.7	74	<1	<1	3	5	6	13	47
20-34	62	6.4	33	2	3	5	8	10	15	37
35-49	76	6.4	29	2	3	5	7	13	24	81
50-64	129	6.2	40	2	3	5	6	11	15	38
65+	108	8.9	71	2	3	6	10	17	28	45
TOT. SINGLE DX	490	3.0	5	1	1	3	4	5	6	11
" MULTIPLE DX	402	6.9	49	2	2	5	8	13	20	45
TOTAL 0-19 YRS	169	2.6	14	<1	1	2	3	4	5	13
20-34	181	3.8	16	1	1	3	4	7	9	23
35-49	173	4.6	17	1	2	4	5	8	12	29
50-64	214	5.2	27	1	2	4	6	8	11	23
65+	155	7.8	57	2	3	5	9	15	24	44
GRAND TOTAL	892	4.7	28	1	1	4	5	8	13	31

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.8	2	5	5	7	7	9	10	10
20-34	57	8.2	11	5	5	7	9	14	15	20
35-49	31	8.2	14	3	5	8	10	11	12	23
50-64	36	9.9	11	5	6	9	13	15	15	15
65+	16	11.8	25	4	6	11	14	20	21	22
2. MULTIPLE DX										
0-19 YRS	16	11.9	62	4	5	8	17	22	29	32
20-34	49	12.0	98	4	4	9	14	23	32	57
35-49	42	12.9	49	4	5	11	17	21	25	39
50-64	76	17.3	237	6	7	13	19	29	45	85
65+	40	16.2	103	7	7	14	18	25	45	50
TOT. SINGLE DX	154	8.8	14	5	5	8	11	14	15	22
" MULTIPLE DX	223	14.7	139	5	6	11	17	24	33	77
TOTAL 0-19 YRS	30	9.5	40	5	5	7	10	18	22	32
20-34	106	9.9	55	4	5	8	11	16	22	46
35-49	73	10.9	39	4	5	9	12	20	23	36
50-64	112	14.9	176	6	6	11	16	24	32	85
65+	56	14.9	84	6	7	13	17	22	39	50
GRAND TOTAL	377	12.3	96	5	6	10	14	21	27	55

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	1.1		<1	<1	<1	1	2	2	3
20-34	20	1.2		<1	<1	1	1	2	2	2
35-49	31	1.8	2	<1	<1	1	2	3	4	8
50-64	48	1.8	1	<1	<1	1	2	3	4	9
65+	72	1.8	1	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	19	1.9	3	<1	<1	1	2	5	7	8
20-34	12	2.6	5	<1	<1	2	3	6	9	9
35-49	15	2.0	4	<1	<1	1	2	3	7	9
50-64	38	4.6	43	<1	<1	2	4	16	22	28
65+	79	5.9	81	<1	<1	2	7	12	21	55
TOT. SINGLE DX	282	1.5	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	163	4.5	53	<1	<1	2	5	9	19	38
TOTAL 0-19 YRS	130	1.2	1	<1	<1	<1	1	2	2	6
20-34	32	1.7	2	<1	<1	1	2	3	5	9
35-49	46	1.9	3	<1	<1	1	2	3	5	9
50-64	86	3.0	22	<1	<1	2	3	5	11	26
65+	151	3.9	47	<1	<1	2	4	8	12	59
GRAND TOTAL	445	2.6	22	<1	<1	1	2	5	8	23

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	1.6	1	<1	<1	1	2	3	4	9
20-34	67	1.8	1	<1	<1	1	2	4	4	5
35-49	63	1.8	4	<1	<1	1	2	3	3	15
50-64	189	1.8	1	<1	<1	1	2	3	4	6
65+	261	1.7		<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	166	3.4	30	<1	<1	2	3	7	13	25
20-34	198	4.1	47	1	1	2	5	7	12	45
35-49	146	3.6	34	<1	<1	2	3	7	20	25
50-64	189	3.3	32	<1	<1	2	3	6	10	25
65+	306	4.8	62	<1	1	2	5	11	18	37
TOT. SINGLE DX	757	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	1005	4.0	44	<1	1	2	4	8	14	35
TOTAL 0-19 YRS	343	2.5	16	<1	<1	1	2	5	7	21
20-34	265	3.5	37	<1	1	2	4	6	9	35
35-49	209	3.1	26	<1	<1	2	3	6	11	24
50-64	378	2.5	17	<1	<1	2	2	4	6	19
65+	567	3.4	36	<1	<1	2	3	6	11	33
GRAND TOTAL	1762	3.0	27	<1	<1	2	3	5	9	26

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	1.8	1	<1	<1	1	2	3	3	7
20-34	36	2.3	1	1	1	2	3	4	5	5
35-49	34	2.0		1	1	2	2	3	3	4
50-64	56	2.2	1	1	1	2	2	3	4	9
65+	70	3.2	29	1	1	2	3	4	5	39
2. MULTIPLE DX										
0-19 YRS	24	2.1	2	<1	1	2	3	4	6	7
20-34	27	2.7	2	1	1	2	3	6	7	7
35-49	19	2.2		<1	1	2	3	3	3	3
50-64	38	2.3	1	1	1	2	3	4	5	8
65+	82	3.4	8	1	1	2	3	7	10	18
TOT. SINGLE DX	249	2.4	9	<1	1	2	3	3	4	9
" MULTIPLE DX	190	2.8	5	1	1	2	3	5	7	14
TOTAL 0-19 YRS	77	1.9	2	<1	<1	2	2	3	4	7
20-34	63	2.5	2	1	1	2	3	4	6	7
35-49	53	2.1	1	1	1	2	3	3	3	4
50-64	94	2.2	2	1	1	2	3	3	4	9
65+	152	3.3	18	1	1	2	3	6	9	19
GRAND TOTAL	439	2.6	8	1	1	2	3	4	6	11

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	1.5	1	<1	<1	1	2	2	4	6
20-34	14	1.5		<1	<1	1	2	3	3	3
35-49	4	2.0		1	1	2	3	3	3	3
50-64	14	2.1	1	<1	1	2	2	4	5	5
65+	12	3.3	7	<1	<1	2	4	8	10	10
2. MULTIPLE DX										
0-19 YRS	11	2.4	2	<1	<1	2	4	5	5	8
20-34	9	6.1	38	<1	<1	4	7	17	20	20
35-49	4	2.5	5	1	1	2	4	6	6	6
50-64	10	3.5	8	<1	<1	3	4	8	10	10
65+	18	4.7	41	1	1	2	4	14	22	28
TOT. SINGLE DX	63	2.0	3	<1	<1	1	2	4	6	10
" MULTIPLE DX	52	4.1	24	<1	1	2	5	8	16	26
TOTAL 0-19 YRS	30	1.8	2	<1	<1	1	2	4	5	6
20-34	23	3.3	20	<1	<1	2	4	7	15	20
35-49	8	2.3	3	1	1	2	3	5	6	6
50-64	24	2.7	5	<1	<1	2	3	5	8	10
65+	30	4.2	28	1	1	2	4	8	17	28
GRAND TOTAL	115	2.9	13	<1	<1	2	3	6	9	22

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	4.2	6	1	2	4	5	8	10	13
20-34	67	3.5	2	1	2	3	4	5	6	10
35-49	40	3.4	2	1	1	3	5	5	5	7
50-64	59	3.7	4	1	2	4	5	5	5	15
65+	133	3.7	7	1	1	3	4	5	7	17
2. MULTIPLE DX										
0-19 YRS	14	4.9	16	1	1	4	5	14	14	14
20-34	30	4.2	7	2	2	4	5	6	6	17
35-49	33	5.1	22	2	2	4	5	10	13	27
50-64	78	4.2	3	2	2	4	5	6	7	12
65+	261	4.7	20	2	2	4	5	7	9	15
TOT. SINGLE DX	321	3.6	5	1	2	3	4	5	7	15
" MULTIPLE DX	416	4.6	17	2	2	4	5	7	10	16
TOTAL 0-19 YRS	36	4.5	10	1	2	4	5	8	14	14
20-34	97	3.7	4	1	2	3	4	5	6	14
35-49	73	4.1	12	1	2	4	5	6	10	24
50-64	137	4.0	4	2	2	4	5	5	6	13
65+	394	4.4	17	1	2	4	5	7	9	16
GRAND TOTAL	737	4.2	12	1	2	4	5	6	8	15

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	2.8	3	<1	1	2	4	5	6	9
20-34	110	1.7	1	<1	<1	1	2	3	4	7
35-49	81	1.7	1	<1	<1	1	2	3	4	6
50-64	69	1.4		<1	<1	1	2	2	3	4
65+	64	2.3	2	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	63	5.3	63	1	2	3	5	9	12	56
20-34	67	5.0	57	1	2	3	5	9	15	50
35-49	29	4.6	9	1	1	4	7	9	10	12
50-64	44	3.3	8	<1	<1	2	4	6	10	14
65+	86	3.7	13	1	1	2	4	9	13	18
TOT. SINGLE DX	414	2.0	2	<1	<1	1	2	4	5	8
" MULTIPLE DX	289	4.4	34	1	1	3	5	9	12	27
TOTAL 0-19 YRS	153	3.8	30	1	1	3	4	6	9	22
20-34	177	3.0	25	<1	<1	2	3	5	8	27
35-49	110	2.5	5	<1	<1	1	3	6	8	11
50-64	113	2.1	4	<1	<1	1	2	4	6	13
65+	180	3.1	10	<1	1	2	3	6	11	15
GRAND TOTAL	703	3.0	16	<1	<1	2	3	6	8	16

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	2.8	3	1	1	2	3	5	8	10
20-34	49	3.0	2	1	1	3	3	6	7	9
35-49	47	3.2	4	1	1	2	4	6	8	11
50-64	152	3.3	8	1	2	3	3	6	9	20
65+	335	2.8	3	1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	24	3.6	12	1	2	3	3	5	14	16
20-34	32	4.5	18	1	1	3	5	7	18	20
35-49	35	3.5	18	<1	1	3	3	4	10	26
50-64	104	4.1	40	1	2	2	4	7	11	40
65+	252	4.3	19	1	2	3	5	8	13	24
TOT. SINGLE DX	659	3.0	5	1	1	2	3	5	7	12
" MULTIPLE DX	447	4.2	24	1	2	3	4	7	13	26
TOTAL 0-19 YRS	100	3.0	6	1	1	2	3	5	8	14
20-34	81	3.6	9	1	1	3	4	6	8	20
35-49	82	3.3	11	1	1	3	3	6	8	22
50-64	256	3.7	21	1	2	3	3	6	9	25
65+	587	3.4	11	1	1	3	3	6	9	20
GRAND TOTAL	1106	3.5	13	1	1	3	3	6	9	20

524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	4.1	20	<1	<1	2	6	8	14	22
20-34	40	2.5	3	<1	1	2	3	4	5	12
35-49	38	3.1	7	<1	1	2	4	7	9	14
50-64	143	2.3	2	1	1	2	3	4	6	8
65+	191	2.6	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	39	4.7	11	<1	1	4	6	11	12	12
20-34	36	4.3	10	1	2	4	5	7	11	17
35-49	28	3.6	5	1	1	3	5	7	8	10
50-64	98	3.6	9	<1	1	2	4	9	10	18
65+	206	3.7	26	1	1	2	4	7	[illegible]	29
TOT. SINGLE DX	444	2.7	5	1	1	2	3	5	7	13
" MULTIPLE DX	407	3.8	18	1	1	3	5	8	10	16
TOTAL 0-19 YRS	71	4.4	15	<1	1	3	6	10	12	20
20-34	76	3.4	8	<1	1	3	4	6	8	16
35-49	66	3.3	7	<1	1	2	4	7	8	13
50-64	241	2.9	6	<1	1	2	3	6	8	12
65+	397	3.2	16	1	1	2	3	6	8	17
GRAND TOTAL	851	3.2	12	1	1	2	4	6	9	14

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.8	2	<1	1	2	3	5	6	8
20-34	26	2.7	3	1	1	2	3	4	6	10
35-49	234	2.5	1	1	2	2	3	4	4	6
50-64	1743	2.5	1	1	2	2	3	3	4	7
65+	5422	2.6	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	26	3.2	6	1	2	3	3	5	9	14
20-34	23	2.9	1	1	2	3	3	5	6	6
35-49	166	3.1	2	1	2	3	3	4	7	12
50-64	1344	2.9	[illegible]	1	2	2	3	4	6	11
65+	5206	3.2	[illegible]	2	2	3	3	5	7	16
TOT. SINGLE DX	7446	2.6	2	1	2	2	3	4	4	7
" MULTIPLE DX	6765	3.2	9	1	2	3	3	5	7	15
TOTAL 0-19 YRS	47	3.0	5	1	1	2	3	5	8	14
20-34	49	2.8	2	1	2	2	3	5	5	10
35-49	400	2.7	2	1	2	2	3	4	5	9
50-64	3087	2.7	4	1	2	2	3	4	5	9
65+	10628	2.9	6	1	2	2	3	4	5	11
GRAND TOTAL	14211	2.8	5	1	2	2	3	4	5	11

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	1.7		<1	<1	2	2	2	3	3
20-34	57	2.9	27	1	1	2	2	3	5	37
35-49	294	2.2		1	1	2	2	3	3	7
50-64	1463	2.1		1	1	2	2	3	3	4
65+	4883	2.2		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	67	2.5	6	<1	1	2	3	4	6	16
20-34	50	2.3	1	1	1	2	2	4	5	5
35-49	202	2.7	5	1	1	2	3	4	6	16
50-64	944	2.6	4	1	1	2	3	4	5	11
65+	4102	2.7	5	1	2	2	3	4	5	11
TOT. SINGLE DX	6788	2.2	1	1	1	2	2	3	3	5
" MULTIPLE DX	5365	2.7	6	1	2	2	3	4	5	12
TOTAL 0-19 YRS	158	2.0	3	<1	1	2	2	3	4	12
20-34	107	2.6	15	1	1	2	2	4	5	25
35-49	496	2.4	3	1	1	2	2	3	4	9
50-64	2407	2.3	2	1	1	2	2	3	4	7
65+	8985	2.4	3	1	2	2	3	3	4	8
GRAND TOTAL	12153	2.4	3	1	1	2	3	3	4	8

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.4	1	<1	<1	2	3	4	4	4
20-34	14	2.4	1	1	1	2	3	5	5	5
35-49	30	2.3	2	1	1	2	2	3	7	8
50-64	235	2.2	1	1	1	2	2	3	4	7
65+	716	2.4	13	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	6	2.7	1	1	1	3	3	4	4	4
35-49	19	4.3	32	1	1	2	4	12	20	23
50-64	141	2.3	1	1	1	2	3	4	4	6
65+	528	2.8	6	1	1	2	3	4	7	15
TOT. SINGLE DX	1000	2.4	10	1	1	2	3	3	4	6
" MULTIPLE DX	697	2.8	6	1	1	2	3	4	6	15
TOTAL 0-19 YRS	8	2.1	1	<1	<1	2	3	4	4	4
20-34	20	2.5	1	1	1	2	3	4	5	5
35-49	49	3.0	14	1	1	2	3	6	8	23
50-64	376	2.2	1	1	1	2	3	3	4	7
65+	1244	2.6	10	1	1	2	3	4	5	11
GRAND TOTAL	1697	2.5	8	1	1	2	3	3	4	11

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	4.5	4	2	2	4	5	7	9	11
20-34	133	5.1	10	2	2	4	6	8	11	18
35-49	175	5.0	7	2	2	4	6	8	11	16
50-64	509	4.8	8	2	2	4	6	7	10	16
65+	430	4.8	6	2	2	4	6	7	9	14
2. MULTIPLE DX										
0-19 YRS	59	5.6	14	2	2	5	7	9	13	22
20-34	131	5.7	12	2	2	5	7	9	13	20
35-49	146	5.4	8	2	2	5	6	9	11	18
50-64	497	5.2	8	2	2	5	6	9	11	17
65+	536	5.6	12	2	3	5	7	10	13	19
TOT. SINGLE DX	1310	4.8	8	2	2	4	6	8	10	16
" MULTIPLE DX	1369	5.4	11	2	2	5	6	9	12	18
TOTAL 0-19 YRS	122	5.1	9	2	2	5	6	9	10	18
20-34	264	5.4	11	2	2	5	6	9	12	19
35-49	321	5.2	8	2	2	5	6	8	11	17
50-64	1006	5.0	9	2	2	4	6	8	11	17
65+	966	5.2	10	2	3	5	6	8	11	18
GRAND TOTAL	2679	5.1	9	2	2	5	6	8	11	17

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.9	4	<1	1	2	4	5	8	10
20-34	30	3.2	5	1	1	3	4	5	6	14
35-49	28	5.0	12	1	2	4	6	7	15	15
50-64	87	3.4	5	1	1	3	4	7	9	11
65+	141	3.0	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	29	4.3	16	<1	1	3	5	11	13	18
20-34	99	5.0	5	2	3	4	6	9	10	12
35-49	117	5.2	15	1	1	4	6	10	15	20
50-64	168	4.0	7	1	1	3	5	7	9	16
65+	284	4.3	12	1	1	3	5	9	11	19
TOT. SINGLE DX	308	3.3	6	1	1	3	4	6	8	14
" MULTIPLE DX	697	4.5	11	1	1	4	5	8	11	18
TOTAL 0-19 YRS	51	3.7	12	<1	1	3	4	8	13	18
20-34	129	4.6	6	2	2	4	6	8	9	13
35-49	145	5.1	15	1	1	4	6	9	15	20
50-64	255	3.8	7	1	1	3	5	7	9	13
65+	425	3.9	10	1	1	3	4	8	10	17
GRAND TOTAL	1005	4.1	10	1	1	3	5	8	10	17

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1170	1.5	2	<1	<1	1	2	2	2	3
20-34	199	1.7		<1	<1	2	2	2	3	3
35-49	104	1.8		<1	1	2	2	2	3	4
50-64	72	1.8		<1	<1	2	2	3	3	4
65+	27	2.0		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	250	1.6		<1	<1	2	2	2	2	5
20-34	81	2.1	1	<1	1	2	2	3	4	8
35-49	55	2.2		1	1	2	2	3	4	7
50-64	39	2.0		<1	1	2	2	3	3	4
65+	39	2.5	2	1	2	2	3	3	7	8
TOT. SINGLE DX	1572	1.6	2	<1	<1	1	2	2	2	3
" MULTIPLE DX	464	1.9	1	<1	1	2	2	3	3	7
TOTAL 0-19 YRS	1420	1.6	2	<1	<1	1	2	2	2	4
20-34	280	1.8	1	<1	1	2	2	3	3	4
35-49	159	1.9	1	<1	1	2	2	3	3	4
50-64	111	1.9		<1	<1	2	2	3	3	4
65+	66	2.3	2	1	1	2	3	3	4	8
GRAND TOTAL	2036	1.7	2	<1	<1	2	2	2	3	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34										
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	10	1.5	1	<1	<1	1	2	3	3	3
" MULTIPLE DX	6	1.8		1	1	2	2	2	2	2
TOTAL 0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.0		2	2	2	2	2	2	2
65+	4	1.8	1	1	1	2	2	3	3	3
GRAND TOTAL	16	1.6		<1	<1	2	2	2	3	3

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	2.9	5	<1	1	2	4	6	8	13
20-34	66	2.6	1	1	1	2	3	4	5	5
35-49	51	2.9	3	<1	1	3	4	5	6	10
50-64	72	3.5	11	1	1	3	3	6	8	23
65+	88	3.7	10	1	2	3	4	7	11	18
2. MULTIPLE DX										
0-19 YRS	62	4.5	15	1	1	3	6	10	13	18
20-34	74	4.8	25	1	2	3	5	10	12	29
35-49	54	5.3	66	1	2	3	6	11	11	57
50-64	77	4.6	17	1	1	3	6	10	13	19
65+	137	6.1	56	1	2	3	7	13	27	34
TOT. SINGLE DX	366	3.2	7	1	1	3	4	5	8	14
" MULTIPLE DX	404	5.2	38	1	1	3	6	11	16	32
TOTAL 0-19 YRS	151	3.6	10	1	1	2	4	8	11	15
20-34	140	3.7	15	1	1	3	4	6	10	27
35-49	105	4.1	37	1	1	3	4	7	11	37
50-64	149	4.1	15	1	1	3	4	9	12	19
65+	225	5.2	39	1	2	3	5	9	16	32
GRAND TOTAL	770	4.2	24	1	1	3	5	8	12	28

533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	219	1.7	1	<1	<1	1	2	3	4	7
20-34	104	1.8	4	<1	<1	2	2	3	3	12
35-49	33	2.5	18	<1	<1	1	2	3	13	22
50-64	67	2.0	3	<1	<1	1	2	3	6	11
65+	83	2.3	11	<1	<1	1	2	4	7	22
2. MULTIPLE DX										
0-19 YRS	162	3.0	14	<1	1	2	3	5	9	91
20-34	86	6.0	130	1	1	3	5	16	22	98
35-49	45	4.2	22	<1	1	2	5	10	16	19
50-64	69	6.2	65	1	1	3	7	14	27	40
65+	103	8.2	139	1	1	4	9	24	33	65
TOT. SINGLE DX	506	1.9	5	<1	<1	1	2	3	4	10
" MULTIPLE DX	465	5.3	76	<1	1	3	5	13	21	73
TOTAL 0-19 YRS	381	2.2	8	<1	<1	2	2	4	6	18
20-34	190	3.7	65	<1	<1	2	3	6	16	68
35-49	78	3.5	21	<1	<1	2	3	10	15	21
50-64	136	4.1	39	<1	<1	2	4	10	14	35
65+	186	5.6	91	<1	<1	2	5	12	27	49
GRAND TOTAL	971	3.5	42	<1	<1	2	3	7	13	36

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	1.6		1	1	2	2	2	3	4
20-34	219	1.9	2	1	1	2	2	3	3	6
35-49	347	1.7		1	1	2	2	3	3	4
50-64	355	1.8	3	1	1	2	2	3	3	5
65+	145	1.7		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	22	2.5	3	1	1	2	3	3	6	10
20-34	80	2.4	2	1	1	2	3	4	5	9
35-49	107	2.2		1	1	2	3	3	4	5
50-64	99	1.9		1	1	2	2	3	3	4
65+	55	2.6	5	1	1	2	3	3	5	16
TOT. SINGLE DX	1119	1.8	2	1	1	2	2	3	3	4
" MULTIPLE DX	363	2.2	2	1	1	2	3	3	4	7
TOTAL 0-19 YRS	75	1.9	1	1	1	2	2	3	3	8
20-34	299	2.0	2	1	1	2	2	3	4	7
35-49	454	1.8	1	1	1	2	2	3	3	4
50-64	454	1.9	3	1	1	2	2	3	3	4
65+	200	2.0	2	1	1	2	2	3	3	6
GRAND TOTAL	1482	1.9	2	1	1	2	2	3	3	5

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	556	1.7	1	<1	<1	2	2	2	3	3
20-34	486	1.7		<1	1	2	2	3	3	4
35-49	373	1.8	1	1	1	2	2	3	3	4
50-64	288	1.8		1	1	2	2	3	3	4
65+	112	1.8		<1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	398	1.9	2	<1	1	2	2	3	3	6
20-34	281	2.0		<1	1	2	2	3	3	8
35-49	245	2.2	2	1	1	2	3	3	4	5
50-64	263	2.2	1	1	1	2	3	3	4	6
65+	93	2.4	2	1	1	2	3	3	4	10
TOT. SINGLE DX	1815	1.8	1	<1	1	2	2	3	3	4
" MULTIPLE DX	1280	2.1	2	1	1	2	2	3	4	6
TOTAL 0-19 YRS	954	1.8	2	<1	1	2	2	3	3	4
20-34	767	1.8	1	<1	1	2	2	3	3	4
35-49	618	1.9	2	1	1	2	2	3	3	5
50-64	551	2.0	1	1	1	2	2	3	4	6
65+	205	2.1	1	1	1	2	3	3	3	6
GRAND TOTAL	3095	1.9	1	<1	1	2	2	3	3	5

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3211	1.0		<1	<1	<1	<1	1	1	2
20-34	59	1.4	1	<1	<1	1	1	2	3	10
35-49	50	2.2	9	<1	<1	1	2	4	7	18
50-64	58	1.8	3	<1	<1	1	2	2	3	13
65+	24	2.1	4	<1	<1	1	2	5	7	10
2. MULTIPLE DX										
0-19 YRS	1767	1.5	2	<1	<1	1	1	2	4	9
20-34	71	2.8	18	<1	<1	1	2	6	11	27
35-49	37	3.9	48	<1	<1	1	3	9	21	34
50-64	57	2.4	5	<1	<1	2	3	6	7	14
65+	27	4.9	63	<1	<1	2	4	13	24	37
TOT. SINGLE DX	3402	1.1	1	<1	<1	<1	<1	1	1	3
" MULTIPLE DX	1959	1.6	5	<1	<1	1	1	2	4	12
TOTAL 0-19 YRS	4978	1.2	1	<1	<1	<1	1	1	2	6
20-34	130	2.2	12	<1	<1	1	2	4	6	20
35-49	87	2.9	26	<1	<1	1	2	7	10	31
50-64	115	2.1	4	<1	<1	1	2	3	7	13
65+	51	3.6	37	<1	<1	2	3	8	14	37
GRAND TOTAL	5361	1.3	2	<1	<1	<1	1	2	2	8

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	2.2	2	1	1	2	3	3	6	9
20-34	96	2.3	2	1	1	2	3	4	5	10
35-49	90	2.4	4	1	1	2	3	3	5	14
50-64	82	2.7	3	1	1	2	3	4	8	10
65+	30	3.4	9	2	2	2	3	5	13	15
2. MULTIPLE DX										
0-19 YRS	154	3.0	7	1	1	2	3	5	8	15
20-34	203	2.8	4	1	1	2	3	5	7	12
35-49	129	3.2	17	1	1	2	3	5	9	30
50-64	149	4.2	37	1	1	3	4	8	13	23
65+	56	5.3	24	1	2	4	6	11	16	25
TOT. SINGLE DX	428	2.5	4	1	1	2	3	4	6	11
" MULTIPLE DX	691	3.4	17	1	1	2	3	6	10	22
TOTAL 0-19 YRS	284	2.6	5	1	1	2	3	4	7	12
20-34	299	2.6	4	1	1	2	3	4	6	12
35-49	219	2.9	12	1	1	2	3	5	7	21
50-64	231	3.7	26	1	1	3	3	6	10	22
65+	86	4.6	20	1	2	3	5	10	15	24
GRAND TOTAL	1119	3.1	12	1	1	2	3	5	8	17

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	1.8	2	<1	<1	1	2	3	3	9
20-34	196	2.2	1	1	1	2	3	3	4	7
35-49	255	2.4	2	1	1	2	3	4	5	9
50-64	213	2.6	2	1	1	2	3	4	5	8
65+	72	2.6	5	1	1	2	4	5	6	13
2. MULTIPLE DX										
0-19 YRS	148	2.3	5	<1	<1	2	3	4	7	16
20-34	114	3.4	9	1	1	3	4	6	9	18
35-49	121	3.4	13	1	1	2	3	6	9	24
50-64	94	3.1	5	1	1	2	4	6	6	14
65+	49	6.3	171	<1	1	3	4	14	19	89
TOT. SINGLE DX	972	2.3	2	<1	1	2	3	4	5	9
" MULTIPLE DX	526	3.3	24	<1	1	2	3	6	8	22
TOTAL 0-19 YRS	384	2.0	4	<1	<1	1	2	3	4	9
20-34	310	2.6	5	1	1	2	3	4	6	11
35-49	376	2.8	6	1	1	2	3	5	6	13
50-64	307	2.8	3	1	1	2	3	5	6	10
65+	121	4.1	75	1	1	2	4	7	13	43
GRAND TOTAL	1498	2.5	10	<1	1	2	3	4	6	13

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	1.6		1	1	1	2	3	3	4
20-34	179	1.7	1	<1	<1	2	2	3	3	5
35-49	91	1.9	4	<1	<1	2	2	3	3	14
50-64	38	1.7		<1	1	2	2	3	3	3
65+	22	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	127	2.1	1	1	1	2	3	3	4	7
20-34	419	2.2	2	1	1	2	3	4	4	6
35-49	228	2.3	2	1	1	2	3	4	4	8
50-64	116	2.8	10	1	1	2	3	4	6	17
65+	37	3.3	15	1	1	2	3	5	9	24
TOT. SINGLE DX	394	1.7	2	<1	<1	1	2	3	3	5
" MULTIPLE DX	927	2.3	4	1	1	2	3	4	4	9
TOTAL 0-19 YRS	191	1.9	1	1	1	2	2	3	4	6
20-34	598	2.0	2	<1	1	2	3	3	4	5
35-49	319	2.2	3	<1	1	2	3	3	4	8
50-64	154	2.5	8	<1	1	2	3	3	5	9
65+	59	2.7	11	<1	<1	2	3	5	6	23
GRAND TOTAL	1321	2.1	3	<1	1	2	3	3	4	7

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	542	1.7		<1	1	2	2	3	3	5
20-34	1130	1.8	1	<1	1	2	2	3	3	5
35-49	512	1.8	1	<1	1	2	2	3	4	5
50-64	247	1.9	2	<1	1	2	2	3	4	6
65+	71	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	712	2.1	1	1	1	2	3	3	4	7
20-34	1636	2.2	5	1	1	2	3	3	4	7
35-49	908	2.3	6	1	1	2	3	3	4	7
50-64	526	2.7	6	1	1	2	3	4	6	12
65+	177	3.7	22	1	1	3	4	6	9	20
TOT. SINGLE DX	2502	1.8	1	<1	1	2	2	3	3	5
" MULTIPLE DX	3959	2.3	6	1	1	2	3	4	4	10
TOTAL 0-19 YRS	1254	2.0	1	1	1	2	2	3	4	6
20-34	2766	2.0	4	<1	1	2	2	3	4	6
35-49	1420	2.1	5	<1	1	2	3	3	4	7
50-64	773	2.5	5	1	1	2	3	4	5	12
65+	248	3.2	17	1	1	2	3	5	7	17
GRAND TOTAL	6461	2.1	4	1	1	2	3	3	4	8

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	1.7	1	<1	<1	1	2	3	3	8
20-34	125	1.7	1	<1	<1	1	2	3	4	8
35-49	139	1.7	1	<1	<1	1	2	3	4	6
50-64	177	1.8	1	<1	<1	2	2	3	4	6
65+	172	1.9	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	111	2.4	6	<1	<1	2	3	3	5	17
20-34	272	2.3	5	<1	1	2	3	3	4	12
35-49	218	2.7	9	<1	1	2	3	4	6	16
50-64	236	2.7	5	<1	1	2	3	5	6	14
65+	236	5.8	88	<1	1	3	6	13	19	44
TOT. SINGLE DX	707	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	1073	3.3	27	<1	1	2	3	5	10	24
TOTAL 0-19 YRS	205	2.0	4	<1	<1	2	2	3	4	12
20-34	397	2.1	5	<1	<1	2	3	3	4	10
35-49	357	2.3	7	<1	<1	2	3	4	5	18
50-64	413	2.3	4	<1	<1	2	3	4	5	11
65+	408	4.1	56	<1	<1	2	4	9	14	38
GRAND TOTAL	1780	2.7	17	<1	<1	2	3	4	7	17

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	416	1.4		<1	<1	1	2	2	3	4
20-34	339	1.9	1	<1	<1	1	2	3	4	7
35-49	107	2.4	3	<1	<1	2	3	5	6	9
50-64	97	3.7	4	<1	1	3	5	7	8	10
65+	64	3.9	5	1	1	3	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	195	2.9	28	<1	1	2	3	5	8	37
20-34	274	3.7	19	<1	1	2	4	7	11	28
35-49	118	4.2	16	1	1	3	5	8	9	27
50-64	163	5.0	14	1	2	4	6	9	11	24
65+	190	6.6	47	1	2	5	7	13	20	36
TOT. SINGLE DX	1023	2.0	3	<1	<1	1	2	4	6	8
" MULTIPLE DX	940	4.4	27	1	1	3	5	9	12	30
TOTAL 0-19 YRS	611	1.9	10	<1	<1	1	2	3	4	10
20-34	613	2.7	11	<1	1	2	3	5	7	14
35-49	225	3.3	11	<1	1	2	4	7	8	18
50-64	260	4.5	11	1	1	4	6	8	10	20
65+	254	5.9	38	1	1	4	6	11	17	35
GRAND TOTAL	1963	3.2	16	<1	<1	2	4	6	9	21

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	2.7	2	1	1	3	4	4	6	6
20-34	117	2.2	1	1	1	2	3	4	5	7
35-49	118	2.1	1	1	1	2	3	4	4	5
50-64	109	2.4	1	1	1	2	3	4	4	6
65+	46	2.4	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	36	2.9	3	1	1	2	4	5	7	8
20-34	138	2.9	6	1	1	2	3	5	7	14
35-49	157	3.5	13	1	1	3	3	5	8	25
50-64	181	3.6	14	1	1	3	4	6	12	23
65+	86	4.5	30	1	2	3	5	9	13	35
TOT. SINGLE DX	424	2.3	2	1	1	2	3	4	5	6
" MULTIPLE DX	598	3.5	14	1	1	3	4	6	9	23
TOTAL 0-19 YRS	70	2.8	3	1	1	3	4	5	6	8
20-34	255	2.6	5	1	1	2	3	4	6	9
35-49	275	2.9	9	1	1	2	3	4	5	18
50-64	290	3.2	10	1	1	2	3	5	8	19
65+	132	3.8	21	1	1	3	4	6	11	26
GRAND TOTAL	1022	3.0	9	1	1	2	3	5	6	18

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	3.1	11	<1	<1	1	4	8	10	16
20-34	117	2.8	5	<1	<1	2	3	6	8	12
35-49	86	3.0	5	<1	1	2	4	6	8	12
50-64	78	2.8	6	<1	1	2	3	6	7	15
65+	44	3.7	6	1	1	3	5	8	9	10
2. MULTIPLE DX										
0-19 YRS	104	3.9	41	<1	<1	2	4	7	12	42
20-34	199	3.2	20	1	1	2	3	6	8	27
35-49	168	3.0	8	1	1	2	4	6	7	18
50-64	165	4.2	26	1	1	3	5	8	14	30
65+	84	5.1	29	1	1	3	7	11	17	77
TOT. SINGLE DX	397	3.0	7	<1	<1	2	4	7	8	13
" MULTIPLE DX	720	3.7	24	1	1	2	4	7	11	32
TOTAL 0-19 YRS	176	3.6	29	<1	<1	2	4	8	11	31
20-34	316	3.0	15	<1	1	2	3	6	8	16
35-49	254	3.0	8	1	1	2	4	6	7	13
50-64	243	3.8	20	1	1	2	4	7	13	23
65+	128	4.6	22	1	1	3	6	10	15	48
GRAND TOTAL	1117	3.4	18	<1	1	2	4	7	10	22

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	290	1.3		<1	<1	1	2	2	2	3
20-34	227	1.6	1	<1	<1	1	2	2	3	6
35-49	84	1.8	1	<1	<1	2	2	3	4	6
50-64	66	2.6	15	1	1	2	2	4	7	25
65+	52	2.1		1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	176	2.3	10	<1	<1	2	2	4	6	24
20-34	196	5.3	94	<1	1	2	4	14	25	71
35-49	172	5.8	91	1	1	2	5	14	31	50
50-64	224	4.2	35	1	1	2	4	9	13	43
65+	269	5.2	34	1	1	3	6	14	20	40
TOT. SINGLE DX	719	1.6	2	<1	<1	1	2	2	3	5
" MULTIPLE DX	1037	4.6	53	<1	1	2	4	11	18	44
TOTAL 0-19 YRS	466	1.7	4	<1	<1	1	2	2	3	9
20-34	423	3.3	48	<1	<1	2	2	5	13	39
35-49	256	4.5	65	<1	1	2	3	11	18	48
50-64	290	3.8	32	1	1	2	3	8	13	35
65+	321	4.7	30	1	1	3	5	13	17	35
GRAND TOTAL	1756	3.4	34	<1	<1	2	3	8	13	33

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	301	1.0		<1	<1	<1	1	1	1	2
20-34	40	1.8	2	<1	1	1	2	3	4	11
35-49	9	1.2		<1	<1	1	1	2	2	2
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	4	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	123	2.0	15	<1	<1	1	1	2	6	29
20-34	47	2.0	3	<1	<1	1	2	3	6	13
35-49	9	3.2	31	<1	<1	1	2	12	18	18
50-64	8	2.3	4	1	1	2	2	6	7	7
65+	5	2.2	3	<1	<1	1	3	5	5	8
TOT. SINGLE DX	358	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	192	2.1	13	<1	<1	1	2	3	6	24
TOTAL 0-19 YRS	424	1.3	5	<1	<1	<1	1	1	2	9
20-34	87	1.9	3	<1	1	1	2	3	4	12
35-49	18	2.2	16	<1	<1	1	1	3	12	18
50-64	12	2.1	3	1	1	2	2	4	7	7
65+	9	2.1	2	<1	<1	1	3	5	5	8
GRAND TOTAL	550	1.5	5	<1	<1	1	1	2	3	11

549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.9	1	<1	<1	1	2	4	5	5
20-34	48	2.4	3	1	1	2	3	5	6	9
35-49	103	2.7	3	1	1	2	3	4	7	10
50-64	87	3.1	1	1	1	3	4	5	5	7
65+	29	3.5	7	<1	1	3	4	7	8	13
2. MULTIPLE DX										
0-19 YRS	42	2.2	3	<1	<1	2	2	4	7	10
20-34	61	3.3	9	<1	1	2	4	8	9	16
35-49	80	3.1	12	1	1	2	3	6	8	23
50-64	83	4.2	46	1	1	3	5	6	8	46
65+	35	6.2	82	1	2	4	6	14	20	52
TOT. SINGLE DX	307	2.7	3	<1	1	2	4	5	6	9
" MULTIPLE DX	301	3.7	29	1	1	2	4	7	9	25
TOTAL 0-19 YRS	82	2.1	3	<1	<1	2	2	4	5	9
20-34	109	2.9	7	1	1	2	3	6	8	13
35-49	183	2.9	7	1	1	2	3	5	8	12
50-64	170	3.6	24	1	1	3	4	6	7	12
65+	64	5.0	50	1	2	3	5	9	14	48
GRAND TOTAL	**608**	**3.2**	**16**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (1C)	99th (11)
1. SINGLE DX										
0-19 YRS	94	2.5	2	<1	<1	2	3	4	5	9
20-34	248	2.7	3	1	1	2	3	5	6	9
35-49	225	2.9	2	1	1	3	4	5	5	8
50-64	288	3.2	2	1	1	3	4	5	6	8
65+	209	3.5	4	1	2	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	27	3.5	14	<1	1	2	4	7	14	18
20-34	78	3.5	5	1	1	3	4	6	9	13
35-49	120	4.1	20	1	1	3	4	6	11	31
50-64	167	4.1	13	1	2	3	4	6	8	20
65+	227	5.8	19	2	2	4	7	12	15	22
TOT. SINGLE DX	1064	3.0	3	1	1	3	4	5	6	9
" MULTIPLE DX	619	4.6	17	1	2	3	5	9	13	22
TOTAL 0-19 YRS	121	2.7	5	<1	<1	2	3	4	7	14
20-34	326	2.9	4	1	1	3	4	5	6	12
35-49	345	3.3	9	1	1	3	4	5	6	16
50-64	455	3.5	7	1	1	3	4	5	7	14
65+	436	4.7	14	1	2	4	5	9	13	21
GRAND TOTAL	**1683**	**3.6**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	208	3.6	3	1	1	4	5	6	6	9
20-34	11	3.7	4	<1	1	4	5	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	146	4.1	4	1	2	4	5	7	8	13
20-34	12	4.3	3	2	2	4	6	7	8	8
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	2	3.5	13	1	1	3	6	6	6	6
65+										
TOT. SINGLE DX	219	3.6	3	1	1	4	5	6	7	9
" MULTIPLE DX	164	4.1	5	1	2	4	5	7	8	13
TOTAL 0-19 YRS	354	3.8	4	1	1	4	5	6	7	10
20-34	23	4.0	4	1	1	4	5	7	8	8
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	2	3.5	13	1	1	3	6	6	6	6
65+										
GRAND TOTAL	**383**	**3.8**	**4**	**1**	**1**	**4**	**5**	**6**	**7**	**10**

552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	402	2.9	5	<1	<1	2	4	6	7	10
20-34	124	3.1	8	<1	<1	2	4	7	9	14
35-49	114	3.5	14	<1	<1	2	4	9	10	20
50-64	202	3.4	17	<1	<1	2	3	8	11	23
65+	223	3.6	15	<1	<1	2	4	8	10	19
2. MULTIPLE DX										
0-19 YRS	262	3.7	24	<1	1	2	5	7	9	28
20-34	171	4.4	24	1	1	3	5	10	13	24
35-49	118	5.8	74	<1	1	3	6	11	18	56
50-64	267	7.9	128	1	1	4	9	17	28	62
65+	319	8.8	92	1	1	5	12	22	27	41
TOT. SINGLE DX	1065	3.2	11	<1	<1	2	4	7	9	18
" MULTIPLE DX	1137	6.5	78	1	1	3	7	15	24	44
TOTAL 0-19 YRS	664	3.2	13	<1	<1	2	4	6	8	15
20-34	295	3.8	18	<1	1	2	5	8	12	22
35-49	232	4.7	46	<1	<1	3	6	10	12	29
50-64	469	6.0	86	<1	1	3	6	13	22	47
65+	542	6.7	67	<1	1	3	8	16	24	35
GRAND TOTAL	**2202**	**4.9**	**48**	**<1**	**<1**	**3**	**5**	**10**	**16**	**34**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4784	1.6		1	1	2	2	2	3	3
20-34	3130	1.7		1	1	2	2	3	3	4
35-49	322	1.9		1	1	2	2	3	3	5
50-64	38	2.2	1	<1	1	2	3	4	5	6
65+	15	2.7	7	<1	1	2	3	7	9	10
2. MULTIPLE DX										
0-19 YRS	983	1.7		<1	1	2	2	3	3	5
20-34	576	2.2	2	1	1	2	3	3	5	9
35-49	90	2.2	1	1	1	2	3	4	6	8
50-64	20	3.2	5	1	1	3	4	7	8	9
65+	11	4.6	36	1	1	3	5	13	21	22
TOT. SINGLE DX	8289	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	1680	2.0	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS	5767	1.6	1	1	1	2	2	2	3	4
20-34	3706	1.8	1	1	1	2	2	3	3	5
35-49	412	2.0	1	1	1	2	2	3	3	6
50-64	58	2.6	3	1	1	2	3	4	6	9
65+	26	3.5	19	<1	1	2	3	7	12	22
GRAND TOTAL	9969	1.7	1	1	1	2	2	3	3	5

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6902	1.5		<1	<1	1	2	2	2	3
20-34	175	1.9		1	1	2	2	3	4	5
35-49	6	1.7		1	1	2	2	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65+	9	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3710	1.5		<1	<1	1	2	2	2	4
20-34	67	2.1	1	1	1	2	2	3	4	8
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	2.3	1	<1	<1	3	3	3	3	3
65+	3	1.7		1	1	2	2	2	2	2
TOT. SINGLE DX	7095	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	3785	1.5	1	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	10612	1.5		<1	<1	1	2	2	2	3
20-34	242	1.9	1	1	1	2	2	3	4	5
35-49	8	1.6		1	1	2	2	2	2	2
50-64	6	1.8	1	<1	<1	2	3	3	3	3
65+	12	1.5		<1	<1	1	2	2	2	2
GRAND TOTAL	10880	1.5		<1	<1	1	2	2	2	3

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	603	1.1		<1	<1	1	1	2	2	2
20-34	10	1.5		<1	<1	1	2	2	2	2
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	1163	1.2		<1	<1	1	1	2	2	3
20-34	6	1.8	1	<1	<1	1	2	4	4	4
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	614	1.1		<1	<1	1	1	2	2	2
" MULTIPLE DX	1171	1.2		<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	1766	1.2		<1	<1	1	1	2	2	2
20-34	16	1.6	1	<1	<1	1	2	2	4	4
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	1785	1.2		<1	<1	1	1	2	2	2

556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	355	1.8	1	<1	<1	1	2	4	4	7
20-34	233	2.3	2	<1	1	2	3	4	4	9
35-49	93	2.5	8	<1	<1	2	3	5	6	19
50-64	91	3.3	16	<1	<1	2	3	7	9	25
65+	64	3.6	10	<1	1	2	4	8	11	17
2. MULTIPLE DX										
0-19 YRS	87	3.7	37	<1	<1	2	4	7	9	41
20-34	74	3.5	14	<1	1	3	4	7	9	25
35-49	55	5.6	124	1	1	3	5	11	31	99
50-64	110	6.3	93	1	1	2	6	18	30	51
65+	92	7.8	91	1	2	4	10	21	31	81
TOT. SINGLE DX	836	2.3	5	<1	<1	2	3	4	6	11
" MULTIPLE DX	418	5.5	73	<1	1	3	5	13	24	55
TOTAL 0-19 YRS	442	2.2	9	<1	<1	1	2	4	5	10
20-34	307	2.6	5	<1	1	2	3	4	6	10
35-49	148	3.7	53	<1	<1	2	3	6	11	76
50-64	201	5.0	61	<1	1	2	5	9	23	43
65+	156	6.1	62	1	1	3	7	15	23	55
GRAND TOTAL	1254	3.4	30	<1	1	2	3	6	10	32

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.2		<1	<1	<1	1	2	3	5
20-34	20	3.3	5	<1	<1	2	5	7	7	7
35-49	20	2.6	2	<1	<1	2	4	5	6	6
50-64	37	4.1	14	<1	1	3	5	9	12	19
65+	31	2.6	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	60	4.3	38	<1	1	3	5	7	9	45
20-34	17	4.7	37	<1	1	2	5	11	21	26
35-49	22	4.2	23	<1	1	3	5	7	14	24
50-64	51	3.6	8	<1	1	3	4	7	9	16
65+	87	4.7	12	1	1	4	6	9	11	20
TOT. SINGLE DX	148	2.7	6	<1	<1	2	4	6	7	13
" MULTIPLE DX	237	4.3	21	1	1	3	5	8	10	24
TOTAL 0-19 YRS	100	3.1	26	<1	<1	2	3	5	8	29
20-34	37	3.9	20	<1	1	2	5	7	10	26
35-49	42	3.5	14	<1	<1	2	4	6	7	24
50-64	88	3.8	11	<1	1	3	5	8	10	18
65+	118	4.2	10	1	1	3	5	8	10	18
GRAND TOTAL	385	3.7	16	<1	<1	3	5	7	9	20

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	1.4	1	<1	<1	1	2	2	2	8
20-34	136	1.5	1	<1	<1	1	2	2	2	8
35-49	212	1.4		<1	<1	1	2	2	2	3
50-64	350	1.6	1	<1	<1	1	2	2	3	6
65+	224	1.8	1	<1	1	2	2	2	3	8
2. MULTIPLE DX										
0-19 YRS	28	3.7	68	<1	1	2	2	5	17	44
20-34	44	3.0	17	<1	1	2	3	5	8	27
35-49	111	2.0	5	<1	<1	1	2	3	5	15
50-64	231	2.9	16	<1	1	2	2	5	10	21
65+	203	3.6	28	1	1	2	3	7	13	30
TOT. SINGLE DX	1030	1.5	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	617	3.0	21	<1	1	2	2	5	9	26
TOTAL 0-19 YRS	136	1.9	16	<1	<1	1	2	2	3	18
20-34	180	1.9	6	<1	<1	1	2	3	5	11
35-49	323	1.6	2	<1	<1	1	2	2	3	9
50-64	581	2.1	7	<1	<1	2	2	3	5	16
65+	427	2.6	15	<1	1	2	2	4	7	22
GRAND TOTAL	1647	2.1	9	<1	<1	1	2	3	5	15

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	7	2.4	11	<1	<1	1	2	8	10	10
35-49	8	9.5	67	1	1	7	14	23	25	25
50-64	33	6.4	36	<1	<1	4	10	15	17	24
65+	20	6.5	53	<1	1	4	9	16	24	29
2. MULTIPLE DX										
0-19 YRS	13	5.8	71	<1	1	2	5	17	28	31
20-34	8	13.4	56	5	6	11	18	25	27	27
35-49	11	8.9	79	2	2	5	11	24	30	31
50-64	29	13.9	190	1	2	9	17	30	38	65
65+	37	12.8	329	1	2	7	19	27	46	97
TOT. SINGLE DX	74	6.0	42	<1	<1	3	10	15	20	28
" MULTIPLE DX	98	11.8	206	1	2	8	15	28	35	82
TOTAL 0-19 YRS	19	4.3	53	<1	<1	2	3	12	23	31
20-34	15	8.3	65	<1	1	8	12	22	26	27
35-49	19	9.2	71	1	2	6	11	23	28	31
50-64	62	9.9	120	<1	1	8	14	23	30	62
65+	57	10.6	239	<1	1	5	12	23	34	94
GRAND TOTAL	172	9.3	143	<1	1	5	12	23	29	62

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	5	9.8	5	6	6	10	11	12	12	12
50-64	29	14.3	49	5	8	13	17	21	31	37
65+	22	15.7	51	9	10	13	17	25	32	39
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	8	22.6	387	10	10	19	35	88	99+	99+
50-64	52	19.6	131	8	10	15	26	44	57	99+
65+	63	21.3	115	10	10	19	24	40	45	58
TOT. SINGLE DX	57	14.4	47	6	9	13	16	23	30	39
" MULTIPLE DX	123	20.7	137	9	10	18	25	41	53	99+
TOTAL 0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	13	17.7	270	7	9	12	20	73	94	99+
50-64	81	17.7	108	8	9	15	21	36	46	99+
65+	85	19.9	104	10	10	17	23	36	41	57
GRAND TOTAL	180	18.7	117	9	10	15	22	36	45	99+

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	5.3	23	1	1	4	8	12	12	12
50-64	5	12.4	126	3	3	7	20	30	30	30
65+	2	18.0	242	7	7	18	29	29	29	29
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	54.0	21	50	50	56	79	99+	99+	99+
35-49	10	19.2	407	1	3	12	43	77	98	99+
50-64	19	31.7	562	2	3	30	53	74	88	99+
65+	16	30.9	666	10	12	21	54	99	99+	99+
TOT. SINGLE DX	13	10.6	88	1	2	7	13	29	30	30
" MULTIPLE DX	49	29.9	564	3	5	23	54	96	99+	99+
TOTAL 0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	4	42.5	543	8	8	53	69	99+	99+	99+
35-49	14	15.2	330	1	1	12	17	61	90	99+
50-64	24	27.7	526	3	3	24	47	72	82	99+
65+	18	29.4	620	8	10	21	51	98	99+	99+
GRAND TOTAL	62	25.8	524	3	4	19	50	79	99+	99+

562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	10.6	347	1	1	4	8	31	63	80
20-34	29	6.6	85	<1	1	3	8	15	19	48
35-49	15	13.9	394	1	1	4	21	49	61	65
50-64	23	6.3	44	<1	1	4	8	16	21	29
65+	35	7.5	142	<1	1	3	10	26	52	99+
2. MULTIPLE DX										
0-19 YRS	85	19.8	518	1	2	12	31	67	79	99+
20-34	63	27.2	743	1	2	18	46	86	99+	99+
35-49	71	24.1	645	<1	2	12	47	74	87	99+
50-64	143	31.0	619	1	2	28	52	77	99+	99+
65+	151	31.7	592	2	3	31	50	73	94	99+
TOT. SINGLE DX	132	8.5	188	1	1	3	8	22	47	83
" MULTIPLE DX	513	28.0	628	1	2	23	47	75	96	99+
TOTAL 0-19 YRS	115	17.4	487	1	1	8	25	64	76	99+
20-34	92	20.7	625	1	1	10	32	82	96	99+
35-49	86	22.3	612	1	1	11	44	72	79	99+
50-64	166	27.6	612	1	2	25	49	73	98	99+
65+	186	27.1	596	1	2	23	45	69	92	99+
GRAND TOTAL	645	24.0	599	1	1	17	41	72	91	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.5	8	<1	1	3	6	8	9	9
20-34	50	5.0	18	1	1	4	7	10	12	23
35-49	104	5.2	49	<1	<1	3	6	12	18	42
50-64	258	4.6	24	<1	1	3	6	11	14	21
65+	295	5.5	33	<1	1	3	7	14	18	27
2. MULTIPLE DX										
0-19 YRS	16	17.4	499	1	2	9	21	39	75	90
20-34	83	9.3	150	<1	1	6	12	18	28	77
35-49	209	8.5	55	1	2	7	11	17	22	38
50-64	760	9.4	83	1	2	7	13	20	27	44
65+	1338	11.3	114	2	2	8	15	24	33	56
TOT. SINGLE DX	726	5.0	31	<1	1	3	7	12	16	25
" MULTIPLE DX	2406	10.4	105	1	2	8	14	22	30	50
TOTAL 0-19 YRS	35	9.9	274	1	1	5	9	24	38	90
20-34	133	7.6	104	<1	1	5	9	15	23	51
35-49	313	7.4	56	<1	1	5	10	16	20	38
50-64	1018	8.2	73	1	1	5	11	19	24	42
65+	1633	10.2	105	1	2	7	14	23	31	51
GRAND TOTAL	3132	9.2	93	1	1	6	12	20	27	47

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	9.5	145	1	1	9	18	18	18	18
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	3	17.3	204	5	5	14	28	33	33	33
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	3	10.3	74	1	1	12	16	18	18	18
" MULTIPLE DX	5	14.6	152	2	2	14	22	33	33	33
TOTAL 0-19 YRS										
20-34	2	9.5	145	1	1	9	18	18	18	18
35-49	4	16.0	143	5	5	13	23	33	33	33
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	8	13.0	113	1	1	13	18	29	33	33

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	9.1	29	4	5	7	12	18	20	21
20-34	62	9.0	23	2	4	8	12	16	19	21
35-49	111	8.0	38	1	2	7	9	14	18	36
50-64	252	8.3	41	1	1	7	10	14	19	37
65+	209	7.9	38	1	1	8	11	16	18	28
2. MULTIPLE DX										
0-19 YRS	42	15.9	254	4	5	11	21	32	59	99+
20-34	116	12.4	89	3	5	10	15	26	33	68
35-49	184	10.5	46	2	3	9	13	19	26	34
50-64	588	11.6	87	1	3	9	15	23	28	49
65+	747	13.2	118	1	2	11	17	27	34	58
TOT. SINGLE DX	653	8.2	38	1	1	7	10	16	19	32
" MULTIPLE DX	1677	12.4	102	1	3	10	16	25	32	51
TOTAL 0-19 YRS	61	13.8	193	4	5	9	18	29	38	99+
20-34	178	11.2	69	3	4	9	14	21	29	52
35-49	295	9.6	45	2	3	8	12	17	24	34
50-64	840	10.6	76	1	2	9	13	21	26	47
65+	956	12.0	105	1	2	10	16	24	32	49
GRAND TOTAL	**2330**	**11.2**	**87**	**1**	**2**	**9**	**14**	**22**	**29**	**48**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	11.7	32	7	7	10	16	18	18	18
20-34	10	13.7	151	5	5	10	11	34	46	46
35-49	42	11.4	28	6	7	10	14	16	19	37
50-64	133	11.5	47	6	6	10	13	17	20	50
65+	111	12.3	26	6	7	11	15	19	22	32
2. MULTIPLE DX										
0-19 YRS	3	24.7	386	10	10	32	73	99+	99+	99+
20-34	32	17.4	299	6	7	10	21	35	43	95
35-49	79	16.8	184	6	7	13	20	35	47	98
50-64	340	14.6	101	7	7	12	17	23	33	66
65+	361	16.1	80	8	8	14	19	26	34	44
TOT. SINGLE DX	299	11.9	40	6	7	10	14	18	21	42
" MULTIPLE DX	815	15.6	109	7	8	13	18	25	36	69
TOTAL 0-19 YRS	6	18.2	218	7	8	17	40	89	99+	99+
20-34	42	16.5	262	5	6	10	21	35	45	95
35-49	121	14.9	136	6	7	11	16	25	41	96
50-64	473	13.7	89	6	7	11	15	22	27	65
65+	472	15.2	70	7	8	13	18	24	33	44
GRAND TOTAL	**1114**	**14.6**	**93**	**7**	**8**	**12**	**17**	**24**	**33**	**64**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	3.0	16	<1	1	2	3	6	10	23
20-34	75	5.0	33	<1	<1	2	6	12	18	28
35-49	116	5.1	32	<1	<1	3	7	14	19	51
50-64	258	4.5	26	<1	1	2	6	11	15	28
65+	255	5.4	34	<1	1	3	7	13	18	28
2. MULTIPLE DX										
0-19 YRS	88	10.1	185	1	1	5	11	29	43	92
20-34	172	9.9	100	1	2	7	12	21	29	64
35-49	263	9.0	108	1	1	6	11	19	30	99
50-64	714	10.1	107	1	2	7	13	22	30	51
65+	1229	12.7	129	2	2	10	16	27	37	59
TOT. SINGLE DX	850	4.6	29	<1	<1	2	6	12	16	28
" MULTIPLE DX	2466	11.3	123	1	2	8	15	24	34	61
TOTAL 0-19 YRS	234	5.7	91	<1	1	2	6	16	27	57
20-34	247	8.4	85	<1	1	5	11	19	28	52
35-49	379	7.8	88	<1	1	5	10	17	25	99
50-64	972	8.6	92	1	1	6	11	20	28	47
65+	1484	11.4	121	1	2	8	15	25	33	57
GRAND TOTAL	**3316**	**9.6**	**107**	**1**	**1**	**6**	**13**	**22**	**30**	**55**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	5.3	23	1	1	4	8	14	17	17
20-34	54	5.9	22	1	2	4	7	14	16	23
35-49	22	6.9	15	2	3	5	10	13	14	15
50-64	20	7.7	20	1	2	7	11	14	16	17
65+	9	6.4	37	<1	<1	3	13	14	14	14
2. MULTIPLE DX										
0-19 YRS	22	12.2	196	2	3	7	15	30	50	58
20-34	42	11.9	234	2	3	7	11	23	47	84
35-49	37	8.9	49	2	3	6	11	20	23	35
50-64	47	9.7	86	1	2	7	13	19	23	50
65+	78	13.5	180	1	2	10	17	26	40	75
TOT. SINGLE DX	124	6.3	22	1	1	5	9	14	16	19
" MULTIPLE DX	226	11.5	152	1	3	8	14	22	39	72
TOTAL 0-19 YRS	41	9.0	126	1	1	6	10	17	33	58
20-34	96	8.5	123	1	2	5	10	15	22	70
35-49	59	8.2	37	2	3	6	11	15	21	34
50-64	67	9.1	67	1	2	7	12	17	19	48
65+	87	12.8	170	1	1	10	16	25	39	74
GRAND TOTAL	**350**	**9.7**	**112**	**1**	**2**	**6**	**12**	**18**	**25**	**58**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	5.8	20	2	2	4	7	10	15	26
20-34	349	5.5	14	2	2	4	7	10	13	17
35-49	145	6.4	25	2	3	5	8	11	14	24
50-64	114	8.7	83	2	3	7	10	15	21	50
65+	74	8.9	53	2	2	6	11	19	24	37
2. MULTIPLE DX										
0-19 YRS	223	11.3	168	2	3	7	13	25	41	92
20-34	348	9.1	72	2	3	7	11	17	25	53
35-49	256	10.2	68	2	3	8	13	20	25	50
50-64	474	12.7	122	3	4	9	16	27	35	67
65+	633	14.1	120	3	4	10	18	30	38	50
TOT. SINGLE DX	788	6.5	32	2	2	5	8	12	16	26
" MULTIPLE DX	1934	12.0	114	3	3	9	15	26	35	56
TOTAL 0-19 YRS	329	9.5	127	2	3	6	10	18	31	86
20-34	697	7.3	47	2	2	5	9	14	18	38
35-49	401	8.8	56	2	3	7	11	17	23	46
50-64	588	11.9	118	3	3	9	15	26	33	66
65+	707	13.5	116	3	4	10	17	28	36	50
GRAND TOTAL	2722	10.4	97	2	3	7	13	22	30	52

570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	5.8	11	1	2	6	8	9	11	18
20-34	118	6.3	28	<1	1	5	9	13	16	27
35-49	100	6.1	30	1	1	5	8	14	17	28
50-64	135	6.7	43	1	1	4	9	15	21	32
65+	106	8.0	62	1	2	5	11	17	22	41
2. MULTIPLE DX										
0-19 YRS	44	10.2	73	2	3	8	12	20	25	50
20-34	113	10.0	102	1	2	7	12	24	37	72
35-49	162	10.7	103	1	2	8	13	24	38	99+
50-64	353	10.3	118	1	2	7	13	23	32	67
65+	452	11.8	103	2	3	10	16	24	31	49
TOT. SINGLE DX	529	6.6	37	1	1	5	8	14	18	31
" MULTIPLE DX	1124	10.9	107	1	2	8	14	23	32	62
TOTAL 0-19 YRS	114	7.5	39	1	2	6	8	14	18	38
20-34	231	8.1	68	1	1	6	10	17	26	51
35-49	262	9.0	80	1	2	7	12	19	30	94
50-64	488	9.3	100	1	2	6	12	21	29	57
65+	558	11.1	98	2	2	9	15	22	30	49
GRAND TOTAL	1653	9.5	89	1	2	7	12	21	29	52

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	8.5	10	5	6	8	10	12	15	21
20-34	41	10.0	7	7	7	10	11	14	16	17
35-49	63	11.3	11	8	8	11	13	16	19	21
50-64	99	11.2	12	7	8	10	13	16	19	23
65+	48	13.8	22	8	9	13	15	21	24	30
2. MULTIPLE DX										
0-19 YRS	198	11.0	101	5	7	8	10	17	21	74
20-34	97	14.9	101	6	8	12	16	28	43	78
35-49	197	16.0	119	8	9	13	18	25	38	66
50-64	511	16.2	83	9	9	14	19	25	33	57
65+	453	19.5	126	9	10	16	23	34	45	68
TOT. SINGLE DX	374	10.5	15	6	7	10	12	16	18	23
" MULTIPLE DX	1456	16.4	112	7	8	13	19	28	39	65
TOTAL 0-19 YRS	321	10.0	68	5	6	8	10	15	18	60
20-34	138	13.4	78	7	7	11	14	25	36	59
35-49	260	14.9	97	8	9	12	16	23	27	61
50-64	610	15.4	76	8	9	13	17	24	31	55
65+	501	19.0	119	9	10	16	22	33	44	67
GRAND TOTAL	1830	15.2	98	7	8	12	17	25	34	59

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	6	8.7	4	6	6	8	11	11	11	11
35-49	184	10.6	11	7	7	10	12	14	18	23
50-64	664	10.8	11	7	8	10	12	15	18	23
65+	333	12.5	18	8	8	11	15	17	20	27
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	44	12.3	46	7	8	10	13	18	27	40
35-49	917	12.0	34	7	8	10	13	17	22	33
50-64	3641	13.3	48	8	8	11	15	20	25	44
65+	2183	16.4	81	8	9	14	19	27	33	53
TOT. SINGLE DX	1188	11.3	14	7	8	10	13	16	18	25
" MULTIPLE DX	6786	14.1	59	8	8	12	16	22	28	45
TOTAL 0-19 YRS	2	17.0	72	11	11	17	23	23	23	23
20-34	50	11.8	42	6	7	10	12	17	22	40
35-49	1101	11.8	31	7	8	10	13	17	21	33
50-64	4305	12.9	43	8	8	11	14	19	24	40
65+	2516	15.8	75	8	9	13	18	25	33	49
GRAND TOTAL	7974	13.7	54	8	8	12	15	21	27	43

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	345	1.6	1	<1	1	1	2	2	3	7
20-34	186	3.1	15	1	1	2	3	6	8	24
35-49	1038	2.7	6	1	1	2	2	5	7	14
50-64	2128	2.7	6	1	1	2	2	5	7	14
65+	885	3.1	9	1	1	2	3	6	10	17
2. MULTIPLE DX										
0-19 YRS	420	2.9	21	1	1	2	2	5	11	28
20-34	338	3.6	20	1	1	2	4	7	10	25
35-49	2705	3.9	21	1	1	2	4	9	12	21
50-64	7548	3.9	19	1	1	2	4	9	12	22
65+	4165	5.5	42	1	2	2	7	13	18	34
TOT. SINGLE DX	4582	2.7	8	1	1	2	2	5	7	14
" MULTIPLE DX	15176	4.3	27	1	1	2	5	10	14	25
TOTAL 0-19 YRS	765	2.3	13	1	1	2	2	3	7	23
20-34	524	3.4	19	1	1	2	3	7	9	25
35-49	3743	3.5	18	1	1	2	4	8	11	19
50-64	9676	3.6	17	1	1	2	4	8	11	21
65+	5050	5.1	38	1	2	2	6	12	17	32
GRAND TOTAL	19758	3.9	23	1	1	2	4	9	13	24

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.9	1	<1	1	3	4	5	5	5
20-34	13	3.2	3	1	1	3	4	5	7	8
35-49	40	6.3	36	1	2	4	8	16	21	24
50-64	169	5.6	20	1	1	4	8	12	16	20
65+	853	5.0	20	1	1	4	6	10	14	24
2. MULTIPLE DX										
0-19 YRS	15	7.8	66	1	2	5	9	18	29	33
20-34	35	8.9	102	2	2	5	11	15	32	49
35-49	153	10.0	46	3	3	9	13	17	21	35
50-64	811	9.9	57	2	3	8	13	18	23	34
65+	4107	10.3	71	2	3	8	13	20	26	44
TOT. SINGLE DX	1085	5.1	20	1	1	4	6	11	14	22
" MULTIPLE DX	5121	10.2	69	2	3	8	13	19	25	43
TOTAL 0-19 YRS	25	5.8	45	1	2	4	6	10	22	33
20-34	48	7.4	81	2	2	4	8	15	30	49
35-49	193	9.2	46	2	3	8	13	17	21	34
50-64	980	9.2	54	2	2	7	13	18	22	33
65+	4960	9.4	67	2	2	7	12	19	25	42
GRAND TOTAL	6206	9.3	64	2	2	7	12	18	24	41

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	9.4	69	2	5	7	10	12	30	40
20-34	17	6.9	9	1	3	7	8	11	13	13
35-49	17	6.4	21	1	1	5	8	12	17	19
50-64	26	7.3	33	1	2	5	9	15	22	24
65+	22	7.5	48	1	2	5	8	17	24	29
2. MULTIPLE DX										
0-19 YRS	29	11.7	96	1	2	8	19	23	25	46
20-34	42	12.9	82	3	5	11	15	26	34	44
35-49	87	11.6	84	2	2	9	15	26	31	44
50-64	174	11.9	88	2	3	10	15	25	30	47
65+	119	12.9	81	2	3	11	20	26	29	61
TOT. SINGLE DX	99	7.5	36	1	2	6	9	13	20	35
" MULTIPLE DX	451	12.2	85	2	3	10	16	25	30	46
TOTAL 0-19 YRS	46	10.8	86	1	2	8	12	23	27	46
20-34	59	11.2	69	2	5	8	13	21	30	44
35-49	104	10.7	77	2	2	9	14	23	30	42
50-64	200	11.3	83	2	3	10	14	23	28	44
65+	141	12.1	80	1	2	10	19	25	29	49
GRAND TOTAL	550	11.3	80	2	3	9	14	24	29	44

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	151	2.7	10	<1	<1	1	3	6	8	15
20-34	108	3.4	21	<1	<1	2	4	8	11	28
35-49	133	3.2	17	<1	<1	1	3	9	14	19
50-64	221	3.1	15	<1	<1	2	3	8	13	21
65+	194	5.3	50	<1	1	2	7	14	17	38
2. MULTIPLE DX										
0-19 YRS	223	6.8	118	<1	1	4	7	14	22	98
20-34	184	7.6	80	<1	1	6	10	16	21	70
35-49	263	8.8	86	1	1	6	12	21	27	40
50-64	659	8.9	74	1	1	7	12	18	25	48
65+	1465	11.2	86	1	2	9	15	24	30	45
TOT. SINGLE DX	807	3.6	25	<1	<1	2	4	9	14	25
" MULTIPLE DX	2794	9.8	88	1	2	7	13	21	28	47
TOTAL 0-19 YRS	374	5.2	78	<1	<1	3	6	11	16	71
20-34	292	6.1	63	<1	<1	4	8	15	19	42
35-49	396	6.9	70	<1	1	4	9	16	23	38
50-64	880	7.5	66	<1	1	5	10	16	23	45
65+	1659	10.5	86	1	2	8	14	23	29	44
GRAND TOTAL	3601	8.5	81	<1	1	6	12	19	26	44

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.9	3	1	1	2	4	5	7	8
20-34	498	3.4	6	1	2	3	4	5	6	10
35-49	652	3.7	6	1	2	3	4	5	7	13
50-64	479	4.3	20	1	2	4	5	6	8	24
65+	126	5.1	32	2	2	4	6	8	10	32
2. MULTIPLE DX										
0-19 YRS	7	3.7	8	1	1	3	4	9	10	10
20-34	116	4.3	5	2	3	4	5	7	9	15
35-49	224	4.7	12	1	2	4	5	8	10	22
50-64	283	5.9	38	2	2	4	6	10	14	40
65+	129	8.1	56	3	3	5	9	16	23	43
TOT. SINGLE DX	1774	3.8	12	1	2	3	4	6	7	14
" MULTIPLE DX	759	5.7	30	2	2	4	6	10	14	31
TOTAL 0-19 YRS	26	3.2	4	1	1	3	4	6	8	10
20-34	614	3.6	6	1	2	3	4	5	6	12
35-49	876	3.9	8	1	2	3	4	6	8	15
50-64	762	4.9	28	2	2	4	5	8	11	31
65+	255	6.7	47	2	2	5	7	14	18	40
GRAND TOTAL	**2533**	**4.4**	**18**	**1**	**2**	**4**	**5**	**7**	**9**	**22**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	5.2	12	1	1	5	7	8	12	17
20-34	34	5.5	58	1	2	3	6	9	17	44
35-49	98	6.9	22	1	1	6	9	13	15	23
50-64	326	8.2	15	2	3	8	10	13	15	20
65+	314	10.2	47	2	4	9	13	17	19	32
2. MULTIPLE DX										
0-19 YRS	53	13.7	206	2	4	10	14	31	41	86
20-34	131	12.5	145	2	3	9	16	26	36	62
35-49	287	11.9	74	2	4	9	15	24	29	39
50-64	1133	13.4	103	3	5	11	15	24	34	55
65+	1437	15.8	148	4	6	13	18	28	40	75
TOT. SINGLE DX	792	8.6	33	2	2	8	11	14	18	26
" MULTIPLE DX	3041	14.3	127	3	5	11	17	26	36	66
TOTAL 0-19 YRS	73	11.4	167	2	2	8	12	25	39	78
20-34	165	11.1	135	2	2	8	14	24	36	61
35-49	385	10.6	66	2	2	9	13	22	27	38
50-64	1459	12.2	89	3	5	10	14	22	31	52
65+	1751	14.8	135	4	5	12	17	26	36	71
GRAND TOTAL	**3833**	**13.2**	**113**	**3**	**4**	**10**	**16**	**24**	**33**	**61**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	3	14.0	19	11	11	12	17	19	19	19
50-64	3	20.7	30	17	17	18	25	27	27	27
65+	2	12.5	13	10	10	12	15	15	15	15
TOT. SINGLE DX	2	8.5	1	8	8	8	9	9	9	9
" MULTIPLE DX	8	16.1	30	10	10	16	18	25	27	27
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	4	12.8	19	9	9	11	15	19	19	19
50-64	3	20.7	30	17	17	18	25	27	27	27
65+	2	12.5	13	10	10	12	15	15	15	15
GRAND TOTAL	**10**	**14.6**	**34**	**8**	**8**	**13**	**18**	**23**	**27**	**27**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	6.9	26	2	2	6	10	15	16	16
20-34	16	3.6	8	1	1	3	5	9	10	10
35-49	26	3.3	11	<1	<1	2	5	7	12	14
50-64	24	4.3	69	<1	<1	2	4	6	20	42
65+	38	4.6	48	<1	<1	2	3	13	26	27
2. MULTIPLE DX										
0-19 YRS	40	6.0	62	<1	<1	3	6	16	25	37
20-34	337	5.3	25	<1	1	4	7	11	14	24
35-49	327	5.9	52	1	1	4	7	11	15	30
50-64	628	6.9	46	1	2	5	8	14	18	37
65+	581	9.1	98	1	2	6	11	19	28	53
TOT. SINGLE DX	111	4.2	37	<1	<1	2	4	9	15	33
" MULTIPLE DX	1913	7.1	62	1	2	5	8	15	21	41
TOTAL 0-19 YRS	47	6.1	57	<1	1	3	7	15	22	37
20-34	353	5.2	25	<1	1	4	7	10	14	23
35-49	353	5.7	50	1	1	4	7	11	15	29
50-64	652	6.8	47	1	1	5	8	14	18	42
65+	619	8.8	96	1	2	6	10	19	28	53
GRAND TOTAL	**2024**	**6.9**	**61**	**1**	**1**	**5**	**8**	**14**	**20**	**41**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	6.1	21	1	1	5	8	11	16	22
20-34	203	5.4	25	<1	1	3	7	13	16	21
35-49	245	7.5	97	1	1	4	9	16	24	55
50-64	707	6.8	23	1	2	6	9	13	16	24
65+	1048	7.8	32	2	3	7	10	14	18	29
2. MULTIPLE DX										
0-19 YRS	1793	15.7	294	2	3	9	20	40	56	96
20-34	594	9.8	141	1	1	6	11	23	33	62
35-49	743	11.2	162	1	2	8	13	25	39	83
50-64	2839	11.5	144	2	3	8	13	24	34	75
65+	4676	12.8	124	3	4	10	16	26	36	62
TOT. SINGLE DX	2430	7.1	35	1	2	6	9	14	17	29
" MULTIPLE DX	10645	12.7	165	2	3	9	15	27	40	74
TOTAL 0-19 YRS	2020	14.6	273	1	3	8	17	38	55	95
20-34	797	8.7	116	1	1	6	10	20	29	60
35-49	988	10.3	149	1	2	7	12	23	37	76
50-64	3546	10.5	124	2	3	8	12	21	31	72
65+	5724	11.9	111	2	3	9	14	24	33	59
GRAND TOTAL	13075	11.6	145	2	3	8	14	25	36	71

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	314	2.4	6	<1	<1	2	2	5	8	13
20-34	391	2.8	6	<1	<1	2	3	6	8	15
35-49	226	3.5	16	<1	<1	2	4	8	11	22
50-64	275	4.2	17	<1	<1	2	6	9	13	21
65+	240	6.0	36	<1	1	4	8	14	18	31
2. MULTIPLE DX										
0-19 YRS	106	4.9	58	<1	1	3	5	10	17	77
20-34	199	6.0	40	<1	1	4	8	14	19	36
35-49	228	6.5	55	1	1	4	8	14	20	37
50-64	524	7.9	67	1	1	5	10	17	24	42
65+	579	10.0	103	1	2	7	12	21	29	60
TOT. SINGLE DX	1446	3.6	17	<1	<1	2	4	8	11	21
" MULTIPLE DX	1636	8.0	77	1	1	5	10	17	25	47
TOTAL 0-19 YRS	420	3.1	21	<1	<1	2	3	7	10	19
20-34	590	3.9	20	<1	<1	2	4	8	12	22
35-49	454	5.0	38	<1	<1	3	6	11	15	34
50-64	799	6.6	53	<1	1	4	9	15	19	38
65+	819	8.8	88	1	2	6	11	19	26	52
GRAND TOTAL	3082	6.0	54	<1	1	3	8	13	19	38

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	4.1	12	<1	<1	3	7	8	12	13
20-34	35	5.9	8	1	2	7	8	10	10	11
35-49	35	6.1	36	1	2	5	8	9	17	34
50-64	53	9.7	167	2	2	7	13	16	28	88
65+	41	9.0	169	1	2	6	9	14	27	81
2. MULTIPLE DX										
0-19 YRS	12	8.1	17	1	2	8	11	14	15	15
20-34	80	8.2	18	2	3	8	10	13	15	25
35-49	62	8.0	37	2	3	6	9	14	22	36
50-64	165	10.4	78	3	4	7	12	21	28	55
65+	143	11.4	125	2	3	8	12	26	32	81
TOT. SINGLE DX	179	7.6	100	1	2	5	8	13	18	68
" MULTIPLE DX	462	10.0	77	2	3	8	11	20	28	55
TOTAL 0-19 YRS	27	5.9	18	<1	<1	5	8	13	14	15
20-34	115	7.5	17	2	3	8	10	11	14	21
35-49	97	7.3	37	2	2	5	8	13	21	36
50-64	218	10.2	100	3	3	7	12	20	29	59
65+	184	10.9	136	2	3	7	11	25	32	81
GRAND TOTAL	641	9.3	85	2	3	7	10	17	26	56

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64	2	17.5	365	4	4	17	31	31	31	31
65+	2	7.0	50	2	2	7	12	12	12	12
TOT. SINGLE DX	6	4.0	3	2	2	4	5	6	6	6
" MULTIPLE DX	7	9.6	107	1	1	6	12	27	31	31
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	6.3	14	2	2	6	9	11	11	11
50-64	3	13.3	234	4	4	5	24	31	31	31
65+	4	5.0	23	2	2	3	8	12	12	12
GRAND TOTAL	13	7.0	63	1	2	5	7	16	28	31

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	37.0		37	37	37	37	37	37	37
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	2	20.5	545	4	4	20	37	37	37	37
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	37.0		37	37	37	37	37	37	37
50-64										
65+										
GRAND TOTAL	2	20.5	545	4	4	20	37	37	37	37

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	225	6.0	66	1	2	5	7	9	11	64
20-34	207	7.7	37	2	2	6	8	15	23	30
35-49	113	8.1	51	1	2	6	10	16	23	37
50-64	144	7.8	77	1	2	6	9	13	17	49
65+	213	8.5	66	1	2	6	10	18	23	41
2. MULTIPLE DX										
0-19 YRS	313	10.0	104	2	3	7	11	21	32	63
20-34	437	12.2	170	2	3	8	13	27	40	96
35-49	428	13.3	179	2	3	9	16	29	41	75
50-64	857	12.1	130	2	3	8	15	26	35	65
65+	2034	12.7	117	3	4	10	16	25	35	62
TOT. SINGLE DX	902	7.5	60	1	2	6	8	14	21	39
" MULTIPLE DX	4069	12.4	132	2	3	9	15	26	36	68
TOTAL 0-19 YRS	538	8.3	92	1	2	6	9	16	24	64
20-34	644	10.8	132	2	3	7	12	23	32	85
35-49	541	12.2	157	2	3	8	15	27	39	66
50-64	1001	11.5	125	2	3	8	14	26	35	63
65+	2247	12.3	114	2	3	9	15	25	33	62
GRAND TOTAL	4971	11.5	122	2	3	8	14	24	34	65

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	9.4	138	1	1	4	12	26	33	59
20-34	21	13.4	437	<1	1	5	12	49	65	80
35-49	20	8.6	94	1	1	5	9	25	31	35
50-64	33	10.0	116	<1	<1	5	17	29	30	32
65+	18	11.0	293	<1	1	4	13	38	56	64
2. MULTIPLE DX										
0-19 YRS	89	16.7	444	1	2	9	24	52	78	99+
20-34	76	18.2	389	1	2	10	27	46	53	94
35-49	89	11.9	92	1	2	10	18	26	40	99+
50-64	199	15.3	214	1	2	11	23	34	47	90
65+	222	18.2	256	2	4	14	23	42	55	74
TOT. SINGLE DX	132	10.3	191	<1	1	5	13	28	37	67
" MULTIPLE DX	675	16.3	265	1	2	11	22	40	53	98
TOTAL 0-19 YRS	129	14.4	359	1	2	7	17	39	71	99+
20-34	97	17.2	399	1	2	8	23	47	53	93
35-49	109	11.3	93	1	1	9	17	26	35	99+
50-64	232	14.5	204	1	2	10	22	32	46	84
65+	240	17.7	262	2	3	13	23	42	55	73
GRAND TOTAL	807	15.3	258	1	2	10	21	37	52	92

588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.0	13	<1	<1	2	3	7	13	17
20-34	60	3.3	6	<1	1	2	5	7	9	11
35-49	54	4.8	26	<1	<1	3	7	10	13	31
50-64	106	4.8	46	<1	1	2	5	12	19	38
65+	135	6.7	90	1	1	4	8	13	26	59
2. MULTIPLE DX										
0-19 YRS	26	9.3	148	<1	1	2	17	22	36	51
20-34	108	8.4	72	1	2	5	10	21	24	47
35-49	158	10.5	209	1	1	6	12	21	43	74
50-64	428	10.1	138	1	2	7	12	22	29	74
65+	728	11.0	132	1	2	8	13	24	34	65
TOT. SINGLE DX	385	5.1	52	<1	1	3	6	10	17	34
" MULTIPLE DX	1448	10.5	139	1	2	7	13	22	32	66
TOTAL 0-19 YRS	56	5.9	85	<1	<1	2	6	18	22	50
20-34	168	6.5	55	<1	1	4	8	15	22	41
35-49	212	9.1	169	1	1	5	10	16	32	72
50-64	534	9.0	125	1	1	6	11	21	27	72
65+	863	10.4	129	1	2	7	12	22	32	65
GRAND TOTAL	1833	9.3	125	1	1	6	11	21	29	65

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	320	3.4	2	2	2	3	4	5	6	8
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	4	8.8	17	4	4	8	11	14	14	14
65+	3	12.7	56	4	4	17	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	80	4.8	15	2	2	4	5	8	13	23
20-34	14	17.1	327	5	5	10	15	51	61	64
35-49	7	11.9	59	7	7	10	11	25	29	29
50-64	18	20.0	379	5	7	13	16	51	71	80
65+	26	21.3	351	4	8	15	23	43	66	90
TOT. SINGLE DX	331	3.5	4	2	2	3	4	6	7	11
" MULTIPLE DX	145	11.2	200	2	3	6	13	23	39	80
TOTAL 0-19 YRS	400	3.6	5	2	2	3	4	6	7	13
20-34	16	15.7	300	4	5	9	14	48	60	64
35-49	9	11.1	47	7	7	9	10	22	29	29
50-64	22	18.0	329	5	6	12	16	44	66	80
65+	29	20.4	325	4	6	15	23	40	61	90
GRAND TOTAL	476	5.9	76	2	2	4	5	11	17	55

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	17.3	538	2	3	8	18	58	72	72
20-34	6	13.5	64	2	3	13	22	22	22	22
35-49	6	22.0	707	5	5	12	21	70	75	75
50-64	5	13.4	109	4	4	9	23	27	27	27
65+	15	16.2	144	4	8	12	21	38	45	47
2. MULTIPLE DX										
0-19 YRS	27	22.4	366	2	4	24	49	99+	99+	99+
20-34	17	29.6	797	2	4	22	39	96	99+	99+
35-49	20	17.5	111	5	7	12	26	32	38	42
50-64	73	23.3	359	3	6	18	34	69	91	99+
65+	185	24.8	267	6	8	22	37	53	78	99+
TOT. SINGLE DX	40	16.5	266	3	4	11	22	32	59	75
" MULTIPLE DX	322	24.0	315	5	6	21	36	60	99+	99+
TOTAL 0-19 YRS	35	21.3	396	2	4	18	41	89	99+	99+
20-34	23	25.4	647	2	2	21	36	90	99	99+
35-49	26	18.5	230	5	5	12	25	34	49	75
50-64	78	22.7	348	3	5	18	33	66	85	99+
65+	200	24.1	263	6	8	22	36	51	75	99+
GRAND TOTAL	362	23.2	314	4	6	21	35	58	94	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	4.3	5	<1	1	4	6	8	9	9
20-34	54	4.2	5	1	1	4	6	7	8	11
35-49	75	4.7	5	<1	1	4	7	8	9	11
50-64	116	6.4	34	<1	1	5	8	12	14	36
65+	157	6.5	18	1	2	5	8	12	15	21
2. MULTIPLE DX										
0-19 YRS	24	6.6	18	3	3	6	8	11	16	22
20-34	178	7.4	53	2	3	5	8	13	18	47
35-49	344	8.0	43	2	3	7	9	14	18	35
50-64	685	8.2	52	2	3	6	10	16	21	40
65+	1306	10.6	89	2	3	8	13	21	29	54
TOT. SINGLE DX	414	5.8	19	<1	2	5	7	11	13	23
" MULTIPLE DX	2537	9.4	72	2	3	7	11	18	24	47
TOTAL 0-19 YRS	36	5.8	15	2	3	4	7	10	13	22
20-34	232	6.7	44	1	2	5	8	11	15	44
35-49	419	7.4	38	1	2	6	9	13	17	32
50-64	801	7.9	50	2	3	6	10	15	20	38
65+	1463	10.2	84	2	3	8	12	20	28	52
GRAND TOTAL	2951	8.9	66	2	3	7	11	17	23	44

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	43	8.1	19	1	3	8	10	11	18	24
35-49	114	10.2	25	6	6	9	11	16	20	31
50-64	114	11.4	20	7	7	10	13	18	21	28
65+	98	14.2	93	8	8	12	16	20	26	72
2. MULTIPLE DX										
0-19 YRS	5	13.2	29	7	7	15	17	19	19	19
20-34	46	11.6	46	6	7	10	14	18	24	44
35-49	190	16.0	154	7	8	12	17	27	41	72
50-64	343	16.2	142	7	8	13	18	26	41	79
65+	500	21.6	224	8	9	16	26	42	57	89
TOT. SINGLE DX	371	11.4	45	6	7	10	13	18	21	31
" MULTIPLE DX	1084	18.5	187	7	8	14	21	34	49	86
TOTAL 0-19 YRS	7	12.9	20	7	7	13	16	19	19	19
20-34	89	9.9	36	2	5	9	11	17	22	36
35-49	304	13.8	114	6	7	11	15	23	31	67
50-64	457	15.0	117	7	8	12	17	25	32	70
65+	598	20.4	210	8	9	16	24	40	56	86
GRAND TOTAL	**1455**	**16.7**	**160**	**7**	**8**	**13**	**19**	**29**	**43**	**78**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	6	16.2	104	9	9	12	18	34	36	36
50-64	11	15.6	26	10	10	14	20	23	24	24
65+	14	18.1	137	9	11	15	18	26	50	57
2. MULTIPLE DX										
0-19 YRS										
20-34	4	18.0	28	12	12	17	21	25	25	25
35-49	9	23.1	442	11	11	16	22	56	78	78
50-64	43	23.1	255	10	11	20	24	41	59	91
65+	72	24.8	137	11	12	22	31	43	53	92
TOT. SINGLE DX	31	16.9	87	9	10	14	19	23	35	57
" MULTIPLE DX	128	23.9	192	11	12	21	27	41	54	93
TOTAL 0-19 YRS										
20-34	4	18.0	29	12	12	17	21	25	25	25
35-49	15	20.3	303	9	10	15	21	36	67	78
50-64	54	21.6	216	10	10	19	22	30	52	90
65+	86	23.7	142	11	12	21	29	42	54	87
GRAND TOTAL	**159**	**22.5**	**178**	**10**	**11**	**19**	**26**	**39**	**53**	**90**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	7.3		7	7	7	8	8	8	8
20-34	63	9.4	14	5	6	9	10	15	18	24
35-49	91	9.5	10	6	6	9	11	13	16	21
50-64	71	11.0	19	6	7	9	13	17	21	25
65+	45	14.2	59	7	7	13	15	24	35	38
2. MULTIPLE DX										
0-19 YRS	5	25.0	441	11	11	17	31	62	62	62
20-34	66	13.5	113	6	7	10	15	20	33	64
35-49	142	12.5	84	6	6	10	14	21	26	65
50-64	164	14.1	65	7	7	12	17	24	30	47
65+	158	19.0	170	8	9	14	22	35	53	80
TOT. SINGLE DX	273	10.7	25	6	6	9	12	16	21	33
" MULTIPLE DX	535	15.1	117	6	7	12	17	26	36	65
TOTAL 0-19 YRS	8	18.4	336	7	7	12	19	50	62	62
20-34	129	11.5	69	6	6	9	12	18	24	57
35-49	233	11.3	58	6	6	9	13	18	22	52
50-64	235	13.2	53	6	7	11	15	22	27	45
65+	203	17.9	149	7	9	14	21	33	49	73
GRAND TOTAL	**808**	**13.6**	**90**	**6**	**7**	**11**	**15**	**22**	**31**	**61**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	6.8	4	3	4	7	8	9	11	13
20-34	261	7.4	5	5	5	7	8	10	11	17
35-49	261	8.4	19	5	5	8	9	11	13	33
50-64	139	9.1	18	5	6	8	10	13	16	33
65+	77	12.6	74	4	6	11	14	20	32	51
2. MULTIPLE DX										
0-19 YRS	66	11.6	119	4	5	8	13	23	41	55
20-34	383	10.9	111	5	6	8	10	17	25	62
35-49	623	11.3	88	6	6	9	11	18	27	57
50-64	448	12.7	60	6	7	10	15	22	29	56
65+	424	19.9	200	7	8	16	25	39	51	83
TOT. SINGLE DX	768	8.5	22	5	5	8	9	12	15	32
" MULTIPLE DX	1944	13.4	124	6	6	9	15	25	36	72
TOTAL 0-19 YRS	96	10.1	88	3	5	7	10	18	26	55
20-34	644	9.5	72	5	5	8	9	14	21	56
35-49	884	10.4	70	5	6	8	11	16	22	52
50-64	587	11.8	53	6	6	9	13	20	28	47
65+	501	18.7	188	7	8	15	23	36	50	81
GRAND TOTAL	**2712**	**12.0**	**100**	**5**	**6**	**9**	**13**	**22**	**31**	**61**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	4.6	21	<1	1	3	7	8	14	25
20-34	128	5.7	18	1	1	5	8	10	14	23
35-49	142	4.5	13	<1	<1	4	7	9	11	17
50-64	251	4.1	15	<1	1	2	6	9	11	25
65+	293	4.5	18	<1	1	3	6	10	14	21
2. MULTIPLE DX										
0-19 YRS	83	7.9	53	1	2	6	9	15	26	38
20-34	239	8.1	61	1	2	6	9	16	21	41
35-49	278	7.3	47	1	1	6	9	13	19	35
50-64	649	8.0	65	1	1	6	10	17	23	42
65+	1297	9.8	84	1	2	7	13	21	27	46
TOT. SINGLE DX	858	4.5	17	<1	1	3	6	9	12	22
" MULTIPLE DX	2546	8.8	73	1	2	7	11	18	25	44
TOTAL 0-19 YRS	127	6.8	45	1	1	6	8	12	24	36
20-34	367	7.2	48	1	2	6	9	15	20	34
35-49	420	6.4	38	<1	1	5	8	12	17	27
50-64	900	6.9	54	1	1	5	9	14	21	38
65+	1590	8.8	77	1	1	7	12	18	25	45
GRAND TOTAL	3404	7.7	63	1	1	6	10	16	23	39

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	10.1	39	4	4	9	10	16	26	31
20-34	36	11.6	43	4	6	10	13	20	23	39
35-49	31	11.6	94	6	6	8	12	17	36	53
50-64	41	12.6	54	6	6	11	13	21	27	45
65+	73	14.3	73	6	7	12	16	25	29	55
2. MULTIPLE DX										
0-19 YRS	64	15.6	225	4	5	11	21	34	72	99+
20-34	99	15.7	137	6	7	11	17	34	43	57
35-49	110	15.0	96	6	7	12	17	30	39	49
50-64	209	18.6	214	7	8	13	21	40	56	79
65+	358	19.3	187	8	8	15	23	36	50	96
TOT. SINGLE DX	197	12.7	65	6	7	10	14	21	28	49
" MULTIPLE DX	840	17.9	182	6	8	13	21	35	49	90
TOTAL 0-19 YRS	80	14.5	192	4	5	11	16	30	58	99+
20-34	135	14.6	115	6	7	10	16	31	39	55
35-49	141	14.3	97	6	7	11	16	30	38	50
50-64	250	17.6	192	6	7	12	20	35	48	75
65+	431	18.5	172	7	8	15	22	34	49	93
GRAND TOTAL	1037	16.9	163	6	7	13	20	32	46	84

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	10.5	62	5	5	9	11	14	32	43
20-34	99	11.7	87	5	7	9	12	20	30	61
35-49	157	10.8	35	6	6	10	12	15	17	49
50-64	474	11.2	20	7	8	10	12	16	20	30
65+	613	12.7	25	7	8	11	14	18	22	32
2. MULTIPLE DX										
0-19 YRS	54	15.5	222	4	6	12	18	27	56	99+
20-34	199	15.7	130	6	7	12	17	33	41	69
35-49	362	14.7	131	7	7	11	16	27	40	64
50-64	1272	14.3	75	7	8	12	16	23	29	57
65+	2662	17.6	109	8	9	15	21	30	39	61
TOT. SINGLE DX	1376	11.8	31	6	7	11	13	17	21	34
" MULTIPLE DX	4549	16.3	107	7	8	13	19	28	37	61
TOTAL 0-19 YRS	87	13.6	166	5	6	10	15	26	43	98
20-34	298	14.4	120	6	7	11	15	29	40	69
35-49	519	13.5	106	6	7	11	14	23	32	60
50-64	1746	13.4	62	7	8	11	15	21	27	52
65+	3275	16.7	98	8	9	14	20	28	36	60
GRAND TOTAL	5925	15.3	93	7	8	12	17	26	34	58

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.6	5	3	3	6	7	8	8	8
20-34	11	9.0	12	4	5	9	11	14	17	17
35-49	9	11.0	12	6	6	11	14	16	16	16
50-64	17	9.8	12	6	6	10	11	15	17	18
65+	29	12.3	62	5	7	10	13	20	30	44
2. MULTIPLE DX										
0-19 YRS	14	14.1	138	4	4	11	16	33	44	47
20-34	31	12.6	64	4	5	9	17	23	30	35
35-49	28	17.3	223	6	7	12	19	33	52	74
50-64	79	15.0	56	6	7	13	19	26	33	99+
65+	153	20.9	183	7	9	16	26	39	47	74
TOT. SINGLE DX	74	10.4	35	4	6	9	12	16	18	40
" MULTIPLE DX	305	17.9	149	6	7	14	23	33	44	75
TOTAL 0-19 YRS	22	11.0	105	3	3	8	12	22	37	47
20-34	42	11.6	53	4	5	9	15	23	26	35
35-49	37	15.8	178	6	6	12	16	29	44	74
50-64	96	14.1	53	6	7	12	18	26	31	99+
65+	182	19.5	174	7	8	15	25	38	45	72
GRAND TOTAL	379	16.4	135	5	7	13	20	31	41	74

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	5.8	7	2	3	5	7	9	10	16
20-34	164	8.6	19	4	5	8	10	12	16	31
35-49	136	8.4	24	3	4	8	10	11	14	37
50-64	168	9.2	16	4	5	9	11	13	16	24
65+	179	10.4	30	4	6	9	12	15	20	37
2. MULTIPLE DX										
0-19 YRS	130	10.1	62	3	3	8	12	19	26	41
20-34	245	12.4	102	4	6	10	14	22	37	74
35-49	248	11.8	50	5	6	10	13	21	28	44
50-64	384	13.6	128	5	6	10	15	22	39	88
65+	608	16.1	142	6	7	12	19	30	40	73
TOT. SINGLE DX	740	8.8	23	3	4	8	10	13	16	31
" MULTIPLE DX	1615	13.8	116	5	6	11	15	25	36	74
TOTAL 0-19 YRS	223	8.3	44	2	3	7	9	16	20	31
20-34	409	10.9	72	4	5	9	12	18	29	49
35-49	384	10.6	44	4	6	9	11	16	24	43
50-64	552	12.3	99	5	6	10	13	20	32	76
65+	787	14.8	122	5	7	11	16	27	38	69
GRAND TOTAL	2355	12.2	92	4	5	10	13	21	31	64

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.4	3	4	4	7	9	91	99+	99+
20-34	12	15.2	278	6	7	10	13	33	62	67
35-49	13	17.5	480	3	6	12	15	34	79	89
50-64	26	15.2	51	5	10	13	18	23	33	37
65+	43	14.8	63	6	8	12	19	29	34	36
2. MULTIPLE DX										
0-19 YRS	20	20.1	147	7	8	19	33	66	99+	99+
20-34	27	28.4	571	7	8	21	47	87	99+	99+
35-49	61	19.5	174	7	9	16	23	39	48	73
50-64	195	18.0	128	7	8	15	23	33	41	99+
65+	281	21.8	174	8	10	18	27	40	58	99+
TOT. SINGLE DX	99	14.9	135	5	7	12	17	25	35	94
" MULTIPLE DX	584	20.5	181	7	9	17	26	39	55	99+
TOTAL 0-19 YRS	25	17.3	148	6	6	14	31	85	99+	99+
20-34	39	24.4	510	7	7	15	35	77	95	99+
35-49	74	19.2	223	7	8	15	23	37	48	86
50-64	221	17.6	120	7	8	15	22	32	40	99+
65+	324	20.8	165	8	9	18	26	38	49	99+
GRAND TOTAL	683	19.7	178	7	8	16	25	38	52	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5427	3.8	4	2	2	3	4	6	8	12
20-34	4127	3.9	7	2	2	3	4	6	8	11
35-49	1209	4.6	5	2	2	4	5	8	9	13
50-64	525	5.7	10	2	3	5	7	10	11	20
65+	205	7.1	23	3	3	6	8	11	14	25
2. MULTIPLE DX										
0-19 YRS	1384	5.7	19	2	3	4	7	11	14	22
20-34	1312	5.8	18	2	3	5	7	10	12	23
35-49	489	8.1	48	3	3	6	9	15	18	35
50-64	431	9.2	41	3	4	8	11	15	21	33
65+	300	12.3	77	4	4	10	15	22	28	54
TOT. SINGLE DX	11493	4.1	7	2	2	3	5	7	8	12
" MULTIPLE DX	3916	6.9	34	2	3	5	8	13	17	29
TOTAL 0-19 YRS	6811	4.2	8	2	2	3	5	7	9	16
20-34	5439	4.3	11	2	2	4	5	7	9	14
35-49	1698	5.6	20	2	3	4	6	10	12	22
50-64	956	7.3	28	3	3	6	9	13	15	29
65+	505	10.2	62	3	4	8	13	19	25	48
GRAND TOTAL	15409	4.8	15	2	2	4	5	8	11	20

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	3.6	2	2	2	3	4	5	6	10
20-34	54	4.4	7	2	2	4	5	7	9	18
35-49	8	5.6	3	4	4	5	7	9	9	9
50-64	8	5.3	6	3	3	4	7	9	10	10
65+	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	29	6.2	70	3	3	4	6	7	10	49
20-34	45	5.2	6	3	3	4	6	8	10	15
35-49	16	8.9	48	1	2	7	10	20	24	26
50-64	6	5.0	5	2	2	5	7	8	8	8
65+	5	12.8	64	5	5	8	21	22	22	22
TOT. SINGLE DX	143	4.2	5	2	2	4	5	7	9	11
" MULTIPLE DX	101	6.5	36	2	3	5	7	10	19	37
TOTAL 0-19 YRS	100	4.4	23	2	2	4	5	6	7	30
20-34	99	4.8	7	2	2	4	6	8	9	17
35-49	24	7.8	35	2	3	6	9	19	22	26
50-64	14	5.1	6	2	3	5	7	8	10	10
65+	7	11.4	49	5	5	8	18	22	22	22
GRAND TOTAL	244	5.1	19	2	2	4	6	8	10	22

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	7.1	21	2	2	7	9	12	16	20
20-34	14	6.7	9	2	3	6	8	11	13	13
35-49	6	8.7	29	4	4	7	13	17	17	17
50-64	6	9.0	35	3	3	8	10	19	20	20
65+	5	11.2	26	5	5	12	15	17	17	17
2. MULTIPLE DX										
0-19 YRS	12	10.8	17	6	7	10	12	17	20	21
20-34	8	7.5	34	2	2	6	10	17	19	19
35-49	8	13.0	21	7	8	12	15	20	22	22
50-64	7	12.0	35	6	6	10	15	22	23	23
65+	8	12.6	135	6	6	8	11	33	41	41
TOT. SINGLE DX	51	7.8	21	2	3	7	10	14	17	20
" MULTIPLE DX	43	11.1	45	3	6	9	13	19	22	41
TOTAL 0-19 YRS	32	8.4	23	2	2	8	11	14	20	21
20-34	22	7.0	17	2	2	6	9	12	15	19
35-49	14	11.1	28	4	4	11	14	17	21	22
50-64	13	10.6	35	3	5	9	12	21	23	23
65+	13	12.1	88	5	6	9	13	22	37	41
GRAND TOTAL	**94**	**9.3**	**34**	**2**	**3**	**8**	**12**	**17**	**20**	**33**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	3.0	14	<1	<1	2	3	5	9	25
20-34	108	3.2	7	<1	1	2	4	7	9	15
35-49	62	3.7	8	1	1	3	4	8	11	14
50-64	110	3.7	18	<1	1	3	4	7	10	28
65+	164	4.4	12	1	1	3	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	29	10.0	243	<1	1	4	7	34	57	59
20-34	90	5.6	67	1	1	3	6	10	20	52
35-49	83	6.3	26	2	2	5	8	12	15	30
50-64	174	6.9	51	1	1	5	9	15	20	27
65+	465	8.6	76	2	2	6	11	18	25	45
TOT. SINGLE DX	505	3.7	13	<1	1	3	4	8	10	17
" MULTIPLE DX	841	7.7	72	1	2	5	10	16	23	46
TOTAL 0-19 YRS	90	5.2	97	<1	1	3	4	9	26	58
20-34	198	4.3	36	<1	1	3	5	8	11	30
35-49	145	5.2	20	1	1	4	6	10	14	19
50-64	284	5.6	41	1	1	4	7	12	17	27
65+	629	7.5	63	1	2	5	10	15	21	41
GRAND TOTAL	**1346**	**6.2**	**53**	**1**	**1**	**4**	**8**	**13**	**19**	**36**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	4.1	9	<1	1	3	6	9	10	11
20-34	158	2.9	3	1	1	2	3	5	7	9
35-49	112	3.2	5	1	1	3	4	6	8	12
50-64	67	3.5	7	1	1	3	4	7	10	14
65+	24	5.5	26	1	1	4	7	10	17	24
2. MULTIPLE DX										
0-19 YRS	17	3.2	6	1	1	2	4	8	8	8
20-34	87	4.6	71	1	1	3	5	8	15	90
35-49	78	5.8	104	1	1	3	6	10	16	68
50-64	65	6.4	48	1	2	4	7	11	26	35
65+	46	9.9	96	2	2	7	12	21	29	48
TOT. SINGLE DX	385	3.3	7	1	1	3	4	6	9	12
" MULTIPLE DX	293	6.1	78	1	1	3	7	12	19	63
TOTAL 0-19 YRS	41	3.7	8	<1	1	3	5	8	9	11
20-34	245	3.5	28	1	1	3	4	6	8	24
35-49	190	4.2	47	1	1	3	4	9	10	18
50-64	132	4.9	30	1	1	3	6	9	13	34
65+	70	8.4	76	1	2	6	11	18	24	47
GRAND TOTAL	**678**	**4.5**	**39**	**1**	**1**	**3**	**5**	**9**	**12**	**32**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	7.7	39	<1	1	7	12	14	20	24
20-34	22	13.3	125	3	6	10	14	21	42	56
35-49	40	11.0	23	3	6	10	13	16	21	25
50-64	112	12.7	25	7	8	12	15	18	23	32
65+	165	14.5	38	7	9	14	17	21	24	41
2. MULTIPLE DX										
0-19 YRS	23	11.2	40	1	4	10	15	18	23	31
20-34	43	17.0	206	5	7	13	19	30	35	92
35-49	78	16.7	173	6	8	13	20	25	39	82
50-64	288	16.6	88	9	10	14	19	26	31	67
65+	558	19.7	130	9	10	17	23	33	43	77
TOT. SINGLE DX	357	13.1	41	4	7	12	15	19	24	36
" MULTIPLE DX	990	18.2	126	8	9	15	21	31	40	78
TOTAL 0-19 YRS	41	9.7	42	<1	1	10	13	17	21	31
20-34	65	15.7	180	4	7	12	16	30	35	87
35-49	118	14.8	130	5	7	12	17	23	30	80
50-64	400	15.5	73	8	9	13	17	24	29	64
65+	723	18.5	114	8	10	16	22	31	40	64
GRAND TOTAL	**1347**	**16.9**	**108**	**7**	**9**	**14**	**20**	**29**	**36**	**65**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.6	7	1	1	3	4	7	9	15
20-34	401	4.4	14	<1	<1	4	5	8	10	20
35-49	404	4.6	13	<1	1	4	6	9	11	20
50-64	423	4.9	13	<1	<1	4	6	9	12	16
65+	362	5.6	19	<1	1	5	7	10	13	26
2. MULTIPLE DX										
0-19 YRS	155	6.3	70	1	1	4	7	11	17	52
20-34	886	6.1	35	1	2	5	7	11	15	34
35-49	1357	6.9	33	2	2	5	8	13	18	33
50-64	1986	7.4	42	1	2	6	9	14	18	31
65+	3126	9.4	63	2	3	7	11	18	24	44
TOT. SINGLE DX	1679	4.8	15	<1	1	4	6	9	11	21
" MULTIPLE DX	7510	8.0	51	2	2	6	10	15	21	37
TOTAL 0-19 YRS	244	5.3	49	1	1	4	6	9	13	42
20-34	1287	5.6	29	1	2	4	7	10	14	30
35-49	1761	6.3	30	1	2	5	8	12	16	29
50-64	2409	6.9	39	1	2	5	9	13	17	30
65+	3488	9.0	61	2	3	7	11	18	24	42
GRAND TOTAL	9189	7.4	46	1	2	6	9	14	19	35

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.4	2	<1	<1	2	3	4	5	8
20-34	343	3.0	5	1	1	3	3	5	5	9
35-49	299	3.1	2	1	1	3	4	5	6	9
50-64	180	3.0	4	1	1	3	4	4	5	10
65+	52	3.1	4	1	1	2	4	5	6	14
2. MULTIPLE DX										
0-19 YRS	18	2.6	2	<1	1	2	4	5	6	7
20-34	205	3.9	14	1	2	3	4	6	8	16
35-49	260	4.0	7	2	2	3	5	6	8	17
50-64	206	4.2	5	2	2	4	5	6	9	13
65+	90	5.6	34	2	2	4	5	9	20	31
TOT. SINGLE DX	915	3.0	4	1	1	3	4	5	5	9
" MULTIPLE DX	779	4.2	12	1	2	3	5	6	9	20
TOTAL 0-19 YRS	59	2.5	2	<1	<1	2	3	4	5	8
20-34	548	3.3	9	1	1	3	4	5	7	12
35-49	559	3.5	5	1	2	3	4	5	7	12
50-64	386	3.6	5	1	2	3	4	6	7	13
65+	142	4.7	25	1	2	3	5	8	14	31
GRAND TOTAL	1694	3.5	8	1	1	3	4	6	7	14

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.9	24	<1	<1	2	3	4	6	31
20-34	289	2.3	3	<1	<1	2	3	4	5	10
35-49	136	2.7	2	<1	1	3	3	4	5	8
50-64	97	3.0	2	1	1	3	4	5	6	8
65+	35	4.3	6	<1	2	4	6	7	9	14
2. MULTIPLE DX										
0-19 YRS	17	2.5	1	<1	1	3	3	4	5	5
20-34	162	3.4	4	1	1	3	4	5	7	11
35-49	195	4.0	10	1	2	3	5	6	9	17
50-64	158	4.7	19	1	2	4	5	7	11	25
65+	114	5.7	18	2	2	4	7	11	15	23
TOT. SINGLE DX	593	2.7	4	<1	1	2	3	4	6	10
" MULTIPLE DX	646	4.3	13	1	2	4	5	7	10	21
TOTAL 0-19 YRS	53	2.8	17	<1	1	2	3	4	5	30
20-34	451	2.7	4	<1	1	2	3	5	6	10
35-49	331	3.5	7	1	1	3	4	6	7	12
50-64	255	4.0	13	1	1	4	4	6	8	23
65+	149	5.4	16	2	2	4	6	10	14	22
GRAND TOTAL	1239	3.5	10	1	1	3	4	6	8	17

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.9	5	2	2	3	5	5	10	11
20-34	251	4.2	2	2	2	4	5	7	7	9
35-49	368	4.2	3	2	2	4	5	6	7	9
50-64	272	4.4	3	2	2	4	5	7	8	10
65+	102	4.6	3	2	2	5	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	32	3.8	3	1	2	4	5	6	7	8
20-34	830	4.6	4	2	3	4	5	7	8	11
35-49	1406	5.0	6	2	3	4	6	8	9	14
50-64	1196	5.1	10	2	3	4	6	8	9	18
65+	577	6.9	39	3	3	5	8	12	16	33
TOT. SINGLE DX	1008	4.3	3	2	2	4	5	7	7	10
" MULTIPLE DX	4041	5.2	13	2	3	4	6	8	10	18
TOTAL 0-19 YRS	47	3.8	4	1	2	4	5	6	7	11
20-34	1081	4.5	4	2	3	4	5	7	8	11
35-49	1774	4.8	6	2	3	4	6	7	9	14
50-64	1468	5.0	9	2	3	4	6	8	9	16
65+	679	6.6	35	2	3	5	7	12	15	31
GRAND TOTAL	5049	5.0	11	2	3	4	6	8	9	16

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	3.0	4	<1	<1	2	4	6	8	9
20-34	236	2.7	4	1	1	2	3	5	6	12
35-49	189	3.1	4	1	1	2	4	6	7	12
50-64	110	3.3	3	1	1	3	4	5	6	11
65+	70	4.2	15	1	1	3	5	7	11	26
2. MULTIPLE DX										
0-19 YRS	26	5.7	27	2	2	4	7	10	14	28
20-34	203	4.1	11	1	1	3	5	7	10	20
35-49	206	5.1	73	1	1	3	5	8	11	53
50-64	193	5.4	44	1	2	4	6	9	17	49
65+	188	7.2	52	2	2	5	8	14	20	41
TOT. SINGLE DX	646	3.1	6	1	1	3	4	5	7	12
" MULTIPLE DX	816	5.4	46	1	1	4	6	10	15	40
TOTAL 0-19 YRS	67	4.1	15	<1	1	3	5	8	9	25
20-34	439	3.4	8	1	1	3	4	6	8	18
35-49	395	4.1	41	1	1	3	5	7	9	23
50-64	303	4.6	31	1	1	3	5	8	11	41
65+	258	6.4	44	1	2	4	7	12	18	40
GRAND TOTAL	1462	4.4	29	1	1	3	5	8	11	28

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	9	11.4	66	3	4	8	16	25	28	28
35-49	13	8.5	55	<1	1	4	14	20	21	21
50-64	8	11.9	70	1	1	14	19	21	21	21
65+	4	12.0	185	<1	<1	9	23	29	29	29
2. MULTIPLE DX										
0-19 YRS	10	19.2	321	4	4	17	21	47	64	64
20-34	19	13.2	69	6	7	13	14	18	33	44
35-49	10	20.7	366	1	1	17	38	48	51	51
50-64	24	18.2	136	2	2	18	27	35	37	41
65+	16	23.5	396	3	6	16	30	61	69	72
TOT. SINGLE DX	34	10.5	70	<1	1	9	18	21	27	29
" MULTIPLE DX	79	18.5	224	2	4	14	25	40	48	70
TOTAL 0-19 YRS	10	19.2	322	4	4	17	21	47	64	64
20-34	28	12.6	66	5	6	11	14	20	30	44
35-49	23	13.8	218	<1	1	9	21	39	47	51
50-64	32	16.6	125	1	2	17	24	32	36	41
65+	20	21.2	364	<1	1	16	27	52	67	72
GRAND TOTAL	113	16.1	191	1	2	13	20	34	44	67

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	5.1	24	<1	1	3	8	12	16	22
20-34	220	3.5	33	<1	1	1	3	9	12	30
35-49	183	3.9	28	<1	1	2	5	10	14	19
50-64	209	4.1	30	1	1	2	5	10	15	28
65+	144	5.5	37	<1	1	2	8	14	20	24
2. MULTIPLE DX										
0-19 YRS	88	13.4	213	2	2	8	15	31	47	75
20-34	322	10.2	133	1	1	7	13	23	34	56
35-49	413	8.9	108	1	1	6	12	19	27	55
50-64	758	9.5	114	1	1	7	13	20	26	59
65+	734	10.9	94	1	1	9	14	22	29	54
TOT. SINGLE DX	797	4.2	32	<1	1	2	5	11	15	26
" MULTIPLE DX	2315	10.1	114	1	1	7	13	21	29	56
TOTAL 0-19 YRS	129	10.7	168	1	1	7	13	23	36	70
20-34	542	7.5	104	1	1	4	9	18	27	55
35-49	596	7.4	89	1	1	4	10	16	24	51
50-64	967	8.3	101	1	1	5	11	19	24	48
65+	878	10.0	89	1	1	8	13	21	26	52
GRAND TOTAL	3112	8.6	100	1	1	6	12	19	26	52

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	6.2	4	4	4	6	7	8	10	14
20-34	2457	6.3	4	4	4	6	7	9	10	14
35-49	2213	6.5	5	4	5	6	7	9	10	15
50-64	2050	7.1	6	4	5	7	8	10	12	17
65+	1217	8.6	13	5	5	8	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	126	8.7	34	4	5	7	10	14	18	38
20-34	1879	7.9	19	4	5	7	9	12	15	25
35-49	2326	8.5	31	4	5	7	9	13	16	28
50-64	3299	9.5	31	5	5	8	11	15	19	31
65+	3708	13.3	76	6	6	11	16	23	30	50
TOT. SINGLE DX	8142	6.9	7	4	5	6	8	10	12	17
" MULTIPLE DX	11338	10.3	49	5	5	8	12	17	22	41
TOTAL 0-19 YRS	331	7.1	17	4	4	6	8	11	14	23
20-34	4336	7.0	12	4	4	6	8	10	12	19
35-49	4539	7.6	19	4	5	7	8	11	14	22
50-64	5349	8.6	23	5	5	7	9	14	17	27
65+	4925	12.2	65	5	6	10	14	21	27	47
GRAND TOTAL	19480	8.9	34	4	5	7	10	14	19	34

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.0	56	1	1	4	11	18	18	18
20-34	26	8.0	13	1	2	9	11	12	13	13
35-49	37	8.9	33	1	2	8	13	17	19	25
50-64	58	9.4	30	2	4	8	11	16	20	29
65+	95	12.0	61	1	2	11	16	24	29	37
2. MULTIPLE DX										
0-19 YRS	4	15.0	102	6	6	13	23	28	28	28
20-34	36	15.5	222	1	3	9	22	35	51	63
35-49	68	15.5	103	7	8	12	17	29	41	53
50-64	213	16.0	166	2	4	12	20	31	45	63
65+	468	17.6	96	7	8	16	21	29	35	56
TOT. SINGLE DX	220	10.3	45	1	2	9	13	18	25	32
" MULTIPLE DX	789	16.9	122	4	7	14	21	29	39	60
TOTAL 0-19 YRS	8	11.0	87	1	2	7	18	25	28	28
20-34	62	12.4	147	1	3	9	12	27	39	62
35-49	105	13.2	88	2	5	10	15	26	31	50
50-64	271	14.6	144	2	4	11	17	27	39	62
65+	563	16.7	95	5	7	15	20	28	34	55
GRAND TOTAL	1009	15.5	112	3	5	13	19	28	35	57

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	10.5	61	1	1	9	12	24	27	27
20-34	33	10.3	129	1	2	6	11	27	42	47
35-49	54	7.3	127	1	1	3	8	22	27	70
50-64	52	8.2	55	1	1	7	11	18	22	33
65+	58	11.2	144	1	1	7	16	26	29	64
2. MULTIPLE DX										
0-19 YRS	13	23.5	586	7	7	12	34	53	85	92
20-34	62	16.3	227	1	2	12	21	41	49	60
35-49	131	13.6	185	1	1	11	19	31	50	99+
50-64	175	17.1	293	1	2	12	21	43	56	88
65+	204	17.5	227	2	3	14	24	37	52	94
TOT. SINGLE DX	209	9.3	112	1	1	6	11	22	28	56
" MULTIPLE DX	585	16.5	247	1	2	12	22	38	52	91
TOTAL 0-19 YRS	25	17.2	365	1	5	11	19	41	55	92
20-34	95	14.2	200	1	2	9	19	38	48	58
35-49	185	11.8	176	1	1	8	17	28	41	90
50-64	227	15.1	252	1	1	11	19	36	50	87
65+	262	16.1	215	1	2	13	22	36	49	87
GRAND TOTAL	794	14.6	221	1	2	10	19	34	48	87

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PEPCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	3.9	12	<1	1	3	5	8	10	19
20-34	446	4.5	12	1	1	4	5	8	10	18
35-49	360	4.9	20	<1	1	4	6	10	13	21
50-64	413	4.3	14	<1	1	3	6	9	11	21
65+	462	5.3	24	1	1	4	7	10	15	22
2. MULTIPLE DX										
0-19 YRS	125	6.9	79	1	2	4	6	15	29	45
20-34	706	6.1	43	1	2	4	7	11	17	33
35-49	882	6.4	32	1	2	5	8	12	16	32
50-64	1546	7.1	46	1	2	5	8	13	19	35
65+	3702	8.3	52	2	3	7	10	16	21	40
TOT. SINGLE DX	1807	4.7	18	<1	1	4	6	9	12	21
" MULTIPLE DX	6961	7.6	49	2	2	6	9	14	19	37
TOTAL 0-19 YRS	251	5.4	48	1	1	3	6	10	16	38
20-34	1152	5.5	32	1	2	4	6	10	14	30
35-49	1242	6.0	29	1	1	5	7	11	16	30
50-64	1959	6.5	41	1	2	5	8	13	17	32
65+	4164	8.0	51	2	2	6	10	15	20	39
GRAND TOTAL	8768	7.0	44	1	2	5	9	14	18	35

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2095	1.8	1	<1	<1	1	2	3	4	5
20-34	2513	2.9	1	1	1	3	4	4	5	6
35-49	2003	3.0	1	1	1	3	4	5	5	7
50-64	3031	3.2	2	1	2	3	4	5	5	8
65+	2611	3.7	3	1	2	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	1023	2.0	3	<1	<1	2	2	3	4	8
20-34	760	3.4	4	1	2	3	4	5	6	10
35-49	864	3.7	4	1	2	3	4	6	7	12
50-64	1947	4.3	11	1	2	4	5	7	9	19
65+	2778	5.8	28	2	2	4	6	10	13	30
TOT. SINGLE DX	12253	3.0	2	1	1	3	4	5	5	8
" MULTIPLE DX	7372	4.4	17	1	1	4	5	8	10	21
TOTAL 0-19 YRS	3118	1.9	2	<1	<1	2	2	3	4	6
20-34	3273	3.0	2	1	1	3	4	4	5	8
35-49	2867	3.2	3	1	1	3	4	5	6	9
50-64	4978	3.6	6	1	2	3	4	5	7	13
65+	5389	4.8	18	2	2	4	5	8	11	22
GRAND TOTAL	19625	3.5	8	1	1	3	4	6	7	14

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	360	1.5		<1	<1	1	2	3	3	4
20-34	246	3.3	1	1	2	3	4	5	5	6
35-49	321	3.5	2	1	2	3	4	5	6	8
50-64	567	3.7	2	2	2	4	4	5	6	8
65+	367	4.2	4	2	2	4	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	235	2.6	23	<1	<1	1	2	4	7	36
20-34	103	3.6	1	1	2	3	4	6	6	8
35-49	172	4.1	3	2	2	4	5	7	8	11
50-64	405	4.6	6	2	2	4	5	7	9	14
65+	485	5.9	14	2	3	5	7	10	13	22
TOT. SINGLE DX	1861	3.3	3	<1	1	3	4	5	6	8
" MULTIPLE DX	1400	4.6	13	1	1	4	5	8	10	20
TOTAL 0-19 YRS	595	1.9	10	<1	<1	1	2	3	4	17
20-34	349	3.4	2	1	2	3	4	5	6	6
35-49	493	3.7	3	2	2	4	4	6	7	9
50-64	972	4.1	4	2	2	4	5	6	7	11
65+	852	5.1	11	2	2	4	6	8	11	19
GRAND TOTAL	3261	3.8	8	<1	1	3	5	6	8	14

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.3		1	1	2	3	4	4	4
20-34	76	3.0	1	1	1	3	4	5	6	7
35-49	94	3.2	2	1	2	3	4	5	6	8
50-64	112	3.6	3	1	2	3	4	6	8	12
65+	177	4.7	6	1	2	4	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	37	3.9	8	2	2	3	4	5	7	20
35-49	45	4.8	5	2	2	4	6	8	10	11
50-64	79	5.2	12	2	2	4	6	9	11	22
65+	203	9.2	79	2	3	6	10	20	29	43
TOT. SINGLE DX	472	3.8	5	1	2	3	5	6	8	12
" MULTIPLE DX	366	7.2	53	2	3	5	8	14	22	39
TOTAL 0-19 YRS	15	2.5	1	1	1	2	3	4	5	5
20-34	113	3.3	4	1	2	3	4	5	6	12
35-49	139	3.7	4	1	2	3	4	6	8	11
50-64	191	4.2	8	2	2	4	5	8	9	17
65+	380	7.1	51	2	2	5	8	13	21	38
GRAND TOTAL	838	5.3	29	1	2	4	6	9	13	32

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	333	1.5		<1	<1	1	2	2	3	4
20-34	203	2.7	1	1	1	2	4	4	5	8
35-49	279	2.9	5	1	1	2	3	5	6	9
50-64	195	3.0	2	1	1	3	4	5	6	8
65+	90	4.2	9	1	2	3	5	7	11	17
2. MULTIPLE DX										
0-19 YRS	76	4.1	51	<1	<1	2	3	10	21	39
20-34	120	3.7	6	1	1	3	5	7	8	13
35-49	178	4.1	13	1	2	3	5	7	8	24
50-64	231	5.1	29	1	2	4	6	9	11	26
65+	183	7.9	56	2	3	6	9	17	23	45
TOT. SINGLE DX	1100	2.5	4	<1	<1	2	3	4	5	8
" MULTIPLE DX	788	5.2	33	1	1	4	6	9	14	29
TOTAL 0-19 YRS	409	2.0	11	<1	<1	1	2	3	4	20
20-34	323	3.1	4	1	1	3	4	5	7	11
35-49	457	3.4	9	1	1	3	4	5	7	11
50-64	426	4.1	18	1	1	3	5	7	9	22
65+	273	6.7	44	2	2	5	7	13	20	32
GRAND TOTAL	1888	3.7	18	<1	1	3	4	7	9	23

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	2.4	2	<1	<1	2	3	4	5	8
20-34	323	3.3	4	1	1	3	4	6	7	10
35-49	434	4.3	7	1	2	4	5	7	8	14
50-64	561	4.6	6	2	2	4	6	8	9	13
65+	426	5.4	7	2	3	5	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	27	3.0	4	<1	<1	3	4	6	8	9
20-34	191	5.5	15	2	2	5	7	9	12	29
35-49	386	6.2	14	2	3	5	7	10	14	20
50-64	644	6.9	20	2	3	6	8	12	15	24
65+	629	8.6	39	3	3	7	11	15	19	33
TOT. SINGLE DX	1824	4.4	7	1	2	4	6	8	9	13
" MULTIPLE DX	1877	7.1	26	2	3	6	9	13	16	27
TOTAL 0-19 YRS	107	2.5	3	<1	<1	2	4	4	6	9
20-34	514	4.2	10	1	1	4	5	7	9	18
35-49	820	5.2	12	2	2	5	6	9	11	20
50-64	1205	5.8	15	2	2	5	7	10	13	22
65+	1055	7.3	29	2	3	6	9	12	17	28
GRAND TOTAL	3701	5.8	19	1	2	5	7	10	13	22

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	3.3	4	<1	1	2	5	6	7	7
20-34	25	6.4	11	1	2	7	8	9	13	17
35-49	38	6.9	6	3	4	7	8	9	13	14
50-64	61	7.2	9	3	4	7	9	12	13	15
65+	34	8.5	28	2	3	8	10	15	20	24
2. MULTIPLE DX										
0-19 YRS	20	13.4	400	<1	1	7	16	54	96	99+
20-34	43	8.6	30	2	4	7	11	13	17	36
35-49	112	10.0	71	4	5	8	11	15	21	79
50-64	188	10.4	35	6	6	9	11	17	22	38
65+	160	13.2	96	4	5	11	15	24	31	64
TOT. SINGLE DX	169	7.0	14	2	3	7	8	12	14	20
" MULTIPLE DX	523	11.1	77	4	5	9	12	19	28	64
TOTAL 0-19 YRS	31	9.8	279	<1	1	6	10	25	86	99+
20-34	68	7.8	25	2	3	7	9	13	16	33
35-49	150	9.2	57	4	5	8	9	13	17	66
50-64	249	9.6	31	4	5	8	11	15	19	34
65+	194	12.4	87	3	4	10	14	22	30	63
GRAND TOTAL	692	10.1	64	3	4	8	12	17	24	61

626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	4.1	28	<1	<1	3	5	8	10	32
20-34	249	4.7	43	1	1	4	6	9	11	22
35-49	177	5.5	22	1	1	4	7	11	15	23
50-64	190	6.6	27	<1	1	5	9	14	17	31
65+	170	8.7	68	1	2	6	10	20	27	38
2. MULTIPLE DX										
0-19 YRS	88	6.5	46	1	1	5	8	15	19	38
20-34	311	8.9	118	1	2	6	10	17	28	63
35-49	365	10.9	115	2	2	8	14	23	33	55
50-64	744	10.8	89	2	3	8	13	22	29	52
65+	846	12.4	108	1	2	10	16	24	32	53
TOT. SINGLE DX	917	5.9	41	1	1	4	7	12	17	31
" MULTIPLE DX	2354	11.0	104	1	2	8	14	23	30	53
TOTAL 0-19 YRS	219	5.0	37	<1	1	3	6	10	16	33
20-34	560	7.0	89	1	1	5	8	13	20	51
35-49	542	9.1	91	1	2	6	11	20	27	53
50-64	934	9.9	80	1	2	7	13	20	28	52
65+	1016	11.8	103	1	2	9	16	24	31	51
GRAND TOTAL	3271	9.5	92	1	2	7	12	20	28	51

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	220	5.3	10	1	2	4	6	10	12	17
20-34	466	6.0	29	1	2	5	7	10	14	22
35-49	183	7.2	23	2	3	6	8	13	15	30
50-64	140	9.0	32	2	4	8	11	17	19	29
65+	117	11.5	71	3	5	9	13	21	30	46
2. MULTIPLE DX										
0-19 YRS	246	9.4	112	2	3	7	10	19	31	81
20-34	709	8.5	57	3	4	6	10	16	22	41
35-49	322	12.4	121	4	4	9	13	27	37	56
50-64	386	16.4	210	4	6	12	19	33	52	83
65+	511	18.8	198	5	7	15	22	37	48	83
TOT. SINGLE DX	1126	7.0	33	2	2	6	8	13	16	30
" MULTIPLE DX	2174	13.0	151	3	4	9	16	27	38	74
TOTAL 0-19 YRS	466	7.5	69	2	3	5	8	12	21	52
20-34	1175	7.5	48	2	3	6	8	14	20	34
35-49	505	10.5	92	3	4	7	12	21	31	51
50-64	526	14.4	174	4	5	10	17	27	42	82
65+	628	17.4	183	5	6	13	21	34	46	81
GRAND TOTAL	3300	11.0	119	2	3	8	13	22	32	61

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	276	2.5	7	<1	<1	2	3	6	7	11
20-34	1456	2.1	4	<1	<1	1	2	4	6	10
35-49	217	2.0	4	<1	<1	1	2	5	6	12
50-64	38	2.1	3	<1	<1	2	2	3	6	11
65+	22	3.3	33	<1	1	2	2	8	21	23
2. MULTIPLE DX										
0-19 YRS	230	3.6	10	<1	1	3	5	7	10	16
20-34	1628	2.6	8	<1	<1	1	3	6	8	13
35-49	278	3.6	25	<1	<1	2	4	8	12	28
50-64	76	5.6	44	<1	1	2	7	13	20	32
65+	57	7.4	116	1	1	3	10	17	20	70
TOT. SINGLE DX	2009	2.1	5	<1	<1	1	2	4	6	11
" MULTIPLE DX	2269	3.0	15	<1	<1	2	4	7	9	19
TOTAL 0-19 YRS	506	3.0	9	<1	<1	2	4	7	8	13
20-34	3084	2.3	6	<1	<1	1	3	5	7	12
35-49	495	2.9	17	<1	<1	1	3	6	9	22
50-64	114	4.4	34	<1	1	2	5	11	17	30
65+	79	6.2	96	1	1	2	9	17	20	59
GRAND TOTAL	4278	2.6	11	<1	<1	1	3	6	8	16

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	5.9	11	1	2	6	8	10	12	16
20-34	341	6.1	18	<1	1	5	8	11	13	26
35-49	230	8.0	28	1	2	7	10	14	18	25
50-64	205	10.8	77	4	5	9	13	17	20	56
65+	186	10.9	30	4	5	10	13	18	21	29
2. MULTIPLE DX										
0-19 YRS	129	10.1	113	1	3	7	10	20	30	61
20-34	725	6.9	49	1	2	5	7	12	17	48
35-49	405	9.6	51	2	3	8	11	18	22	39
50-64	533	14.6	162	4	5	11	17	28	41	86
65+	673	17.1	174	5	7	13	20	31	47	75
TOT. SINGLE DX	1051	8.3	38	1	3	7	10	14	18	27
" MULTIPLE DX	2465	12.0	129	2	3	9	14	24	33	70
TOTAL 0-19 YRS	218	8.4	76	1	2	6	9	15	24	51
20-34	1066	6.7	40	1	2	5	8	11	15	33
35-49	635	9.0	44	2	3	8	11	17	21	34
50-64	738	13.5	141	4	5	10	15	25	36	72
65+	859	15.8	150	5	7	12	18	28	41	72
GRAND TOTAL	3516	10.9	104	2	3	8	13	21	29	62

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	7.6	8	4	5	7	9	11	14	17
20-34	57	9.1	17	5	5	8	10	14	16	30
35-49	69	9.3	10	6	6	8	10	14	16	20
50-64	97	10.9	27	6	6	9	12	18	21	33
65+	103	11.8	35	7	7	10	13	17	21	40
2. MULTIPLE DX										
0-19 YRS	69	10.6	109	3	4	8	11	19	22	63
20-34	122	12.7	150	5	6	9	12	28	36	70
35-49	124	13.0	68	7	7	10	15	23	29	47
50-64	244	13.2	58	6	7	11	15	23	29	48
65+	377	16.1	144	7	8	12	18	27	34	83
TOT. SINGLE DX	353	10.3	25	5	6	9	12	16	19	31
" MULTIPLE DX	936	14.1	113	6	7	11	16	25	32	62
TOTAL 0-19 YRS	96	9.7	82	3	4	8	10	17	20	60
20-34	179	11.6	111	5	6	8	12	18	32	57
35-49	193	11.7	51	6	7	9	13	19	26	44
50-64	341	12.5	51	6	7	10	14	21	27	47
65+	480	15.1	124	7	8	12	17	25	32	74
GRAND TOTAL	1289	13.0	92	6	7	10	15	22	29	55

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	6.8	28	2	2	6	9	15	17	25
20-34	245	7.4	20	2	2	7	9	13	17	24
35-49	228	7.4	16	2	2	7	9	11	16	23
50-64	214	7.3	19	1	2	7	9	12	13	23
65+	92	8.2	24	1	2	8	10	15	17	26
2. MULTIPLE DX										
0-19 YRS	161	9.5	69	1	2	8	12	17	26	45
20-34	357	12.3	130	2	2	9	15	25	34	64
35-49	334	11.9	87	2	3	10	15	23	28	59
50-64	384	12.3	112	2	3	10	14	24	30	64
65+	341	12.9	101	2	3	10	16	25	35	47
TOT. SINGLE DX	891	7.4	21	1	2	7	9	12	16	24
" MULTIPLE DX	1577	12.1	105	2	2	9	15	24	31	59
TOTAL 0-19 YRS	273	8.4	54	2	2	7	10	16	23	41
20-34	602	10.3	91	2	2	8	12	20	26	50
35-49	562	10.1	64	2	2	8	12	19	25	46
50-64	598	10.5	85	1	2	8	12	20	27	58
65+	433	11.9	89	1	2	10	14	23	31	47
GRAND TOTAL	2468	10.4	80	2	2	8	13	20	26	46

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	6.4	14	<1	1	7	8	10	14	17
20-34	216	7.1	9	2	3	7	9	11	13	16
35-49	259	7.3	10	3	3	7	9	11	13	16
50-64	237	7.8	9	4	5	8	9	12	13	18
65+	82	8.9	20	3	4	8	11	15	19	24
2. MULTIPLE DX										
0-19 YRS	14	6.1	16	1	1	5	9	12	12	12
20-34	124	8.8	39	2	3	8	11	14	17	62
35-49	164	9.9	38	2	4	9	12	17	20	31
50-64	231	10.4	63	3	4	9	12	18	22	46
65+	231	12.4	75	3	6	10	15	23	25	43
TOT. SINGLE DX	813	7.6	11	2	4	7	9	12	14	18
" MULTIPLE DX	764	10.6	59	2	4	9	12	18	24	46
TOTAL 0-19 YRS	33	6.3	15	<1	1	6	8	11	12	17
20-34	340	7.7	21	2	3	7	9	12	15	21
35-49	423	8.3	23	2	4	8	10	13	16	27
50-64	468	9.1	37	3	5	8	10	14	18	30
65+	313	11.5	63	3	5	10	14	21	25	40
GRAND TOTAL	1577	9.0	36	2	4	8	11	15	19	31

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	7.8	7	4	5	8	9	10	12	20
20-34	22	8.6	15	4	5	8	10	15	18	19
35-49	14	8.4	12	2	4	8	11	13	15	16
50-64	10	9.7	38	2	2	9	14	19	20	20
65+	13	11.2	59	2	2	12	14	22	27	28
2. MULTIPLE DX										
0-19 YRS	159	8.6	10	4	5	8	10	13	15	18
20-34	42	10.2	23	5	6	9	11	17	23	24
35-49	34	16.2	90	8	8	12	19	35	36	40
50-64	53	18.0	183	4	8	15	20	33	40	85
65+	69	17.4	107	4	7	15	24	31	34	60
TOT. SINGLE DX	173	8.3	15	3	5	8	9	13	16	22
" MULTIPLE DX	357	12.6	81	4	6	10	15	24	31	40
TOTAL 0-19 YRS	273	8.3	9	4	5	8	9	12	14	19
20-34	64	9.7	21	5	6	8	11	16	20	24
35-49	48	13.9	80	4	7	11	16	30	35	40
50-64	63	16.7	169	3	5	13	19	31	40	80
65+	82	16.5	104	2	5	14	21	29	33	57
GRAND TOTAL	530	11.2	63	4	5	9	13	20	27	40

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	4.0	13	<1	<1	3	5	10	11	15
20-34	254	3.7	5	1	1	3	5	7	9	10
35-49	284	3.9	6	1	1	3	5	7	9	13
50-64	219	4.3	10	1	1	3	5	8	11	19
65+	91	4.8	19	1	1	3	5	9	12	26
2. MULTIPLE DX										
0-19 YRS	42	7.5	56	1	2	5	9	16	27	33
20-34	133	5.6	23	1	2	5	7	9	12	30
35-49	128	6.5	31	2	2	5	8	11	14	30
50-64	198	6.2	32	2	2	5	8	12	15	27
65+	196	8.8	67	2	2	6	11	18	24	45
TOT. SINGLE DX	893	4.0	9	1	1	3	5	7	10	15
" MULTIPLE DX	697	6.9	43	2	2	5	8	13	18	34
TOTAL 0-19 YRS	87	5.7	37	<1	1	4	8	12	16	33
20-34	387	4.4	12	1	1	4	6	8	9	19
35-49	412	4.7	16	1	2	4	6	9	11	19
50-64	417	5.2	22	1	2	4	6	10	13	20
65+	287	7.5	56	1	2	5	10	15	22	37
GRAND TOTAL	1590	5.3	26	1	2	4	6	10	13	25

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	376	1.8	4	<1	<1	1	2	3	6	12
20-34	391	3.2	7	<1	<1	2	4	7	9	14
35-49	416	3.1	10	<1	<1	2	4	7	9	18
50-64	536	3.0	8	<1	<1	2	4	6	9	13
65+	642	3.8	17	<1	1	2	5	8	11	18
2. MULTIPLE DX										
0-19 YRS	507	2.5	7	<1	<1	1	3	6	8	13
20-34	699	5.4	48	<1	1	3	6	12	18	44
35-49	703	5.2	36	<1	1	3	7	10	15	33
50-64	1309	6.5	62	<1	1	4	8	14	20	44
65+	2519	8.8	76	1	2	6	11	19	26	44
TOT. SINGLE DX	2361	3.1	11	<1	<1	2	4	7	9	15
" MULTIPLE DX	5737	6.9	63	<1	1	4	9	15	21	41
TOTAL 0-19 YRS	883	2.2	6	<1	<1	1	2	5	7	12
20-34	1090	4.6	35	<1	1	3	5	10	15	33
35-49	1119	4.4	28	<1	<1	3	6	9	13	25
50-64	1845	5.5	49	<1	1	3	7	12	17	37
65+	3161	7.8	69	1	1	5	10	17	24	41
GRAND TOTAL	8098	5.8	51	<1	1	3	7	13	19	35

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.2	11	<1	<1	1	5	9	11	11
20-34	37	2.8	4	<1	<1	2	4	6	8	9
35-49	132	2.9	7	<1	1	2	3	5	6	15
50-64	555	2.8	3	<1	1	2	4	5	6	9
65+	1244	3.8	11	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	19	3.5	6	<1	<1	3	5	8	9	9
20-34	68	4.6	25	<1	1	3	6	9	14	31
35-49	185	5.0	32	<1	1	3	6	10	17	27
50-64	681	4.8	26	1	1	3	6	10	14	28
65+	2058	6.5	49	1	2	4	7	13	19	36
TOT. SINGLE DX	1978	3.5	9	1	1	3	4	6	8	14
" MULTIPLE DX	3011	5.9	43	1	2	4	7	12	17	32
TOTAL 0-19 YRS	29	3.4	8	<1	<1	2	5	8	9	11
20-34	105	4.0	19	<1	1	3	5	8	10	26
35-49	317	4.1	23	<1	1	3	5	8	13	24
50-64	1236	3.9	17	1	1	3	4	7	10	22
65+	3302	5.5	37	1	2	4	6	11	15	31
GRAND TOTAL	4989	5.0	31	1	1	3	6	10	14	29

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	6.3	32	1	2	4	9	12	14	36
20-34	74	6.2	38	1	1	5	8	11	14	40
35-49	97	6.0	26	<1	1	4	8	14	16	25
50-64	220	5.5	28	1	1	3	8	12	15	25
65+	305	6.3	40	1	1	4	9	14	18	25
2. MULTIPLE DX										
0-19 YRS	125	7.9	52	2	3	6	10	17	20	40
20-34	134	9.8	173	1	2	6	12	23	45	99+
35-49	175	10.3	122	1	2	7	12	22	38	77
50-64	399	9.9	99	1	2	8	14	19	26	44
65+	859	11.8	110	2	2	9	15	24	34	52
TOT. SINGLE DX	754	6.0	34	1	1	4	9	13	16	27
" MULTIPLE DX	1692	10.7	111	1	2	8	14	22	32	56
TOTAL 0-19 YRS	183	7.4	47	1	2	5	9	14	19	38
20-34	208	8.5	128	1	1	6	10	18	32	99+
35-49	272	8.8	92	1	2	7	11	17	27	50
50-64	619	8.4	79	1	1	6	11	17	22	38
65+	1164	10.3	98	1	2	8	14	21	30	48
GRAND TOTAL	2446	9.3	92	1	2	7	12	19	27	48

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	1.1		<1	<1	<1	1	1	2	2
20-34	10	1.4	1	<1	<1	1	1	3	5	5
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	7	2.1	2	<1	<1	<1	3	5	5	5
65+	6	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	95	1.3		<1	<1	<1	1	2	3	6
20-34	22	2.5	1	<1	<1	2	3	4	5	5
35-49	12	3.9	27	<1	<1	2	3	10	19	20
50-64	16	3.4	7	<1	<1	2	5	8	9	9
65+	19	6.1	25	<1	<1	5	8	15	16	17
TOT. SINGLE DX	138	1.2		<1	<1	<1	1	2	2	5
" MULTIPLE DX	164	2.4	8	<1	<1	1	2	5	8	17
TOTAL 0-19 YRS	205	1.2		<1	<1	<1	1	2	2	4
20-34	32	2.2	2	<1	<1	2	3	4	5	5
35-49	17	3.2	20	<1	<1	2	3	5	15	20
50-64	23	3.0	6	<1	<1	2	4	8	9	9
65+	25	5.0	23	<1	<1	3	6	14	15	17
GRAND TOTAL	302	1.9	5	<1	<1	<1	2	3	6	14

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	230	5.6	18	<1	1	5	8	10	12	22
20-34	130	3.3	8	<1	<1	2	5	7	9	13
35-49	65	3.1	4	<1	<1	3	4	6	7	12
50-64	90	3.7	9	<1	1	3	4	8	10	16
65+	92	3.8	6	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	117	5.1	21	<1	1	4	7	11	13	23
20-34	109	4.3	22	<1	1	2	5	11	15	23
35-49	94	4.5	18	1	1	3	6	9	11	25
50-64	141	6.0	39	<1	1	4	7	10	15	41
65+	181	6.0	47	1	2	4	7	12	20	36
TOT. SINGLE DX	607	4.3	13	<1	1	3	6	8	11	16
" MULTIPLE DX	642	5.3	33	1	1	4	7	11	15	30
TOTAL 0-19 YRS	347	5.4	20	<1	1	4	8	10	12	22
20-34	239	3.8	15	<1	<1	2	5	9	11	19
35-49	159	3.9	13	<1	1	3	5	8	10	21
50-64	231	5.1	29	<1	1	4	7	10	12	26
65+	273	5.3	35	1	2	4	6	10	15	34
GRAND TOTAL	1249	4.8	23	<1	1	3	6	10	12	26

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	1.5	2	<1	<1	1	1	2	3	9
20-34	75	2.1	9	<1	<1	1	2	4	6	21
35-49	81	2.2	5	<1	<1	1	2	4	6	15
50-64	73	2.4	4	<1	<1	2	3	4	6	11
65+	81	2.9	5	<1	<1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	204	1.7	3	<1	<1	1	2	3	5	8
20-34	170	4.1	33	<1	<1	2	5	8	12	25
35-49	191	5.2	38	<1	1	3	6	10	17	33
50-64	237	6.4	64	<1	1	3	8	15	21	47
65+	534	8.3	83	1	2	6	10	18	23	52
TOT. SINGLE DX	438	2.1	5	<1	<1	1	2	4	6	13
" MULTIPLE DX	1336	6.0	60	<1	<1	3	7	14	20	40
TOTAL 0-19 YRS	332	1.6	3	<1	<1	1	2	3	5	9
20-34	245	3.5	27	<1	<1	2	4	7	10	25
35-49	272	4.3	30	<1	<1	2	5	9	16	29
50-64	310	5.4	53	<1	<1	3	6	13	19	46
65+	615	7.6	76	1	1	5	10	16	21	48
GRAND TOTAL	1774	5.0	49	<1	<1	2	6	12	18	36

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	1.8	3	<1	<1	1	2	3	4	12
20-34	139	2.7	7	1	1	2	3	5	9	14
35-49	77	2.7	4	1	1	2	3	7	7	10
50-64	81	3.9	9	1	1	3	6	8	9	14
65+	102	3.5	6	1	1	3	4	8	9	12
2. MULTIPLE DX										
0-19 YRS	145	2.1	8	<1	<1	1	2	3	5	11
20-34	164	3.6	13	1	1	2	5	8	11	18
35-49	127	5.0	48	1	1	3	6	10	16	37
50-64	145	4.7	20	1	1	3	6	9	12	21
65+	256	6.4	42	1	2	4	8	15	21	29
TOT. SINGLE DX	482	2.9	7	<1	1	2	3	7	9	13
" MULTIPLE DX	837	4.6	30	1	1	3	5	10	14	26
TOTAL 0-19 YRS	228	2.0	6	<1	<1	1	2	3	4	11
20-34	303	3.2	11	1	1	2	4	8	10	16
35-49	204	4.2	33	1	1	2	5	9	11	25
50-64	226	4.4	17	1	1	3	6	9	12	20
65+	358	5.6	34	1	2	4	6	11	16	27
GRAND TOTAL	1319	4.0	22	1	1	2	5	9	11	24

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	49	6.3	6	2	3	6	8	9	11	13
35-49	184	6.7	5	4	4	7	8	9	10	16
50-64	195	7.6	5	4	5	8	9	10	11	15
65+	125	8.4	14	5	5	8	9	11	12	26
2. MULTIPLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	74	6.4	7	2	3	6	8	10	11	17
35-49	258	7.5	7	4	5	7	9	10	12	19
50-64	366	8.5	15	5	6	8	9	13	15	25
65+	236	9.9	30	5	6	8	11	15	21	36
TOT. SINGLE DX	555	7.4	8	4	5	7	9	10	11	16
" MULTIPLE DX	936	8.4	18	4	5	8	9	12	15	26
TOTAL 0-19 YRS	4	2.8	3	<1	<1	2	4	5	5	5
20-34	123	6.4	7	2	3	6	8	9	11	14
35-49	442	7.2	7	4	5	7	8	10	11	19
50-64	561	8.2	13	4	5	8	9	11	14	23
65+	361	9.4	25	5	6	8	10	13	18	36
GRAND TOTAL	1491	8.0	14	4	5	7	9	11	14	23

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	15	5.5	2	4	4	5	7	8	9	9
35-49	54	5.9	4	3	4	6	7	8	10	12
50-64	82	6.7	4	4	4	6	8	10	10	14
65+	52	8.1	19	4	4	7	9	11	14	28
2. MULTIPLE DX										
0-19 YRS										
20-34	18	6.2	6	2	3	6	8	10	11	11
35-49	75	7.3	11	3	4	7	8	11	14	20
50-64	114	7.6	14	4	4	7	8	11	15	26
65+	110	8.4	24	4	4	8	9	12	15	31
TOT. SINGLE DX	203	6.8	9	4	4	6	8	10	11	19
" MULTIPLE DX	317	7.7	17	3	4	7	9	11	14	23
TOTAL 0-19 YRS										
20-34	33	5.9	5	3	4	5	7	9	10	11
35-49	129	6.7	9	3	4	6	8	10	13	17
50-64	196	7.2	11	4	4	7	8	10	12	23
65+	162	8.3	23	4	4	8	9	11	15	28
GRAND TOTAL	520	7.3	14	4	4	7	8	11	13	23

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	7	4.3	3	2	2	5	6	6	6	6
35-49	13	4.2	13	<1	<1	4	6	9	13	14
50-64	11	3.6	8	1	1	3	5	9	10	10
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	13	8.2	228	<1	<1	1	4	41	43	44
20-34	22	5.6	13	1	2	5	7	11	14	16
35-49	15	10.3	82	<1	2	12	15	17	30	35
50-64	18	6.9	42	1	1	4	12	17	21	22
65+	30	13.2	143	1	2	8	22	34	37	40
TOT. SINGLE DX	35	3.9	8	<1	1	3	6	7	9	14
" MULTIPLE DX	98	9.2	103	1	1	6	13	23	36	42
TOTAL 0-19 YRS	15	7.3	202	<1	<1	1	4	40	43	44
20-34	29	5.3	11	2	2	5	6	9	13	16
35-49	28	7.5	58	<1	<1	4	13	16	19	35
50-64	29	5.7	32	1	1	3	9	13	19	22
65+	32	12.7	139	1	2	7	20	34	37	40
GRAND TOTAL	133	7.8	83	1	1	5	10	18	32	41

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	8	1	1	3	6	6	6	6
20-34	4	5.3	12	1	1	5	8	9	9	9
35-49	3	7.3	2	6	6	7	8	9	9	9
50-64	3	5.3	33	2	2	2	10	12	12	12
65+	7	8.7	51	1	1	7	10	20	23	23
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	14	9.8	39	3	4	8	13	22	22	22
35-49	17	9.9	35	1	2	11	14	17	21	23
50-64	13	15.6	136	5	6	14	18	28	46	50
65+	28	20.4	193	3	4	18	24	41	49	63
TOT. SINGLE DX	21	6.4	26	1	1	6	9	11	17	23
" MULTIPLE DX	74	14.6	136	2	3	13	19	26	42	60
TOTAL 0-19 YRS	6	3.2	5	1	1	2	6	6	6	6
20-34	18	8.8	36	2	3	7	9	20	22	22
35-49	20	9.5	31	1	2	9	13	16	20	23
50-64	16	13.7	131	2	3	12	16	23	42	50
65+	35	18.1	165	2	3	16	22	38	46	63
GRAND TOTAL	95	12.8	123	1	2	10	17	23	36	57

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	7.0	3	6	6	6	8	9	9	9
20-34	7	4.9	2	2	2	5	6	7	7	7
35-49	47	4.5	2	1	2	5	5	6	7	9
50-64	1263	5.1	4	3	4	5	6	7	8	11
65+	2591	5.7	5	3	4	5	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	9	11.8	190	3	3	6	14	35	46	46
20-34	8	6.1	10	3	3	5	8	11	12	12
35-49	108	6.7	20	2	3	5	7	13	19	22
50-64	2054	6.7	23	3	4	5	7	11	15	27
65+	7088	8.8	49	4	4	6	10	16	22	39
TOT. SINGLE DX	3911	5.5	5	3	4	5	6	8	9	14
" MULTIPLE DX	9267	8.3	44	3	4	6	9	15	21	36
TOTAL 0-19 YRS	12	10.6	143	3	4	6	10	27	43	46
20-34	15	5.5	7	2	3	5	6	10	11	12
35-49	155	6.0	16	2	3	5	7	10	16	22
50-64	3317	6.1	17	3	4	5	6	9	12	24
65+	9679	7.9	40	3	4	6	9	14	19	36
GRAND TOTAL	13178	7.5	34	3	4	6	8	13	18	33

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	155	10.0	12	5	6	10	12	14	15	23
65+	231	10.8	15	6	7	10	13	16	17	28
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	24.5	25	21	21	24	28	28	28	28
35-49	5	8.6	23	3	3	11	12	14	14	14
50-64	246	12.1	43	6	7	10	13	19	23	36
65+	757	12.8	42	6	7	11	15	20	24	36
TOT. SINGLE DX	390	10.4	15	5	6	10	12	15	17	25
" MULTIPLE DX	1011	12.6	43	6	7	11	15	20	24	36
TOTAL 0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	3	19.3	92	9	9	21	26	28	28	28
35-49	6	7.3	28	1	1	7	11	14	14	14
50-64	401	11.3	33	6	6	10	13	17	22	32
65+	988	12.3	37	6	7	11	15	19	23	34
GRAND TOTAL	1401	12.0	36	6	7	11	14	18	23	34

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.0		2	2	3	4	4	4	4
20-34	6	2.2		<1	<1	2	3	3	3	3
35-49	47	1.6		<1	<1	1	2	2	3	6
50-64	349	1.8	1	<1	<1	2	2	3	4	7
65+	537	2.5	5	<1	<1	2	2	4	7	13
2. MULTIPLE DX										
0-19 YRS	4	7.5	23	3	3	6	11	14	14	14
20-34	8	7.3	190	<1	<1	2	5	31	41	41
35-49	40	3.0	13	<1	1	2	3	4	9	22
50-64	308	3.9	24	<1	1	2	4	8	14	28
65+	758	5.8	40	1	1	3	8	14	19	30
TOT. SINGLE DX	943	2.2	4	<1	<1	2	2	4	5	10
" MULTIPLE DX	1118	5.2	36	1	1	3	6	12	17	29
TOTAL 0-19 YRS	8	5.3	16	2	2	4	6	12	14	14
20-34	14	5.1	109	<1	<1	2	3	10	34	41
35-49	87	2.3	7	<1	<1	2	2	3	5	18
50-64	657	2.8	13	<1	<1	2	3	6	8	22
65+	1295	4.4	28	<1	1	2	5	11	15	27
GRAND TOTAL	2061	3.8	24	<1	1	2	4	9	14	26

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	1.8	1	<1	1	1	2	3	4	8
20-34	98	2.3	2	<1	<1	2	3	5	6	9
35-49	52	3.3	7	<1	<1	2	4	7	9	13
50-64	72	3.1	10	1	1	3	4	5	6	24
65+	37	2.3	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	69	2.2	3	<1	<1	2	2	5	6	10
20-34	49	4.4	23	1	1	3	4	10	15	24
35-49	48	7.9	70	1	2	5	9	22	28	39
50-64	65	4.8	38	1	1	3	5	10	15	41
65+	53	7.2	62	1	2	4	9	18	27	36
TOT. SINGLE DX	368	2.5	5	<1	1	2	3	4	6	9
" MULTIPLE DX	284	5.1	41	1	1	3	5	11	18	35
TOTAL 0-19 YRS	178	1.9	2	<1	<1	1	2	4	5	8
20-34	147	3.0	11	<1	1	2	3	6	9	22
35-49	100	5.5	43	<1	1	3	7	11	22	35
50-64	137	3.9	25	1	1	3	4	7	11	30
65+	90	5.2	43	1	1	3	5	12	19	35
GRAND TOTAL	652	3.6	22	<1	1	2	4	7	11	28

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	2.3	3	1	1	2	3	4	5	10
20-34	214	2.8	3	1	1	2	3	5	7	11
35-49	82	2.8	3	1	1	2	4	5	6	11
50-64	68	4.0	13	1	1	3	4	7	12	20
65+	154	3.4	5	1	1	3	4	7	8	11
2. MULTIPLE DX										
0-19 YRS	124	2.5	5	<1	1	2	3	4	6	14
20-34	121	4.6	46	1	1	3	5	8	13	45
35-49	59	4.0	13	1	1	3	4	8	12	19
50-64	153	6.1	49	1	2	4	7	14	24	33
65+	438	8.2	86	1	2	5	11	18	26	50
TOT. SINGLE DX	659	3.0	5	1	1	2	3	6	7	12
" MULTIPLE DX	895	6.3	63	1	1	3	7	14	22	39
TOTAL 0-19 YRS	265	2.4	4	1	1	2	3	4	5	13
20-34	335	3.5	20	1	1	3	4	5	8	18
35-49	141	3.3	8	1	1	3	4	6	9	17
50-64	221	5.4	39	1	2	3	6	11	18	29
65+	592	7.0	70	1	2	4	8	15	23	44
GRAND TOTAL	1554	4.9	41	1	1	3	5	10	16	30

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	684	2.0	1	<1	1	2	3	3	4	6
20-34	87	2.0	2	<1	1	1	2	3	4	9
35-49	5	2.8	1	1	1	3	3	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	377	2.4	7	<1	1	2	3	4	5	9
20-34	22	3.8	22	1	1	2	4	8	15	23
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	5	2.2	1	1	1	2	3	4	4	4
65+										
TOT. SINGLE DX	777	2.0	1	<1	1	2	3	3	4	6
" MULTIPLE DX	407	2.5	8	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	1061	2.2	3	<1	1	2	3	4	4	8
20-34	109	2.3	7	1	1	2	3	4	6	15
35-49	8	3.3	1	1	1	3	4	5	5	5
50-64	6	2.7	3	1	1	2	4	5	5	5
65+										
GRAND TOTAL	1184	2.2	4	<1	1	2	3	4	4	8

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	1.5		<1	1	1	2	3	3	4
20-34	106	1.9	1	<1	<1	2	2	3	4	8
35-49	30	2.0	1	<1	1	2	3	4	5	5
50-64	15	2.6	2	1	1	2	3	5	6	6
65+	8	2.8	1	2	2	3	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	47	2.1	3	<1	<1	2	2	3	5	12
20-34	51	2.8	6	<1	<1	2	3	4	7	18
35-49	23	3.6	24	<1	1	2	3	6	17	23
50-64	10	2.2	1	1	1	2	3	4	5	5
65+	11	10.9	99	2	3	6	17	27	32	33
TOT. SINGLE DX	254	1.9	1	<1	1	2	2	3	4	6
" MULTIPLE DX	142	3.3	20	<1	1	2	3	5	11	24
TOTAL 0-19 YRS	142	1.7	2	<1	1	1	2	3	3	6
20-34	157	2.2	3	<1	<1	2	2	4	4	9
35-49	53	2.7	12	<1	1	2	3	4	5	23
50-64	25	2.4	2	1	1	2	3	5	5	6
65+	19	7.5	73	2	2	5	7	22	28	33
GRAND TOTAL	396	2.4	8	<1	1	2	2	4	5	19

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.0	2	<1	<1	1	3	4	4	4
20-34	77	1.4	5	<1	<1	<1	1	2	2	16
35-49	40	1.3		<1	<1	<1	1	3	3	3
50-64	3	2.7	8	<1	<1	<1	5	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	27	3.3	63	<1	<1	1	2	3	16	42
35-49	17	2.2	3	<1	<1	2	3	4	7	8
50-64	3	3.0	7	<1	<1	2	5	6	6	6
65+	3	10.0	31	5	5	9	14	16	16	16
TOT. SINGLE DX	126	1.4	4	<1	<1	<1	1	2	3	10
" MULTIPLE DX	51	3.2	39	<1	<1	1	2	7	11	42
TOTAL 0-19 YRS	6	1.8	2	<1	<1	1	3	4	4	4
20-34	104	1.9	21	<1	<1	<1	1	2	3	31
35-49	57	1.6	1	<1	<1	1	2	3	3	8
50-64	6	2.8	6	<1	<1	1	6	6	6	6
65+	4	7.8	41	1	1	7	12	16	16	16
GRAND TOTAL	177	2.0	14	<1	<1	1	2	3	5	20

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	293	1.7	1	<1	<1	1	2	3	3	5
20-34	453	2.0	1	<1	1	2	2	3	4	5
35-49	319	1.9		<1	1	2	2	3	4	5
50-64	275	2.4	1	1	1	2	3	4	4	7
65+	129	3.1	2	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	209	1.9	1	<1	<1	2	2	4	4	5
20-34	259	2.3	3	<1	1	2	3	4	5	12
35-49	187	2.6	2	<1	1	2	3	4	5	9
50-64	219	3.4	5	1	1	3	4	6	8	13
65+	159	4.4	10	1	2	3	5	9	11	16
TOT. SINGLE DX	1469	2.1	2	<1	1	2	3	3	4	6
" MULTIPLE DX	1033	2.8	5	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	502	1.8	2	<1	<1	1	2	3	4	5
20-34	712	2.1	2	<1	1	2	3	4	4	8
35-49	506	2.2	2	<1	1	2	3	3	4	6
50-64	494	2.9	3	1	1	2	3	5	6	10
65+	288	3.8	7	1	1	3	5	7	10	14
GRAND TOTAL	2502	2.4	3	<1	1	2	3	4	5	10

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	434	1.3	1	<1	<1	<1	1	2	2	4
20-34	126	1.5		<1	<1	1	2	2	3	4
35-49	85	1.5		<1	<1	1	2	2	3	4
50-64	60	1.6		<1	<1	2	2	2	3	4
65+	29	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	127	2.4	17	<1	<1	1	2	4	8	29
20-34	75	2.2	5	<1	<1	2	2	4	9	12
35-49	85	2.1	3	<1	<1	1	2	4	6	11
50-64	90	3.0	9	<1	1	2	3	7	8	18
65+	115	4.5	20	<1	1	3	6	9	15	52
TOT. SINGLE DX	793	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	520	3.1	18	<1	<1	2	3	7	10	27
TOTAL 0-19 YRS	596	1.6	6	<1	<1	1	1	2	3	13
20-34	214	1.9	5	<1	<1	1	2	3	4	12
35-49	184	1.8	3	<1	<1	1	2	3	4	11
50-64	163	2.4	6	<1	<1	2	2	5	7	10
65+	156	4.2	25	<1	<1	2	5	9	15	32
GRAND TOTAL	1313	2.1	8	<1	<1	1	2	3	6	15

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.7	5	<1	<1	2	4	6	8	11
20-34	47	2.9	7	<1	<1	2	3	7	10	11
35-49	52	3.6	5	<1	1	3	5	7	8	9
50-64	108	3.4	3	1	1	3	4	6	7	10
65+	75	3.4	4	<1	1	3	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	52	3.9	12	<1	<1	2	5	10	11	16
20-34	55	5.7	23	<1	1	4	7	12	15	26
35-49	69	6.0	35	1	2	4	7	11	15	35
50-64	198	4.6	19	1	2	4	5	8	10	20
65+	155	4.5	10	1	2	4	5	8	12	18
TOT. SINGLE DX	351	3.2	5	<1	<1	3	4	6	8	11
" MULTIPLE DX	529	4.8	19	1	2	4	5	9	12	21
TOTAL 0-19 YRS	121	3.2	9	<1	<1	2	4	7	10	14
20-34	102	4.4	18	<1	<1	3	6	10	12	23
35-49	121	5.0	24	<1	1	4	6	9	12	34
50-64	306	4.2	14	1	2	3	5	7	8	15
65+	230	4.2	9	1	2	3	5	8	10	17
GRAND TOTAL	880	4.2	14	<1	1	3	5	8	10	17

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	4.6	2	2	3	5	5	6	8	10
20-34	730	4.7	2	2	3	5	5	6	7	9
35-49	80	5.3	4	2	3	5	6	8	9	12
50-64	22	6.1	13	<1	1	6	8	9	13	18
65+	11	11.2	134	1	2	6	13	33	35	35
2. MULTIPLE DX										
0-19 YRS	206	5.1	3	3	3	5	6	8	8	12
20-34	1215	5.3	5	3	3	5	6	7	9	15
35-49	173	6.6	12	3	4	6	7	9	14	21
50-64	39	11.8	184	5	5	7	11	20	38	80
65+	48	14.3	75	6	6	12	20	26	35	42
TOT. SINGLE DX	1025	4.9	5	2	3	5	6	7	7	11
" MULTIPLE DX	1681	5.8	15	3	3	5	6	8	11	21
TOTAL 0-19 YRS	388	4.9	3	2	3	5	6	7	8	11
20-34	1945	5.1	5	3	3	5	6	7	8	13
35-49	253	6.2	10	3	3	6	7	9	11	21
50-64	61	9.7	129	2	5	7	9	15	25	76
65+	59	13.7	86	4	6	11	19	29	35	41
GRAND TOTAL	2706	5.5	12	3	3	5	6	7	9	20

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	5.3	3	3	4	5	6	7	9	13
20-34	717	5.1	3	3	3	5	6	7	8	12
35-49	217	5.5	2	4	4	5	6	7	8	12
50-64	49	6.9	5	4	4	6	8	10	11	12
65+	16	8.5	7	5	5	8	10	12	14	15
2. MULTIPLE DX										
0-19 YRS	162	5.6	3	3	4	5	6	8	9	12
20-34	1388	5.9	8	3	4	5	6	8	10	16
35-49	497	6.5	9	4	4	6	7	9	12	19
50-64	100	9.8	51	4	5	7	11	18	23	41
65+	86	13.2	54	5	6	11	17	24	28	39
TOT. SINGLE DX	1111	5.4	4	3	4	5	6	7	9	12
" MULTIPLE DX	2233	6.4	15	3	4	6	7	9	12	24
TOTAL 0-19 YRS	274	5.5	3	3	4	5	6	8	9	12
20-34	2105	5.6	7	3	4	5	6	8	9	15
35-49	714	6.2	7	4	4	6	7	9	11	18
50-64	149	8.8	38	4	5	7	10	15	20	31
65+	102	12.4	50	5	6	10	16	22	26	38
GRAND TOTAL	3344	6.1	11	3	4	5	6	9	11	20

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	6.3	5	5	5	5	8	9	9	9
20-34	93	5.6	4	3	4	5	6	8	10	14
35-49	138	5.9	3	3	4	6	7	8	9	12
50-64	69	6.7	4	4	5	6	7	10	11	15
65+	27	8.1	9	5	5	7	10	13	15	16
2. MULTIPLE DX										
0-19 YRS	5	6.2		5	5	6	7	7	7	7
20-34	349	6.2	6	4	4	6	7	9	11	18
35-49	516	7.4	22	4	5	6	8	11	13	20
50-64	228	8.6	42	4	5	7	9	14	17	42
65+	141	13.2	77	6	6	11	15	23	29	44
TOT. SINGLE DX	330	6.2	5	4	4	6	7	9	11	15
" MULTIPLE DX	1239	7.9	32	4	5	6	8	13	16	30
TOTAL 0-19 YRS	8	6.3	2	5	5	6	7	8	9	9
20-34	442	6.1	6	3	4	6	7	9	11	15
35-49	654	7.0	19	4	4	6	8	10	12	19
50-64	297	8.2	34	4	5	7	9	12	16	39
65+	168	12.4	70	6	6	10	15	20	29	41
GRAND TOTAL	1569	7.6	27	4	4	6	8	12	15	29

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	3.6	3	1	1	3	5	7	7	7
20-34	135	3.1	3	<1	1	3	5	6	6	7
35-49	22	2.9	4	<1	<1	2	4	6	7	7
50-64	2	7.5	5	6	6	7	9	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS	43	3.5	3	<1	1	4	5	6	7	8
20-34	395	4.5	7	<1	1	5	5	7	8	17
35-49	38	5.4	10	1	1	5	6	9	14	15
50-64	5	7.2		6	6	7	8	8	8	8
65+	4	5.8	1	4	4	6	7	7	7	7
TOT. SINGLE DX	185	3.2	4	<1	1	3	5	6	7	7
" MULTIPLE DX	485	4.5	8	<1	1	5	6	7	8	16
TOTAL 0-19 YRS	69	3.5	3	<1	1	3	5	6	7	8
20-34	530	4.1	7	<1	1	4	5	7	8	16
35-49	60	4.5	10	<1	1	4	6	7	11	15
50-64	7	7.3	1	6	6	7	8	9	9	9
65+	4	5.8	2	4	4	6	7	7	7	7
GRAND TOTAL	670	4.1	7	<1	1	4	5	7	8	15

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.1		<1	<1	1	1	2	2	2
20-34	2237	1.2		<1	<1	<1	1	2	2	3
35-49	1020	1.1		<1	<1	<1	1	1	2	3
50-64	9	1.1		<1	<1	<1	1	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	10	1.5	1	<1	<1	1	1	3	5	5
20-34	1016	1.6	3	<1	<1	1	2	3	4	7
35-49	530	1.5	3	<1	<1	1	1	3	4	6
50-64	6	1.0		<1	<1	<1	1	1	1	1
65+										
TOT. SINGLE DX	3277	1.1	1	<1	<1	<1	1	2	2	3
" MULTIPLE DX	1562	1.6	3	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	21	1.3	1	<1	<1	1	1	2	3	5
20-34	3253	1.3	2	<1	<1	<1	1	2	3	4
35-49	1550	1.3	1	<1	<1	<1	1	2	2	4
50-64	15	1.1		<1	<1	<1	1	1	2	2
65+										
GRAND TOTAL	4839	1.3	1	<1	<1	<1	1	2	2	4

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.6	2	<1	1	2	4	5	6	7
20-34	1891	1.9	1	<1	<1	2	2	3	4	6
35-49	775	1.8	1	<1	<1	1	2	3	4	6
50-64	8	3.0	3	<1	<1	3	4	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	43	2.9	1	1	1	3	4	5	6	7
20-34	2616	2.9	4	1	1	3	3	4	5	8
35-49	834	2.8	2	1	1	3	4	5	5	9
50-64	7	6.3	1	5	5	6	7	8	8	8
65+										
TOT. SINGLE DX	2696	1.8	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	3500	2.9	4	1	1	3	4	4	5	8
TOTAL 0-19 YRS	65	2.8	2	1	1	2	4	5	6	7
20-34	4507	2.5	4	<1	1	2	3	4	5	7
35-49	1609	2.3	2	<1	1	2	3	4	5	7
50-64	15	4.5	5	<1	1	5	6	7	8	8
65+										
GRAND TOTAL	6196	2.4	3	<1	1	2	3	4	5	7

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	120	4.4	2	2	3	4	5	6	7	8
20-34	1489	4.2	4	1	2	4	5	6	6	8
35-49	178	4.0	2	<1	1	4	5	6	7	8
50-64	3	3.3		3	3	3	4	4	4	4
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	126	4.8	3	2	3	5	6	7	8	10
20-34	1675	4.5	3	1	2	4	5	6	7	10
35-49	232	4.8	6	1	2	5	6	7	8	15
50-64	6	11.0	42	4	4	10	12	22	23	23
65+	4	13.5	99	5	5	11	21	27	27	27
TOT. SINGLE DX	1791	4.2	5	1	2	4	5	6	6	8
" MULTIPLE DX	2043	4.6	4	1	2	5	5	7	8	11
TOTAL 0-19 YRS	246	4.6	3	2	3	4	5	7	8	10
20-34	3164	4.3	4	1	2	4	5	6	7	9
35-49	410	4.5	5	1	1	4	5	6	8	13
50-64	9	8.4	42	3	3	7	11	19	23	23
65+	5	14.0	76	5	5	15	19	27	27	27
GRAND TOTAL	3834	4.4	4	1	2	4	5	6	7	10

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	1.5		<1	<1	1	2	2	3	3
20-34	645	1.5		<1	<1	1	2	2	3	6
35-49	254	1.6	1	<1	<1	1	2	2	3	7
50-64	93	2.0	3	<1	<1	2	2	3	6	11
65+	46	2.1	2	<1	<1	2	2	4	6	8
2. MULTIPLE DX										
0-19 YRS	16	1.5		<1	<1	1	2	3	3	3
20-34	375	2.0	5	<1	<1	1	2	3	6	11
35-49	193	2.3	4	<1	<1	2	2	5	7	10
50-64	88	2.2	6	<1	1	2	2	3	7	16
65+	40	3.9	17	1	1	2	4	11	14	17
TOT. SINGLE DX	1055	1.6	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	712	2.2	6	<1	<1	1	2	4	7	14
TOTAL 0-19 YRS	33	1.5		<1	<1	1	2	2	3	3
20-34	1020	1.7	3	<1	<1	1	2	3	4	7
35-49	447	1.9	3	<1	<1	1	2	3	6	9
50-64	181	2.1	5	<1	<1	2	2	3	7	14
65+	86	2.9	10	<1	1	2	3	7	10	16
GRAND TOTAL	1767	1.8	3	<1	<1	1	2	3	5	9

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	1.2		<1	<1	1	1	2	2	2
20-34	127	1.6	1	<1	<1	1	2	3	4	6
35-49	88	2.0	4	<1	<1	1	2	4	5	14
50-64	78	2.6	6	<1	<1	2	2	7	9	11
65+	73	4.2	14	1	1	3	6	10	11	19
2. MULTIPLE DX										
0-19 YRS	9	1.7		<1	<1	2	2	3	3	3
20-34	176	2.0	3	<1	<1	1	2	3	6	9
35-49	175	2.4	11	<1	<1	1	2	5	8	14
50-64	155	4.0	19	<1	<1	2	6	9	13	19
65+	125	7.6	110	1	1	6	9	11	22	58
TOT. SINGLE DX	375	2.4	6	<1	<1	1	2	5	8	12
" MULTIPLE DX	640	3.7	35	<1	<1	2	4	8	11	25
TOTAL 0-19 YRS	18	1.4		<1	<1	1	2	2	3	3
20-34	303	1.8	3	<1	<1	1	2	3	5	8
35-49	263	2.3	10	<1	<1	1	2	5	7	14
50-64	233	3.5	15	<1	<1	2	4	8	11	18
65+	198	6.4	77	1	1	5	8	11	15	46
GRAND TOTAL	1015	3.2	25	<1	<1	2	3	7	10	20

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.5	2	<1	1	2	3	5	6	6
20-34	479	2.2	1	<1	1	2	3	4	5	8
35-49	35	1.9	1	<1	1	2	2	3	4	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	10	3.1	4	1	1	3	4	6	8	8
20-34	127	4.1	61	1	1	3	4	7	10	38
35-49	25	4.7	71	<1	1	3	4	7	22	43
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
TOT. SINGLE DX	540	2.2	2	<1	1	2	3	4	5	8
" MULTIPLE DX	164	4.2	59	1	1	3	4	7	11	40
TOTAL 0-19 YRS	35	2.7	3	1	1	2	3	5	6	8
20-34	606	2.6	15	<1	1	2	3	4	6	11
35-49	60	3.1	32	<1	1	2	3	4	6	40
50-64	3	3.3	10	<1	<1	2	6	7	7	7
65+										
GRAND TOTAL	704	2.7	16	<1	1	2	3	4	6	11

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.0	3	<1	<1	3	5	5	5	5
20-34	180	4.9	4	1	2	5	6	7	8	11
35-49	66	3.9	5	<1	<1	4	6	7	8	9
50-64	7	2.7	7	<1	<1	1	4	7	8	8
65+	9	11.1	727	1	1	2	3	51	83	83
2. MULTIPLE DX										
0-19 YRS	8	4.8	22	1	1	3	6	13	15	15
20-34	306	4.9	7	<1	1	5	6	7	9	13
35-49	104	4.9	12	1	1	5	6	7	8	21
50-64	41	4.0	36	<1	<1	2	5	8	15	35
65+	18	6.4	31	<1	1	5	9	16	19	20
TOT. SINGLE DX	268	4.7	28	<1	1	5	6	7	8	11
" MULTIPLE DX	477	4.9	12	<1	1	5	6	8	9	20
TOTAL 0-19 YRS	14	4.0	14	<1	<1	3	5	8	13	15
20-34	486	4.9	6	<1	1	5	6	7	9	12
35-49	170	4.5	10	<1	1	5	6	7	8	18
50-64	48	3.9	32	<1	<1	2	5	8	14	35
65+	27	8.0	250	1	1	3	8	17	29	83
GRAND TOTAL	745	4.8	18	<1	1	5	6	7	9	18

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	7.7	8	6	6	7	8	13	15	16
20-34	940	6.1	2	4	5	6	7	8	9	12
35-49	1550	6.2	3	4	5	6	7	8	9	12
50-64	578	6.8	3	5	5	6	7	9	10	15
65+	266	7.5	7	5	5	7	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	71	6.4	5	3	4	6	7	9	11	15
20-34	5072	6.6	6	4	5	6	7	9	10	16
35-49	9932	6.7	5	5	5	6	7	9	10	16
50-64	2860	7.4	17	5	5	6	8	10	12	23
65+	1013	9.6	33	5	6	8	11	15	19	35
TOT. SINGLE DX	3349	6.4	4	4	5	6	7	8	9	13
" MULTIPLE DX	18948	6.9	9	5	5	6	7	9	11	18
TOTAL 0-19 YRS	86	6.7	6	4	4	6	7	9	12	16
20-34	6012	6.5	6	4	5	6	7	8	10	16
35-49	11482	6.6	5	5	5	6	7	9	10	15
50-64	3438	7.3	15	5	5	6	8	10	12	21
65+	1279	9.2	29	5	6	8	10	14	18	33
GRAND TOTAL	22297	6.8	9	5	5	6	7	9	11	18

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	636	5.2	2	4	4	5	6	7	8	10
35-49	572	5.4	1	3	4	5	6	7	8	10
50-64	202	6.5	3	4	4	6	8	9	10	12
65+	168	7.2	4	5	5	7	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	11	5.8	4	2	3	6	7	8	10	10
20-34	2570	5.5	5	3	4	5	6	7	8	11
35-49	3951	5.9	4	4	4	6	7	8	9	12
50-64	1097	6.9	7	4	5	6	8	9	11	16
65+	597	8.3	21	5	5	7	9	12	14	25
TOT. SINGLE DX	1580	5.7	3	4	4	5	6	8	9	11
" MULTIPLE DX	8226	6.1	7	4	4	6	7	8	10	14
TOTAL 0-19 YRS	13	5.9	4	2	3	6	7	8	10	10
20-34	3206	5.5	5	3	4	5	6	7	8	11
35-49	4523	5.8	4	4	4	6	7	8	9	12
50-64	1299	6.8	7	4	5	6	8	9	11	15
65+	765	8.1	18	5	5	7	9	11	14	23
GRAND TOTAL	9806	6.0	6	4	4	6	7	8	9	14

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	15	9.4	8	3	5	10	12	13	13	13
35-49	11	11.5	59	4	5	9	14	22	31	32
50-64	8	16.1	339	4	5	10	16	48	60	60
65+	13	11.8	13	5	7	12	14	17	18	18
2. MULTIPLE DX										
0-19 YRS										
20-34	19	11.8	29	5	6	11	14	21	23	25
35-49	22	18.1	175	6	7	13	23	38	51	55
50-64	19	20.1	286	5	6	15	22	42	57	70
65+	17	16.8	171	7	8	11	20	36	50	56
TOT. SINGLE DX	49	11.5	74	4	5	10	13	17	20	60
" MULTIPLE DX	77	16.8	169	6	6	12	20	38	47	66
TOTAL 0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	34	10.8	21	5	6	10	12	16	21	25
35-49	33	15.9	144	5	6	13	17	32	47	55
50-64	27	18.9	293	5	6	13	21	42	61	70
65+	30	14.7	107	6	7	12	17	21	40	56
GRAND TOTAL	126	14.7	137	5	6	11	16	26	42	62

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	317	1.1		<1	<1	1	1	1	2	4
20-34	666	1.2		<1	<1	1	1	2	2	4
35-49	75	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	65	2.1	6	<1	<1	1	2	4	7	16
20-34	343	2.0	5	<1	<1	1	2	4	6	12
35-49	85	2.0	2	<1	<1	1	2	4	5	11
50-64										
65+										
TOT. SINGLE DX	1058	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	493	2.0	5	<1	<1	1	2	4	6	12
TOTAL 0-19 YRS	382	1.3	1	<1	<1	1	1	2	3	6
20-34	1009	1.5	2	<1	<1	1	1	2	4	8
35-49	160	1.6	2	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	1551	1.4	2	<1	<1	1	1	2	4	8

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1165	1.4		<1	<1	1	1	2	3	5
20-34	7874	1.3	1	<1	<1	1	1	2	3	5
35-49	3178	1.3		<1	<1	1	1	2	2	4
50-64	1297	1.4		<1	<1	1	2	2	2	5
65+	458	1.9	6	<1	<1	1	2	3	4	11
2. MULTIPLE DX										
0-19 YRS	454	2.5	4	<1	<1	2	3	5	7	12
20-34	4203	2.1	5	<1	<1	1	2	4	6	11
35-49	3364	1.9	4	<1	<1	1	2	4	6	11
50-64	1605	2.1	7	<1	<1	1	2	4	7	12
65+	744	3.5	29	<1	<1	2	3	8	12	24
TOT. SINGLE DX	13972	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	10370	2.2	7	<1	<1	1	2	4	7	13
TOTAL 0-19 YRS	1619	1.7	2	<1	<1	1	2	3	5	7
20-34	12077	1.6	3	<1	<1	1	2	3	4	8
35-49	6542	1.6	3	<1	<1	1	2	2	4	9
50-64	2902	1.8	5	<1	<1	1	2	3	5	10
65+	1202	2.9	21	<1	<1	2	2	5	10	23
GRAND TOTAL	24342	1.7	4	<1	<1	1	2	3	4	9

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	351	1.2		<1	<1	<1	1	1	2	5
20-34	902	1.1		<1	<1	<1	1	1	2	3
35-49	116	1.1		<1	<1	<1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	69	2.8	42	<1	<1	1	2	4	5	41
20-34	478	2.2	15	<1	<1	1	2	4	6	20
35-49	157	1.8	25	<1	<1	<1	1	2	4	12
50-64										
65+										
TOT. SINGLE DX	1369	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	704	2.1	20	<1	<1	1	2	3	6	23
TOTAL 0-19 YRS	420	1.4	8	<1	<1	<1	1	2	3	7
20-34	1380	1.5	6	<1	<1	<1	1	2	3	8
35-49	273	1.5	15	<1	<1	<1	1	2	2	8
50-64										
65+										
GRAND TOTAL	2073	1.5	7	<1	<1	<1	1	2	3	8

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	168	1.3		<1	<1	1	1	2	2	4
20-34	1076	1.2		<1	<1	1	1	2	2	4
35-49	127	1.2		<1	<1	1	1	2	2	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	43	2.5	5	<1	1	2	3	5	8	11
20-34	328	2.0	2	<1	<1	1	2	4	6	8
35-49	88	1.7	1	<1	<1	1	2	3	4	6
50-64	8	4.3	16	<1	<1	3	7	11	11	11
65+	6	16.5	714	2	2	4	16	65	70	70
TOT. SINGLE DX	1376	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	473	2.2	13	<1	<1	1	2	4	6	11
TOTAL 0-19 YRS	211	1.5	2	<1	<1	1	2	2	4	8
20-34	1404	1.4	1	<1	<1	1	1	2	3	6
35-49	215	1.4	1	<1	<1	1	1	3	3	6
50-64	11	3.5	13	<1	<1	2	4	10	11	11
65+	8	12.8	559	1	1	3	10	54	70	70
GRAND TOTAL	1849	1.5	4	<1	<1	1	1	2	4	6

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	21	4.1	4	<1	<1	5	6	6	7	8
35-49	4	4.8	7	1	1	5	6	7	7	7
50-64	5	6.2	4	4	4	7	8	8	8	8
65+	4	6.3	6	3	3	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	3	6.7	22	3	3	5	10	12	12	12
20-34	66	5.0	4	2	3	5	6	7	8	12
35-49	13	6.8	13	4	4	5	7	12	16	17
50-64	3	7.0	3	6	6	6	8	9	9	9
65+	6	7.2	2	5	5	7	9	9	9	9
TOT. SINGLE DX	36	4.8	5	<1	1	5	6	8	8	9
" MULTIPLE DX	91	5.5	6	2	3	5	6	8	11	15
TOTAL 0-19 YRS	5	6.4	13	3	3	5	9	12	12	12
20-34	87	4.7	4	1	2	5	6	7	8	12
35-49	17	6.3	12	2	4	5	7	10	15	17
50-64	8	6.5	3	4	4	7	8	9	9	9
65+	10	6.8	4	3	4	7	9	9	9	9
GRAND TOTAL	127	5.3	6	1	2	5	6	8	9	13

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	2.5	3	<1	1	1	4	6	6	6
20-34	120	2.8	9	<1	<1	2	4	5	6	16
35-49	20	2.5	2	<1	1	2	3	5	5	6
50-64	16	3.8	5	1	1	3	4	6	10	11
65+	18	3.9	2	1	2	4	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	21	5.4	35	1	1	5	6	9	19	29
20-34	183	3.6	15	<1	1	3	5	6	8	25
35-49	57	3.9	15	1	1	3	6	7	8	26
50-64	24	4.4	11	1	1	4	6	9	11	15
65+	17	5.2	29	<1	1	3	7	11	19	23
TOT. SINGLE DX	212	2.9	7	<1	<1	2	4	6	6	11
" MULTIPLE DX	302	3.9	17	<1	1	3	5	7	9	28
TOTAL 0-19 YRS	59	3.5	17	<1	1	3	5	6	8	27
20-34	303	3.3	13	<1	<1	2	5	6	7	21
35-49	77	3.5	12	1	1	3	5	6	8	22
50-64	40	4.2	9	1	1	3	5	8	10	15
65+	35	4.5	15	<1	1	3	5	7	11	23
GRAND TOTAL	514	3.5	13	<1	<1	3	5	6	8	24

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	72	4.4	2	2	2	4	6	7	7	8
35-49	191	5.4	4	2	3	5	6	8	9	12
50-64	329	5.9	4	3	4	5	7	8	9	14
65+	254	6.5	6	3	4	6	8	10	11	14
2. MULTIPLE DX										
0-19 YRS	3	7.0	1	6	6	7	8	8	8	8
20-34	111	6.0	12	2	3	5	7	9	11	22
35-49	373	6.8	12	3	4	6	7	10	13	22
50-64	557	7.0	10	4	4	6	8	10	12	20
65+	400	7.6	15	4	4	7	9	12	14	26
TOT. SINGLE DX	849	5.8	5	3	3	5	7	8	10	14
" MULTIPLE DX	1444	7.0	13	3	4	6	8	10	13	21
TOTAL 0-19 YRS	6	4.8	6	2	2	5	7	8	8	8
20-34	183	5.4	9	2	2	5	7	8	10	18
35-49	564	6.3	11	3	4	6	7	9	11	19
50-64	886	6.5	8	3	4	6	7	9	11	17
65+	654	7.2	12	3	4	6	8	11	13	20
GRAND TOTAL	2293	6.6	10	3	4	6	8	10	12	18

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	3.1	16	<1	<1	2	3	5	11	21
20-34	170	3.2	4	<1	<1	3	4	6	7	9
35-49	63	3.7	6	<1	1	3	6	7	8	11
50-64	45	4.6	14	<1	<1	4	6	8	11	22
65+	17	6.8	39	1	1	6	7	9	22	29
2. MULTIPLE DX										
0-19 YRS	21	3.3	12	<1	<1	2	3	9	13	14
20-34	82	3.4	4	<1	1	3	4	6	7	12
35-49	51	6.5	37	1	1	5	8	13	16	34
50-64	48	9.3	80	1	1	7	10	22	26	45
65+	47	11.2	222	3	4	8	11	17	35	96
TOT. SINGLE DX	323	3.7	10	<1	<1	3	5	7	9	14
" MULTIPLE DX	249	6.6	77	1	1	5	8	13	17	45
TOTAL 0-19 YRS	49	3.2	14	<1	<1	2	3	7	12	21
20-34	252	3.2	4	<1	1	3	4	6	7	10
35-49	114	5.0	22	1	1	4	7	9	12	28
50-64	93	7.0	54	<1	1	6	8	14	22	43
65+	64	10.0	176	2	3	7	9	17	30	90
GRAND TOTAL	572	5.0	41	<1	1	3	6	9	12	31

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	2.8	6	<1	<1	2	4	7	9	12
20-34	296	2.9	7	<1	<1	2	4	7	8	14
35-49	80	2.6	7	<1	<1	2	3	5	7	17
50-64	72	3.6	10	<1	<1	3	5	7	9	19
65+	95	4.2	8	1	1	4	6	7	10	16
2. MULTIPLE DX										
0-19 YRS	84	3.8	12	<1	<1	2	5	10	11	14
20-34	251	4.2	14	<1	1	3	5	9	12	18
35-49	130	6.5	36	<1	1	5	9	14	19	30
50-64	140	5.7	40	1	1	4	6	10	14	44
65+	187	7.8	55	2	2	5	9	15	18	46
TOT. SINGLE DX	645	3.1	8	<1	<1	2	4	7	9	13
" MULTIPLE DX	792	5.6	34	<1	1	4	7	11	16	29
TOTAL 0-19 YRS	186	3.3	10	<1	<1	2	5	8	10	14
20-34	547	3.5	11	<1	<1	2	5	8	11	16
35-49	210	5.0	29	<1	<1	3	6	11	17	28
50-64	212	5.0	31	<1	1	4	6	8	13	35
65+	282	6.6	42	1	2	5	8	12	17	35
GRAND TOTAL	1437	4.5	24	<1	<1	3	6	10	13	22

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	1.8	1	<1	<1	1	2	3	4	7
20-34	439	1.6	1	<1	<1	1	2	3	4	6
35-49	184	1.8	1	<1	<1	1	2	3	4	7
50-64	88	1.8	1	<1	<1	1	2	3	4	8
65+	57	2.9	8	<1	<1	2	3	7	9	15
2. MULTIPLE DX										
0-19 YRS	44	2.5	3	<1	1	2	4	5	6	9
20-34	173	3.1	16	<1	1	2	4	6	8	28
35-49	97	4.0	30	<1	<1	2	4	10	12	34
50-64	84	5.4	87	<1	1	3	6	9	16	60
65+	64	7.7	69	<1	1	4	11	20	25	34
TOT. SINGLE DX	851	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	462	4.3	40	<1	1	2	4	9	15	32
TOTAL 0-19 YRS	127	2.0	2	<1	<1	1	3	4	5	8
20-34	612	2.0	6	<1	<1	1	2	4	5	9
35-49	281	2.6	13	<1	<1	1	3	5	8	15
50-64	172	3.6	46	<1	<1	2	3	7	9	47
65+	121	5.4	46	<1	1	2	6	16	20	33
GRAND TOTAL	1313	2.7	17	<1	<1	2	3	5	8	21

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	2.1	1	<1	<1	1	3	4	5	5
35-49	16	4.9	14	<1	<1	4	6	10	13	15
50-64	17	9.8	64	1	2	8	13	23	28	29
65+	21	7.1	112	1	1	4	7	12	30	51
2. MULTIPLE DX										
0-19 YRS										
20-34	4	4.3	3	3	3	4	5	7	7	7
35-49	9	7.1	55	2	2	4	7	19	26	26
50-64	13	6.5	26	2	2	4	10	13	18	19
65+	37	14.6	229	2	3	10	18	36	45	75
TOT. SINGLE DX	69	6.1	60	<1	<1	4	7	13	16	47
" MULTIPLE DX	63	11.2	162	2	3	7	13	25	40	71
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	2.6	3	<1	<1	2	4	5	6	7
35-49	25	5.7	29	<1	<1	4	7	10	18	26
50-64	30	8.4	49	2	2	7	12	17	26	29
65+	58	11.9	197	1	2	7	14	27	45	73
GRAND TOTAL	132	8.6	114	<1	1	5	10	19	28	55

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	1.8	2	<1	<1	1	2	4	6	8
20-34	59	2.7	3	<1	1	2	3	5	5	12
35-49	17	2.0	1	<1	<1	2	2	4	5	5
50-64	7	4.1	9	<1	<1	3	7	9	9	9
65+	8	4.8	36	<1	<1	2	5	15	19	19
2. MULTIPLE DX										
0-19 YRS	18	4.8	48	1	1	3	5	9	23	31
20-34	52	3.2	4	<1	1	3	4	6	7	10
35-49	11	3.6	9	1	1	3	5	9	10	10
50-64	10	8.6	46	1	2	6	9	20	23	23
65+	7	11.4	270	1	1	7	9	40	48	48
TOT. SINGLE DX	125	2.6	6	<1	<1	2	3	5	7	14
" MULTIPLE DX	98	4.7	39	1	1	3	5	9	10	40
TOTAL 0-19 YRS	52	2.8	20	<1	<1	1	3	6	8	31
20-34	111	2.9	4	<1	1	2	4	5	6	11
35-49	28	2.6	5	<1	<1	2	3	6	8	10
50-64	17	6.8	35	<1	1	5	9	16	21	23
65+	15	7.9	146	<1	1	4	8	19	41	48
GRAND TOTAL	223	3.5	21	<1	1	2	4	7	9	25

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	1.3		<1	<1	1	1	3	3	3
20-34	7	1.6		<1	<1	1	2	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	6	1.8	4	<1	<1	1	1	6	6	6
65+	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	4	7.0	128	<1	<1	1	13	24	24	24
20-34	7	1.3		<1	<1	1	2	2	2	2
35-49	5	3.2	4	<1	<1	4	6	91	99+	99+
50-64	1	11.0		11	11	11	11	11	11	11
65+	10	11.6	241	2	2	6	12	36	53	53
TOT. SINGLE DX	23	1.7	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	27	6.7	119	<1	<1	2	8	22	58	99+
TOTAL 0-19 YRS	10	3.6	52	<1	<1	1	2	13	24	24
20-34	14	1.4		<1	<1	1	2	2	3	3
35-49	7	2.9	4	<1	<1	3	5	72	99+	99+
50-64	7	3.1	15	<1	<1	1	5	10	11	11
65+	12	10.0	212	<1	1	5	11	29	50	53
GRAND TOTAL	50	4.4	70	<1	<1	2	3	11	24	99+

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1832	2.4		1	1	2	3	3	4	5
20-34	9803	2.6		1	2	3	3	4	4	5
35-49	434	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1212	2.9	3	1	2	3	3	4	5	9
20-34	7191	3.0	2	1	2	3	3	4	5	8
35-49	441	3.2	2	2	2	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	12069	2.6	1	1	2	3	3	4	4	5
" MULTIPLE DX	8844	3.0	2	1	2	3	3	4	5	8
TOTAL 0-19 YRS	3044	2.6	2	1	2	2	3	4	4	7
20-34	16994	2.8	1	1	2	3	3	4	4	6
35-49	875	3.0	2	1	2	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	20913	2.7	2	1	2	3	3	4	4	6

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.5		1	1	2	3	4	4	4
20-34	218	2.4	1	1	1	2	3	3	4	7
35-49	17	2.1		1	1	2	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	50	2.2	2	1	1	2	2	3	5	10
20-34	383	2.9	3	1	1	3	3	4	6	13
35-49	44	3.3	7	<1	1	3	4	7	8	16
50-64										
65+										
TOT. SINGLE DX	262	2.3	1	1	1	2	3	3	4	6
" MULTIPLE DX	477	2.9	4	1	1	3	3	4	6	13
TOTAL 0-19 YRS	77	2.3	2	1	1	2	3	3	4	9
20-34	601	2.7	3	1	1	2	3	4	5	11
35-49	61	3.0	6	1	1	3	3	5	7	15
50-64										
65+										
GRAND TOTAL	739	2.7	3	1	1	2	3	4	5	11

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	275	2.6	1	1	2	3	3	4	4	6
20-34	1735	2.6		1	2	3	3	4	4	5
35-49	104	2.6	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	417	2.9	2	1	2	3	3	4	5	7
20-34	2643	3.1	2	1	2	3	4	4	5	7
35-49	185	3.5	3	2	2	3	4	6	7	10
50-64										
65+										
TOT. SINGLE DX	2114	2.6	1	1	2	3	3	4	4	5
" MULTIPLE DX	3245	3.1	2	1	2	3	4	4	5	7
TOTAL 0-19 YRS	692	2.8	2	1	2	3	3	4	5	7
20-34	4378	2.9	2	1	2	3	3	4	5	7
35-49	289	3.2	3	1	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	5359	2.9	2	1	2	3	3	4	5	7

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11885	2.2	1	1	1	2	3	3	4	5
20-34	72525	2.2	1	1	1	2	3	3	4	5
35-49	3686	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2602	2.8	3	1	1	3	3	4	5	9
20-34	19754	2.8	4	1	1	3	3	4	5	8
35-49	1715	3.2	7	1	2	3	4	4	5	11
50-64										
65+										
TOT. SINGLE DX	88096	2.2	1	1	1	2	3	3	4	5
" MULTIPLE DX	24071	2.8	5	1	1	3	3	4	5	8
TOTAL 0-19 YRS	14487	2.3	2	1	1	2	3	3	4	6
20-34	92279	2.3	2	1	1	2	3	3	4	6
35-49	5401	2.6	3	1	1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	112167	2.3	2	1	1	2	3	3	4	6

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1170	4.7	5	3	3	5	5	6	7	9
20-34	10477	4.8	3	3	3	5	5	6	6	9
35-49	547	5.0	2	3	4	5	6	6	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2082	5.5	9	3	4	5	6	8	9	17
20-34	17898	5.3	9	3	4	5	6	7	8	16
35-49	1810	5.7	12	3	4	5	6	7	10	17
50-64										
65+										
TOT. SINGLE DX	12194	4.8	3	3	3	5	5	6	7	9
" MULTIPLE DX	21790	5.4	10	3	4	5	6	7	9	16
TOTAL 0-19 YRS	3252	5.2	8	3	4	5	6	7	8	14
20-34	28375	5.1	7	3	4	5	6	7	8	13
35-49	2357	5.6	10	3	4	5	6	7	9	16
50-64										
65+										
GRAND TOTAL	33984	5.2	8	3	4	5	6	7	8	14

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	5.3	12	3	4	5	6	6	7	27
20-34	608	4.9	2	3	3	5	5	6	7	10
35-49	30	4.8	1	3	3	5	5	7	7	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	115	6.3	9	4	4	5	7	10	13	19
20-34	845	5.7	14	3	4	5	6	8	10	20
35-49	101	6.8	28	3	4	5	7	11	14	38
50-64										
65+										
TOT. SINGLE DX	726	4.9	4	3	3	5	5	6	7	11
" MULTIPLE DX	1061	5.9	15	3	4	5	6	8	11	22
TOTAL 0-19 YRS	203	5.8	11	3	4	5	6	8	12	20
20-34	1453	5.3	10	3	4	5	6	7	9	16
35-49	131	6.4	23	3	4	5	6	8	13	37
50-64										
65+										
GRAND TOTAL	1787	5.5	11	3	4	5	6	7	9	19

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.5	1	2	2	3	4	5	5	5
20-34	28	4.3	1	2	3	4	5	6	6	6
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	42	5.0	5	2	2	5	6	7	11	12
35-49	5	6.2	25	3	3	5	8	15	15	15
50-64										
65+										
TOT. SINGLE DX	36	4.1	1	2	3	4	5	6	6	6
" MULTIPLE DX	51	5.1	7	2	3	5	6	7	12	15
TOTAL 0-19 YRS	10	4.0	2	2	2	4	5	6	7	7
20-34	70	4.7	4	2	3	4	6	7	7	12
35-49	7	5.4	19	3	3	4	5	13	15	15
50-64										
65+										
GRAND TOTAL	87	4.7	5	2	3	4	5	7	8	14

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	1.4		<1	1	1	2	2	2	3
20-34	322	1.4		<1	<1	1	2	2	3	3
35-49	45	1.4		<1	1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	86	1.2		1	1	1	1	2	2	4
20-34	108	1.8	3	<1	1	1	2	3	3	13
35-49	25	1.7		<1	1	1	2	3	4	4
50-64										
65+										
TOT. SINGLE DX	646	1.4		<1	<1	1	2	2	2	3
" MULTIPLE DX	219	1.6	2	1	1	1	2	3	3	11
TOTAL 0-19 YRS	365	1.3		<1	1	1	2	2	2	3
20-34	430	1.5	1	<1	1	1	2	2	3	5
35-49	70	1.5	1	<1	1	1	2	3	3	4
50-64										
65+										
GRAND TOTAL	865	1.4	1	<1	1	1	2	2	3	4

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	2.6	3	<1	1	2	3	6	7	8
20-34	183	3.5	32	<1	<1	2	4	7	10	24
35-49	10	4.8	23	<1	<1	3	5	13	15	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	29	2.7	4	1	1	2	3	6	8	9
20-34	139	4.7	32	<1	1	3	5	10	16	34
35-49	7	4.6	14	1	1	2	7	10	11	11
50-64										
65+										
TOT. SINGLE DX	227	3.4	28	<1	1	2	4	7	10	22
" MULTIPLE DX	175	4.4	28	<1	1	3	5	9	15	30
TOTAL 0-19 YRS	63	2.6	4	<1	1	2	3	6	7	9
20-34	322	4.0	33	<1	1	2	4	8	14	27
35-49	17	4.7	19	<1	1	3	7	12	14	15
50-64										
65+										
GRAND TOTAL	402	3.8	28	<1	1	2	4	8	12	24

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	516	2.3	1	<1	<1	2	3	3	4	8
20-34	2531	2.2	2	<1	<1	2	3	3	4	6
35-49	157	2.4	2	<1	<1	2	3	4	5	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	316	2.9	3	1	1	3	3	5	6	10
20-34	1664	3.1	7	1	1	3	3	4	5	12
35-49	147	3.4	9	1	1	3	4	5	7	24
50-64										
65+										
TOT. SINGLE DX	3204	2.3	2	<1	<1	2	3	3	4	6
" MULTIPLE DX	2127	3.1	7	1	1	3	3	4	6	12
TOTAL 0-19 YRS	832	2.5	2	<1	<1	2	3	4	5	9
20-34	4195	2.6	4	<1	1	2	3	4	5	8
35-49	304	2.9	6	<1	1	3	3	4	6	12
50-64										
65+										
GRAND TOTAL	5331	2.6	4	<1	1	2	3	4	5	8

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1655	2.1	1	1	1	2	2	3	3	4
20-34	9875	2.1	1	1	1	2	3	3	4	5
35-49	599	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1448	2.5	4	1	1	2	3	4	5	8
20-34	7830	2.6	2	1	1	2	3	4	4	7
35-49	576	2.7	1	1	1	3	3	4	5	7
50-64										
65+										
TOT. SINGLE DX	12129	2.1	1	1	1	2	3	3	3	5
" MULTIPLE DX	9854	2.6	3	1	1	2	3	4	4	7
TOTAL 0-19 YRS	3103	2.3	3	1	1	2	3	3	4	6
20-34	17705	2.3	2	1	1	2	3	3	4	6
35-49	1175	2.5	1	1	1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	21983	2.3	2	1	1	2	3	3	4	6

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.9	11	<1	1	2	3	5	10	16
20-34	56	2.8	3	<1	1	2	3	5	7	10
35-49	26	4.0	16	1	1	3	5	9	12	19
50-64	25	5.8	22	<1	1	4	8	14	16	17
65+	14	5.7	12	2	2	5	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	13	3.8	9	1	1	2	5	9	10	10
20-34	16	6.2	18	<1	1	6	9	13	15	16
35-49	21	4.6	11	<1	1	4	7	10	11	12
50-64	44	12.1	133	1	2	8	16	25	37	55
65+	49	12.2	208	2	2	8	15	25	41	82
TOT. SINGLE DX	142	3.9	12	1	1	3	5	9	11	17
" MULTIPLE DX	143	9.6	127	1	2	6	13	19	31	57
TOTAL 0-19 YRS	34	3.2	10	1	1	2	4	7	10	16
20-34	72	3.6	9	<1	1	3	4	7	10	15
35-49	47	4.3	14	1	1	4	6	10	11	19
50-64	69	9.8	101	1	1	7	14	19	34	53
65+	63	10.7	171	2	2	7	14	24	33	78
GRAND TOTAL	285	6.7	78	1	1	4	8	16	19	47

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	3.4	1	2	2	3	4	5	5	7
20-34	446	3.4	1	2	2	3	4	5	6	7
35-49	129	3.6	2	2	2	3	4	6	7	10
50-64	36	3.6	2	2	2	3	5	5	7	9
65+	13	5.8	24	2	2	4	7	15	17	17
2. MULTIPLE DX										
0-19 YRS	192	4.0	1	2	3	4	4	5	6	10
20-34	253	4.1	4	2	2	4	4	6	7	14
35-49	98	4.3	7	1	2	4	5	7	8	17
50-64	33	5.7	14	2	2	4	7	12	14	17
65+	14	5.9	21	2	2	5	7	13	17	18
TOT. SINGLE DX	915	3.5	2	2	2	3	4	5	6	9
" MULTIPLE DX	590	4.2	5	2	2	4	5	6	8	14
TOTAL 0-19 YRS	483	3.6	2	2	2	3	4	5	6	8
20-34	699	3.6	3	2	2	3	4	5	6	10
35-49	227	3.9	5	2	2	4	4	7	7	11
50-64	69	4.6	9	2	2	4	5	9	12	16
65+	27	5.9	22	2	2	5	7	14	17	18
GRAND TOTAL	1505	3.8	3	2	2	3	4	5	7	11

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	2.2	2	1	1	2	3	4	6	9
20-34	216	2.1	1	<1	1	2	3	4	4	7
35-49	43	2.8	6	1	1	2	3	6	8	14
50-64	16	3.4	6	1	1	3	5	6	8	9
65+	8	3.0	2	1	1	3	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	132	3.4	8	1	1	3	4	6	9	17
20-34	216	5.0	22	1	1	4	6	10	14	27
35-49	60	5.0	18	1	2	4	6	11	13	22
50-64	25	5.6	22	1	1	4	8	10	14	23
65+	25	11.8	124	2	2	10	15	26	33	53
TOT. SINGLE DX	416	2.3	3	1	1	2	3	4	6	9
" MULTIPLE DX	458	4.9	26	1	1	3	6	11	14	26
TOTAL 0-19 YRS	265	2.8	6	1	1	2	3	5	7	14
20-34	432	3.5	14	1	1	3	4	7	10	25
35-49	103	4.1	15	1	1	3	5	9	12	19
50-64	41	4.8	17	1	1	4	6	9	11	23
65+	33	9.6	108	2	2	6	12	21	27	53
GRAND TOTAL	874	3.7	17	1	1	2	4	7	11	23

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	2.7	2	1	1	2	3	5	6	7
20-34	383	2.8	5	<1	1	2	3	5	7	10
35-49	154	3.0	4	1	1	2	4	5	7	13
50-64	51	2.7	2	1	1	2	3	5	6	9
65+	26	6.3	63	1	2	3	5	20	26	33
2. MULTIPLE DX										
0-19 YRS	161	6.0	42	1	2	4	7	12	17	35
20-34	474	5.8	49	1	2	4	6	11	16	39
35-49	205	5.7	31	1	1	4	7	12	15	28
50-64	72	7.6	43	1	1	6	10	18	22	31
65+	44	12.9	260	2	2	7	14	32	53	76
TOT. SINGLE DX	774	2.9	7	1	1	2	3	5	7	13
" MULTIPLE DX	956	6.3	56	1	2	4	7	12	18	40
TOTAL 0-19 YRS	321	4.3	25	1	1	3	5	8	12	31
20-34	857	4.4	32	1	1	3	5	8	12	30
35-49	359	4.5	22	1	1	3	5	10	13	25
50-64	123	5.5	32	1	1	4	7	11	19	28
65+	70	10.5	196	2	2	5	11	24	37	74
GRAND TOTAL	1730	4.8	37	1	1	3	5	9	14	32

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	7.0	89	1	2	4	5	20	33	37
20-34	24	3.1	3	1	1	3	4	6	7	7
35-49	17	2.8	2	<1	1	3	4	5	6	6
50-64	16	4.8	14	<1	2	4	5	8	14	17
65+	7	3.7	5	1	1	4	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	14	4.7	12	1	2	3	7	11	13	13
20-34	19	3.7	5	1	1	3	6	7	8	8
35-49	20	9.3	76	1	2	5	16	24	26	28
50-64	19	7.4	88	2	3	5	7	13	31	44
65+	10	8.4	19	4	4	8	11	15	16	16
TOT. SINGLE DX	84	4.3	27	1	1	3	4	7	10	35
" MULTIPLE DX	82	6.7	48	1	2	4	8	15	21	39
TOTAL 0-19 YRS	34	6.1	58	1	2	4	5	11	27	37
20-34	43	3.4	4	1	1	3	4	7	7	8
35-49	37	6.3	52	<1	1	3	6	19	24	28
50-64	35	6.2	55	2	2	4	6	10	16	44
65+	17	6.5	19	1	2	5	10	13	15	16
GRAND TOTAL	166	5.5	39	1	2	4	6	11	17	36

703: Incision and division of bones, except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	345	5.2	30	1	1	4	6	10	17	28
20-34	329	4.4	23	<1	1	3	5	9	13	29
35-49	218	4.4	16	1	1	3	5	10	12	21
50-64	231	5.6	18	1	2	5	7	10	13	21
65+	115	7.0	32	2	2	6	8	12	15	32
2. MULTIPLE DX										
0-19 YRS	197	6.8	65	1	2	4	7	14	22	46
20-34	324	6.5	88	1	2	4	6	15	23	54
35-49	269	5.5	47	1	2	4	5	10	18	39
50-64	280	6.7	59	2	2	5	7	12	20	56
65+	138	11.1	163	1	2	7	13	31	44	99+
TOT. SINGLE DX	1238	5.1	24	1	1	4	6	10	14	27
" MULTIPLE DX	1208	6.9	79	1	2	4	7	15	23	51
TOTAL 0-19 YRS	542	5.8	43	1	2	4	6	12	19	43
20-34	653	5.4	56	1	1	3	6	11	19	36
35-49	487	5.0	34	1	1	3	5	10	15	32
50-64	511	6.2	41	1	2	5	7	11	17	39
65+	253	9.2	108	1	2	6	10	21	36	70
GRAND TOTAL	2446	6.0	52	1	1	4	7	12	19	43

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	3.1	2	1	1	3	4	5	6	7
20-34	350	3.3	2	1	1	3	4	5	6	8
35-49	330	3.5	2	1	2	3	4	5	6	8
50-64	379	3.7	3	1	2	3	5	6	7	9
65+	208	4.0	3	1	2	4	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	224	3.6	2	2	2	3	4	6	6	9
20-34	454	3.7	2	2	2	4	4	6	6	8
35-49	671	4.0	6	2	2	4	5	6	7	13
50-64	1257	4.4	14	2	2	4	5	6	8	15
65+	782	4.8	10	2	2	4	5	8	9	23
TOT. SINGLE DX	1458	3.5	3	1	2	3	4	6	6	9
" MULTIPLE DX	3388	4.2	10	2	2	4	5	6	8	15
TOTAL 0-19 YRS	415	3.4	2	1	2	3	4	5	6	8
20-34	804	3.5	2	1	2	3	4	5	6	8
35-49	1001	3.8	5	1	2	3	5	6	7	10
50-64	1636	4.2	12	2	2	4	5	6	8	14
65+	990	4.6	9	2	2	4	5	7	9	18
GRAND TOTAL	4846	4.0	8	1	2	4	5	6	7	13

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1269	3.4	16	1	1	2	4	6	8	24
20-34	1762	3.5	14	<1	1	3	4	6	8	19
35-49	1033	3.7	23	<1	1	3	4	6	9	19
50-64	795	4.2	31	<1	1	3	4	8	11	37
65+	366	5.9	51	1	1	4	7	12	20	32
2. MULTIPLE DX										
0-19 YRS	561	6.8	96	1	1	3	6	18	30	52
20-34	1221	7.0	115	1	1	3	7	17	33	72
35-49	918	7.0	127	1	1	3	6	15	29	70
50-64	1008	7.9	141	1	2	4	7	19	30	65
65+	813	11.9	193	1	2	7	15	31	45	92
TOT. SINGLE DX	5225	3.8	22	1	1	3	4	7	10	25
" MULTIPLE DX	4521	8.1	139	1	1	4	8	21	34	71
TOTAL 0-19 YRS	1830	4.5	43	1	1	3	4	8	15	42
20-34	2983	4.9	59	<1	1	3	5	9	17	48
35-49	1951	5.2	75	1	1	3	5	9	16	56
50-64	1803	6.3	97	1	1	3	6	12	22	52
65+	1179	10.0	157	1	2	5	12	26	38	75
GRAND TOTAL	9746	5.8	81	1	1	3	5	12	22	53

706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	350	5.1	37	1	1	4	6	9	14	40
20-34	437	4.6	22	1	1	4	6	8	11	22
35-49	170	5.0	15	1	1	4	6	9	12	18
50-64	128	6.8	22	2	2	5	9	15	16	20
65+	205	10.9	37	3	5	10	14	17	22	36
2. MULTIPLE DX										
0-19 YRS	171	10.0	170	1	2	5	10	25	39	72
20-34	244	9.3	131	1	2	5	10	20	33	62
35-49	121	8.8	133	1	2	5	9	18	27	69
50-64	131	11.2	112	2	3	9	15	22	28	79
65+	368	16.2	131	4	6	14	20	31	43	65
TOT. SINGLE DX	1290	6.0	33	1	1	4	8	13	16	27
" MULTIPLE DX	1035	12.1	145	2	2	8	16	25	36	67
TOTAL 0-19 YRS	521	6.7	86	1	1	4	7	13	23	50
20-34	681	6.3	66	1	1	4	7	12	20	53
35-49	291	6.6	68	1	2	5	7	12	18	52
50-64	259	9.0	73	2	2	7	12	17	23	70
65+	573	14.3	104	3	5	12	17	25	35	61
GRAND TOTAL	2325	8.7	92	1	2	6	11	18	25	56

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	778	2.2	11	<1	<1	2	3	4	5	13
20-34	1396	2.5	7	<1	<1	2	3	4	6	11
35-49	595	2.7	13	<1	<1	2	3	5	7	14
50-64	422	3.2	16	<1	1	2	3	6	9	22
65+	384	5.0	27	1	1	3	6	12	15	21
2. MULTIPLE DX										
0-19 YRS	178	4.5	58	1	1	3	4	7	11	41
20-34	359	5.5	75	<1	1	3	5	13	22	43
35-49	237	5.4	83	<1	1	3	5	10	18	60
50-64	237	7.2	81	1	1	4	9	15	25	45
65+	358	11.9	176	2	2	7	14	27	39	65
TOT. SINGLE DX	3575	2.8	13	<1	<1	2	3	5	8	17
" MULTIPLE DX	1369	7.3	110	1	1	4	8	17	28	58
TOTAL 0-19 YRS	956	2.7	21	<1	<1	2	3	4	6	24
20-34	1755	3.1	23	<1	<1	2	3	5	8	27
35-49	832	3.5	35	<1	<1	2	4	6	9	28
50-64	659	4.6	44	<1	1	3	5	10	15	38
65+	742	8.3	111	1	1	5	10	18	27	51
GRAND TOTAL	4944	4.1	44	<1	<1	2	4	8	14	37

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	19.1	199	4	5	17	24	33	35	86
20-34	27	14.6	47	5	6	14	20	23	25	34
35-49	24	10.9	76	4	5	8	12	21	31	44
50-64	53	11.2	72	4	5	10	13	17	28	55
65+	186	13.8	68	6	7	12	15	21	28	49
2. MULTIPLE DX										
0-19 YRS	56	22.2	165	5	8	20	31	40	46	61
20-34	58	20.3	188	3	7	17	27	42	49	62
35-49	20	18.2	119	7	9	15	20	34	45	50
50-64	81	17.5	213	6	8	13	20	34	53	96
65+	473	18.4	131	7	8	16	22	33	42	64
TOT. SINGLE DX	354	14.2	97	5	6	12	17	24	32	58
" MULTIPLE DX	688	18.8	149	7	8	16	23	34	49	71
TOTAL 0-19 YRS	120	20.6	184	4	6	18	27	34	42	73
20-34	85	18.5	150	4	6	15	22	36	43	61
35-49	44	14.2	107	5	6	11	17	26	42	50
50-64	134	15.0	167	5	6	11	17	28	39	86
65+	659	17.1	118	6	8	14	21	29	30	61
GRAND TOTAL	1042	17.2	136	6	7	14	21	32	40	66

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	10.2	56	2	3	8	13	20	24	38
20-34	120	10.8	55	4	4	9	13	18	23	49
35-49	99	11.3	72	4	4	9	14	19	23	56
50-64	256	12.7	77	5	6	11	15	20	26	43
65+	1258	14.9	53	7	8	13	18	23	28	45
2. MULTIPLE DX										
0-19 YRS	117	17.2	150	3	6	14	21	32	43	66
20-34	279	19.0	152	6	8	16	23	37	47	93
35-49	155	17.6	198	5	6	13	21	32	44	88
50-64	454	19.1	168	7	8	15	24	35	51	91
65+	3064	18.8	114	8	9	16	22	32	41	69
TOT. SINGLE DX	1867	13.8	61	5	6	12	17	22	27	46
" MULTIPLE DX	4069	18.7	127	7	9	16	22	32	42	72
TOTAL 0-19 YRS	251	13.5	112	3	4	11	16	26	34	59
20-34	399	16.5	138	5	6	14	20	30	45	79
35-49	254	15.1	158	4	5	12	19	29	39	84
50-64	710	16.8	145	6	7	13	20	31	42	72
65+	4322	17.6	99	7	9	15	21	29	37	63
GRAND TOTAL	5936	17.2	111	6	8	15	20	29	38	66

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	11.2	130	1	1	7	16	25	35	56
20-34	12	18.0	193	3	3	16	29	37	45	46
35-49	6	21.2	420	2	2	15	33	53	55	55
50-64	20	10.4	392	<1	1	9	10	16	54	92
65+	59	14.6	150	1	2	12	18	29	49	54
2. MULTIPLE DX										
0-19 YRS	85	20.3	298	2	2	16	33	45	57	92
20-34	54	20.5	335	1	3	14	34	51	61	99
35-49	18	35.2	551	6	10	37	56	66	74	78
50-64	19	27.9	865	1	3	17	45	91	96	99+
65+	89	17.9	165	4	6	15	24	41	55	99+
TOT. SINGLE DX	287	12.3	163	1	1	9	17	27	38	57
" MULTIPLE DX	265	21.1	333	2	4	15	32	50	70	99+
TOTAL 0-19 YRS	275	14.0	199	1	2	10	20	36	45	72
20-34	66	20.1	307	2	3	14	33	48	60	97
35-49	24	31.7	538	3	4	28	51	63	71	78
50-64	39	18.9	684	1	1	9	18	84	92	99+
65+	148	16.6	161	2	4	14	21	36	51	99+
GRAND TOTAL	552	16.5	263	1	2	12	22	42	54	99

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	313	4.2	26	1	1	2	4	12	17	23
20-34	334	3.4	23	<1	<1	2	4	6	10	38
35-49	159	3.3	7	1	1	3	4	6	9	12
50-64	153	3.3	15	1	1	2	4	8	10	19
65+	134	4.3	31	1	1	3	5	9	13	34
2. MULTIPLE DX										
0-19 YRS	103	10.7	160	1	1	5	16	28	44	51
20-34	146	8.7	124	<1	1	4	9	25	37	54
35-49	89	8.5	108	1	1	5	9	22	30	53
50-64	95	8.8	151	1	1	5	8	23	43	61
65+	139	11.0	118	1	2	7	15	24	32	56
TOT. SINGLE DX	1093	3.7	22	<1	1	2	4	8	12	23
" MULTIPLE DX	573	9.6	132	1	1	5	11	24	38	55
TOTAL 0-19 YRS	416	5.8	67	1	1	2	6	16	22	44
20-34	480	5.0	60	<1	<1	2	5	10	20	41
35-49	248	5.2	90	1	1	3	5	10	19	48
50-64	249	5.4	75	1	1	3	6	10	18	45
65+	273	7.8	86	1	1	4	10	19	27	50
GRAND TOTAL	1666	5.7	68	<1	1	3	6	14	22	44

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1676	3.0	4	1	1	2	4	5	7	12
20-34	2278	3.6	6	1	1	3	4	7	8	13
35-49	1125	4.3	9	1	1	4	5	8	10	15
50-64	833	5.2	15	1	2	4	6	9	12	20
65+	579	7.0	34	2	2	5	8	13	17	30
2. MULTIPLE DX										
0-19 YRS	667	7.0	111	1	1	4	7	15	22	60
20-34	1391	7.6	100	1	2	4	8	17	27	60
35-49	727	7.8	96	1	2	5	8	16	24	51
50-64	684	9.3	114	2	2	6	11	18	27	63
65+	728	12.4	123	2	3	9	15	25	36	64
TOT. SINGLE DX	6491	4.1	12	1	1	3	5	7	10	16
" MULTIPLE DX	4197	8.7	111	1	2	5	10	18	29	61
TOTAL 0-19 YRS	2343	4.2	39	1	1	3	4	7	11	28
20-34	3669	5.1	46	1	1	3	5	9	15	36
35-49	1852	5.7	47	1	1	4	6	10	15	39
50-64	1517	7.0	64	1	2	5	8	13	18	53
65+	1307	10.0	91	2	3	7	12	20	31	52
GRAND TOTAL	10688	5.9	56	1	1	4	6	12	17	41

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2442	2.0	5	<1	1	1	2	4	5	14
20-34	739	3.4	17	<1	1	2	4	7	9	20
35-49	395	3.2	8	<1	1	2	4	6	9	15
50-64	423	3.4	15	1	1	2	4	7	10	17
65+	437	4.6	36	1	1	3	5	10	13	28
2. MULTIPLE DX										
0-19 YRS	615	5.0	52	1	1	3	5	11	17	39
20-34	547	7.4	117	1	1	4	8	16	27	64
35-49	280	7.4	99	1	1	4	8	14	25	53
50-64	358	7.5	103	1	1	4	8	14	27	59
65+	607	9.8	153	1	2	6	11	23	33	76
TOT. SINGLE DX	4436	2.7	12	<1	1	2	3	5	8	16
" MULTIPLE DX	2407	7.4	108	1	1	4	8	16	26	56
TOTAL 0-19 YRS	3057	2.6	16	<1	1	1	3	5	9	19
20-34	1286	5.1	64	1	1	3	5	10	17	52
35-49	675	4.9	50	<1	1	3	6	10	14	38
50-64	781	5.2	60	1	1	3	6	10	15	40
65+	1044	7.6	111	1	1	4	9	16	26	55
GRAND TOTAL	**6843**	**4.4**	**51**	**<1**	**1**	**2**	**5**	**9**	**14**	**37**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	225	3.7	21	<1	<1	2	4	9	13	23
20-34	210	2.8	20	<1	<1	1	3	5	8	19
35-49	110	2.6	6	<1	<1	2	4	5	6	15
50-64	100	4.3	24	<1	1	2	5	10	13	25
65+	157	4.7	32	<1	1	3	6	10	16	30
2. MULTIPLE DX										
0-19 YRS	78	6.0	62	<1	1	3	7	15	19	43
20-34	159	10.6	198	1	1	5	12	31	48	74
35-49	71	10.9	282	1	1	5	11	28	46	90
50-64	114	7.2	84	1	1	4	8	20	29	42
65+	185	9.9	127	1	1	6	14	22	29	60
TOT. SINGLE DX	802	3.6	22	<1	<1	2	4	8	12	24
" MULTIPLE DX	607	9.2	150	1	1	5	11	23	37	63
TOTAL 0-19 YRS	303	4.3	33	<1	1	2	5	11	16	29
20-34	369	6.2	112	<1	1	3	6	15	29	54
35-49	181	5.8	130	<1	1	2	5	12	23	67
50-64	214	5.9	58	<1	1	3	6	14	23	39
65+	342	7.5	90	1	1	4	10	16	25	49
GRAND TOTAL	**1409**	**6.0**	**85**	**<1**	**1**	**3**	**6**	**14**	**23**	**50**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	3.6	17	1	1	2	4	6	15	23
20-34	305	2.8	2	1	1	3	3	5	6	9
35-49	92	3.4	5	1	1	3	4	6	7	13
50-64	51	3.8	9	1	1	3	5	8	10	17
65+	31	7.7	40	<1	1	7	11	15	16	31
2. MULTIPLE DX										
0-19 YRS	55	7.8	93	1	1	5	8	18	25	58
20-34	110	6.5	67	1	2	4	7	15	20	83
35-49	50	5.6	31	1	1	3	7	17	19	20
50-64	41	8.3	125	1	2	5	10	12	32	64
65+	48	14.4	275	2	2	8	16	45	57	67
TOT. SINGLE DX	643	3.4	10	1	1	3	4	6	9	17
" MULTIPLE DX	304	8.1	114	1	2	4	9	18	27	66
TOTAL 0-19 YRS	219	4.6	39	1	1	3	5	9	18	28
20-34	415	3.8	23	1	1	3	4	7	9	25
35-49	142	4.2	15	1	1	3	5	8	16	19
50-64	92	5.8	66	1	1	4	7	10	14	53
65+	79	11.8	193	1	2	8	15	27	53	64
GRAND TOTAL	**947**	**4.9**	**48**	**1**	**1**	**3**	**5**	**10**	**16**	**37**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	825	3.1	10	<1	1	2	4	5	8	21
20-34	984	3.2	10	<1	1	3	4	5	7	18
35-49	440	3.7	18	1	1	3	4	6	11	24
50-64	204	4.3	21	1	1	3	5	9	12	28
65+	116	9.6	118	1	2	7	13	19	24	73
2. MULTIPLE DX										
0-19 YRS	465	4.2	28	1	1	3	4	8	14	25
20-34	642	4.3	27	1	1	3	5	8	11	30
35-49	343	6.2	102	1	1	3	5	11	30	52
50-64	288	7.6	79	1	2	4	9	18	29	51
65+	238	17.6	293	2	2	13	25	39	56	87
TOT. SINGLE DX	2569	3.6	19	<1	1	3	4	6	10	22
" MULTIPLE DX	1976	6.7	98	1	1	3	6	16	27	52
TOTAL 0-19 YRS	1290	3.5	17	1	1	2	4	6	11	23
20-34	1626	3.7	18	<1	1	3	4	7	9	21
35-49	783	4.8	57	1	1	3	4	8	14	46
50-64	492	6.3	58	1	1	4	7	14	22	43
65+	354	15.0	250	2	2	10	21	34	50	84
GRAND TOTAL	**4545**	**5.0**	**56**	**1**	**1**	**3**	**5**	**10**	**18**	**40**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	8.3	28	3	4	7	9	12	19	33
20-34	1651	9.1	26	4	4	8	11	15	19	27
35-49	2476	9.1	23	4	4	8	11	15	19	26
50-64	1272	9.6	22	4	5	9	12	15	19	27
65+	303	12.5	44	5	6	11	15	21	27	32
2. MULTIPLE DX										
0-19 YRS	21	10.6	29	3	5	10	14	19	20	22
20-34	549	12.0	81	4	5	10	15	21	27	56
35-49	1191	11.6	56	4	5	10	14	21	27	44
50-64	1085	12.9	73	5	6	10	15	22	29	48
65+	587	16.5	103	6	7	14	21	29	38	62
TOT. SINGLE DX	5783	9.4	26	4	5	8	11	16	19	28
" MULTIPLE DX	3433	12.9	77	5	5	10	16	23	30	49
TOTAL 0-19 YRS	102	8.7	29	3	4	7	10	16	20	32
20-34	2200	9.9	42	4	5	8	12	17	21	33
35-49	3667	9.9	35	4	5	8	12	17	21	34
50-64	2357	11.1	49	4	5	9	13	19	24	39
65+	890	15.1	87	5	7	13	18	27	33	51
GRAND TOTAL	9216	10.7	46	4	5	9	13	18	23	37

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	876	2.8	2	<1	1	2	4	5	5	7
20-34	2595	3.0	5	<1	1	3	4	5	6	9
35-49	1222	3.1	4	1	1	3	4	5	6	10
50-64	759	3.4	4	<1	1	3	4	6	7	12
65+	192	3.9	7	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	561	3.4	6	1	1	3	5	6	7	11
20-34	1721	3.5	6	1	1	3	4	6	7	11
35-49	1012	3.6	8	1	1	3	5	6	8	16
50-64	1061	3.6	10	1	1	3	5	7	9	16
65+	468	4.8	16	1	2	4	6	9	13	21
TOT. SINGLE DX	5644	3.1	5	1	1	3	4	5	6	9
" MULTIPLE DX	4823	3.7	9	1	1	3	5	6	8	15
TOTAL 0-19 YRS	1437	3.0	4	<1	1	3	4	5	6	9
20-34	4316	3.2	6	1	1	3	4	5	7	10
35-49	2234	3.3	7	1	1	3	4	6	7	13
50-64	1820	3.6	8	1	1	3	5	6	8	14
65+	660	4.5	14	1	1	3	6	9	11	19
GRAND TOTAL	10467	3.4	7	1	1	3	4	6	7	12

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1231	2.2	4	<1	<1	2	2	4	5	11
20-34	2048	2.2	3	<1	<1	2	3	4	5	9
35-49	886	2.6	5	<1	1	2	3	4	5	13
50-64	608	3.2	14	<1	1	2	4	6	8	22
65+	193	3.9	23	<1	1	2	4	8	12	27
2. MULTIPLE DX										
0-19 YRS	508	2.9	10	<1	1	2	3	5	7	16
20-34	1230	3.0	10	<1	<1	2	3	5	7	16
35-49	685	3.7	22	<1	1	2	4	7	10	22
50-64	631	4.7	40	1	1	3	5	9	15	35
65+	353	6.9	66	1	1	4	8	15	27	41
TOT. SINGLE DX	4966	2.4	6	<1	<1	2	3	4	6	12
" MULTIPLE DX	3407	3.8	26	<1	1	2	4	7	11	29
TOTAL 0-19 YRS	1739	2.4	6	<1	<1	2	3	4	5	12
20-34	3278	2.5	6	<1	<1	2	3	4	6	12
35-49	1571	3.1	13	<1	1	2	3	5	8	18
50-64	1239	4.0	28	<1	1	3	4	7	12	28
65+	546	5.9	53	1	1	3	6	13	23	36
GRAND TOTAL	8373	3.0	15	<1	<1	2	3	5	8	20

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	151	10.7	29	5	6	9	12	17	22	33
20-34	215	10.2	49	4	5	9	12	15	20	30
35-49	286	10.3	35	4	5	9	12	18	20	36
50-64	187	10.3	56	4	5	8	12	17	20	41
65+	26	12.8	62	3	4	10	15	26	28	34
2. MULTIPLE DX										
0-19 YRS	100	16.7	192	5	8	13	19	28	35	96
20-34	205	15.5	188	6	7	12	17	28	47	98
35-49	265	13.7	147	4	5	10	16	26	40	89
50-64	203	14.4	143	4	5	10	19	38	49	99+
65+	65	20.7	294	6	7	15	25	53	71	98
TOT. SINGLE DX	865	10.4	43	4	5	9	12	17	21	36
" MULTIPLE DX	838	15.2	176	5	5	11	17	31	47	99+
TOTAL 0-19 YRS	251	13.1	103	5	6	11	15	23	29	83
20-34	420	12.8	124	4	6	10	14	21	29	85
35-49	551	11.9	92	4	5	9	14	20	30	66
50-64	390	12.5	106	4	5	10	14	24	40	99+
65+	91	18.4	240	5	7	13	22	36	58	94
GRAND TOTAL	1703	12.8	114	4	5	10	14	23	34	86

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	3.8	8	<1	1	3	5	7	9	16
20-34	261	4.4	26	<1	1	3	5	8	12	20
35-49	195	4.3	9	<1	1	4	5	8	10	16
50-64	311	4.3	16	<1	1	3	5	8	11	23
65+	129	4.8	33	1	1	3	5	9	12	32
2. MULTIPLE DX										
0-19 YRS	78	5.8	21	2	2	5	7	10	13	30
20-34	196	5.7	48	1	2	4	7	10	13	51
35-49	173	5.4	27	1	2	4	6	10	14	31
50-64	254	6.5	71	1	2	4	7	12	18	54
65+	189	7.1	87	1	2	4	8	16	22	76
TOT. SINGLE DX	1003	4.4	19	<1	1	3	5	8	11	20
" MULTIPLE DX	890	6.2	57	1	2	4	7	12	16	45
TOTAL 0-19 YRS	185	4.6	15	1	1	4	6	8	11	20
20-34	457	5.0	37	1	1	4	6	9	13	31
35-49	368	4.8	18	1	1	4	6	9	12	22
50-64	565	5.3	42	1	1	4	6	10	14	29
65+	318	6.2	67	1	1	4	7	15	18	48
GRAND TOTAL	1893	5.2	38	1	1	4	6	10	14	30

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	11.0	34	4	4	10	15	20	23	23
20-34	51	13.1	34	6	7	11	15	20	26	32
35-49	108	12.8	19	7	9	12	15	19	22	27
50-64	583	13.1	25	7	8	12	15	20	22	31
65+	1117	14.5	39	8	9	14	16	21	25	36
2. MULTIPLE DX										
0-19 YRS	9	14.2	64	6	7	12	16	27	33	33
20-34	70	14.5	50	7	8	13	17	22	29	89
35-49	149	15.1	52	7	8	13	18	26	31	37
50-64	612	15.9	79	8	9	13	18	25	31	62
65+	1535	18.7	111	9	10	16	22	30	37	69
TOT. SINGLE DX	1868	13.9	34	7	8	13	16	20	24	34
" MULTIPLE DX	2375	17.6	100	8	9	15	20	29	36	66
TOTAL 0-19 YRS	18	12.6	49	4	5	11	15	22	29	33
20-34	121	13.9	44	7	8	12	16	22	28	63
35-49	257	14.1	39	7	8	12	16	22	28	35
50-64	1195	14.5	55	7	8	13	17	22	28	46
65+	2652	16.9	86	8	9	15	19	27	33	62
GRAND TOTAL	4243	16.0	74	8	9	14	18	25	31	56

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	8.4	19	3	4	7	12	15	16	16
20-34	21	14.4	100	5	7	11	17	28	39	46
35-49	35	12.4	64	4	6	11	14	19	30	46
50-64	111	13.2	49	6	7	12	16	19	26	43
65+	736	14.6	47	7	9	14	17	20	25	36
2. MULTIPLE DX										
0-19 YRS	6	14.8	84	6	6	14	17	30	31	31
20-34	17	13.0	46	6	6	11	16	26	28	28
35-49	31	17.0	173	6	7	13	19	35	42	68
50-64	199	17.7	166	7	8	15	19	31	46	96
65+	1694	19.2	113	9	10	16	22	32	38	68
TOT. SINGLE DX	919	14.2	50	7	8	13	16	20	25	39
" MULTIPLE DX	1947	18.9	119	8	10	16	22	31	39	68
TOTAL 0-19 YRS	22	10.2	43	3	4	9	14	16	23	31
20-34	38	13.8	75	6	6	11	17	26	32	46
35-49	66	14.6	119	5	6	12	15	24	39	64
50-64	310	16.1	129	7	8	14	17	28	40	73
65+	2430	17.8	98	8	9	15	20	29	35	62
GRAND TOTAL	2866	17.4	102	8	9	15	20	29	35	62

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	600	4.2	4	1	2	4	5	6	7	12
20-34	1114	4.5	7	1	2	4	5	7	9	17
35-49	307	6.4	28	1	2	5	7	12	16	33
50-64	382	13.2	59	3	5	13	17	21	24	32
65+	811	15.2	41	8	9	14	18	23	27	39
2. MULTIPLE DX										
0-19 YRS	521	5.0	7	2	2	4	6	8	10	14
20-34	1009	5.5	15	2	3	5	6	9	11	22
35-49	361	7.5	58	2	3	5	9	15	20	47
50-64	420	14.2	120	3	4	12	16	24	35	74
65+	1006	17.9	89	8	10	16	21	28	35	63
TOT. SINGLE DX	3214	8.4	47	2	2	6	12	17	21	30
" MULTIPLE DX	3317	10.5	86	2	3	7	15	21	27	47
TOTAL 0-19 YRS	1121	4.6	6	2	2	4	5	7	9	13
20-34	2123	5.0	11	2	2	4	6	8	10	19
35-49	668	7.0	45	1	2	5	8	13	18	37
50-64	802	13.7	91	3	4	12	17	23	28	54
65+	1817	16.7	69	8	9	15	19	25	31	49
GRAND TOTAL	6531	9.4	68	2	3	6	13	19	24	40

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	703	3.0	1	1	1	3	4	5	5	7
20-34	1474	3.2	3	1	1	3	4	5	6	8
35-49	481	3.3	3	1	1	3	4	5	7	11
50-64	515	3.9	12	1	2	3	4	6	9	18
65+	220	5.8	40	1	2	4	6	11	14	36
2. MULTIPLE DX										
0-19 YRS	158	3.8	5	1	2	3	5	7	8	13
20-34	426	4.0	9	1	2	3	5	7	8	16
35-49	319	4.3	9	1	2	4	5	8	10	18
50-64	449	5.2	26	2	2	4	6	9	14	26
65+	286	7.1	46	2	2	5	8	15	19	38
TOT. SINGLE DX	3393	3.5	7	1	1	3	4	5	7	11
" MULTIPLE DX	1638	4.9	21	1	2	4	5	9	12	24
TOTAL 0-19 YRS	861	3.2	3	1	1	3	4	5	6	8
20-34	1900	3.4	5	1	1	3	4	5	6	10
35-49	800	3.7	6	1	1	3	4	6	8	14
50-64	964	4.5	19	1	2	4	5	8	10	23
65+	506	6.6	44	2	2	5	7	12	17	38
GRAND TOTAL	5031	3.9	12	1	2	3	4	6	9	18

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	322	3.1	15	<1	<1	2	3	7	9	16
20-34	325	3.5	14	<1	<1	2	4	7	8	18
35-49	315	2.7	6	<1	<1	2	3	5	8	14
50-64	313	2.5	9	<1	<1	1	2	5	7	17
65+	116	3.2	28	<1	<1	2	2	6	10	31
2. MULTIPLE DX										
0-19 YRS	155	5.5	37	1	1	4	6	10	19	34
20-34	259	7.0	82	1	1	4	8	14	22	57
35-49	197	6.6	60	<1	1	4	7	16	22	33
50-64	179	6.4	73	<1	1	3	8	17	25	87
65+	146	10.0	235	<1	1	4	10	23	50	80
TOT. SINGLE DX	1391	3.0	13	<1	<1	2	3	6	8	18
" MULTIPLE DX	936	7.0	94	<1	1	4	8	16	24	60
TOTAL 0-19 YRS	477	3.9	24	<1	<1	2	4	8	12	29
20-34	584	5.0	47	<1	1	3	6	10	14	37
35-49	512	4.2	31	<1	<1	2	5	8	15	27
50-64	492	3.9	36	<1	<1	2	4	9	16	41
65+	262	7.0	155	<1	<1	2	6	17	31	62
GRAND TOTAL	2327	4.6	50	<1	<1	2	5	9	15	41

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	425	1.8	3	<1	<1	1	2	3	4	12
20-34	894	1.8	2	<1	<1	1	2	3	4	10
35-49	505	1.9	2	<1	<1	1	2	3	4	7
50-64	413	2.6	10	<1	<1	2	3	4	6	17
65+	177	3.6	26	<1	<1	3	4	6	10	20
2. MULTIPLE DX										
0-19 YRS	80	3.9	61	<1	<1	2	3	7	10	53
20-34	215	4.0	29	<1	<1	2	4	8	11	32
35-49	234	4.2	22	<1	<1	2	5	10	13	26
50-64	269	5.0	37	<1	1	3	5	11	18	33
65+	240	8.2	142	1	1	4	10	19	26	69
TOT. SINGLE DX	2414	2.1	6	<1	<1	1	2	4	5	12
" MULTIPLE DX	1038	5.3	61	<1	1	3	5	11	18	38
TOTAL 0-19 YRS	505	2.1	13	<1	<1	1	2	3	5	13
20-34	1109	2.3	9	<1	<1	1	2	4	6	14
35-49	739	2.6	10	<1	<1	2	3	5	8	17
50-64	682	3.5	22	<1	<1	2	4	8	10	28
65+	417	6.3	98	<1	<1	3	6	15	22	49
GRAND TOTAL	3452	3.1	25	<1	<1	2	3	6	10	23

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	1.8	2	<1	<1	1	2	3	4	8
20-34	61	2.7	10	<1	<1	2	3	5	8	21
35-49	109	1.9		<1	<1	2	2	3	4	5
50-64	318	2.0	1	<1	<1	2	2	3	4	6
65+	231	2.0		<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	15	3.9	10	<1	<1	3	6	9	10	11
20-34	46	5.3	127	1	1	3	4	7	16	76
35-49	59	3.3	18	<1	1	2	4	5	8	27
50-64	141	2.7	4	<1	1	2	3	5	6	11
65+	140	3.5	42	<1	1	2	3	6	10	27
TOT. SINGLE DX	750	2.0	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	401	3.4	34	<1	1	2	3	5	8	22
TOTAL 0-19 YRS	46	2.5	5	<1	<1	2	3	7	8	11
20-34	107	3.8	62	<1	<1	2	3	7	11	48
35-49	168	2.4	7	<1	<1	2	3	4	5	20
50-64	459	2.2	3	<1	<1	2	3	4	5	7
65+	371	2.6	17	<1	<1	2	3	4	5	15
GRAND TOTAL	1151	2.5	14	<1	<1	2	3	4	5	14

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	345	1.8	1	<1	<1	1	2	3	4	6
20-34	535	1.9	2	<1	<1	1	2	3	4	8
35-49	209	2.0	1	<1	<1	2	2	3	4	7
50-64	126	2.0	1	<1	<1	2	3	4	4	8
65+	31	2.2	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	267	2.2	4	<1	1	2	3	4	6	13
20-34	419	2.7	7	<1	1	2	3	4	6	17
35-49	175	3.4	26	<1	1	2	4	6	10	36
50-64	114	3.2	35	<1	1	2	3	5	7	30
65+	44	3.7	25	1	1	3	4	6	8	34
TOT. SINGLE DX	1246	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	1019	2.8	14	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	612	2.0	3	<1	1	2	2	3	4	9
20-34	954	2.2	5	<1	<1	2	3	4	5	11
35-49	384	2.6	14	<1	<1	2	3	4	7	16
50-64	240	2.6	18	<1	<1	2	3	4	6	10
65+	75	3.1	16	<1	1	2	4	5	7	28
GRAND TOTAL	2265	2.3	8	<1	<1	2	3	4	5	12

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	2.2	2	<1	1	2	3	4	5	7
20-34	394	2.8	3	<1	1	2	4	5	6	9
35-49	330	3.3	5	1	1	3	4	6	7	14
50-64	431	3.8	7	1	1	3	5	7	8	13
65+	151	4.7	9	1	2	4	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	108	4.3	58	1	1	3	4	7	14	51
20-34	246	5.0	48	1	1	3	5	9	16	45
35-49	221	4.3	22	1	1	3	5	8	10	21
50-64	294	5.8	40	1	2	4	6	10	16	39
65+	186	7.7	87	1	2	5	8	17	28	59
TOT. SINGLE DX	1472	3.3	6	1	1	3	4	6	8	12
" MULTIPLE DX	1055	5.5	50	1	1	4	6	10	16	45
TOTAL 0-19 YRS	274	3.1	25	<1	1	2	3	5	7	17
20-34	640	3.6	22	<1	1	3	4	6	9	23
35-49	551	3.7	12	1	1	3	5	7	8	16
50-64	725	4.6	22	1	2	4	5	8	11	26
65+	337	6.4	54	1	2	4	7	12	19	49
GRAND TOTAL	2527	4.2	25	1	1	3	5	7	10	27

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	445	3.1	3	1	1	3	4	5	6	12
20-34	457	3.4	5	<1	1	3	4	6	8	12
35-49	234	3.3	6	1	1	3	4	6	8	12
50-64	174	3.5	5	1	1	3	4	6	7	11
65+	58	5.5	20	1	1	4	7	11	16	20
2. MULTIPLE DX										
0-19 YRS	265	3.8	12	1	1	3	4	6	8	23
20-34	255	5.4	68	1	1	3	6	8	16	61
35-49	116	6.3	82	1	1	4	6	11	20	52
50-64	108	6.5	33	1	2	5	8	15	19	44
65+	63	10.5	196	2	2	5	12	28	33	86
TOT. SINGLE DX	1368	3.4	6	1	1	3	4	6	8	12
" MULTIPLE DX	807	5.6	60	1	2	4	6	10	18	42
TOTAL 0-19 YRS	710	3.4	7	1	1	3	4	5	7	14
20-34	712	4.1	29	1	1	3	5	7	10	27
35-49	350	4.3	33	1	1	3	5	7	9	37
50-64	282	4.7	19	1	2	4	5	9	12	23
65+	121	8.1	117	1	2	5	10	17	28	53
GRAND TOTAL	2175	4.2	27	1	1	3	5	7	10	27

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	2.2	8	<1	<1	1	2	4	6	19
20-34	136	2.2	3	<1	1	2	3	4	5	13
35-49	72	2.8	10	<1	<1	2	3	6	9	16
50-64	56	2.2	7	<1	1	1	2	3	7	18
65+	35	4.5	95	1	1	2	3	5	34	43
2. MULTIPLE DX										
0-19 YRS	33	4.4	104	1	1	2	3	6	14	59
20-34	96	4.8	36	1	1	3	4	16	20	69
35-49	78	5.7	124	<1	1	2	4	12	21	69
50-64	73	4.5	19	<1	1	3	5	11	14	18
65+	55	8.3	134	1	1	3	9	23	29	66
TOT. SINGLE DX	381	2.5	15	<1	1	2	3	4	7	18
" MULTIPLE DX	335	5.5	77	1	1	3	5	13	20	60
TOTAL 0-19 YRS	115	2.8	36	<1	1	2	3	4	7	36
20-34	232	3.3	19	<1	1	2	3	5	15	29
35-49	150	4.3	71	<1	<1	2	4	9	16	42
50-64	129	3.5	15	<1	1	2	3	10	13	18
65+	90	6.8	122	1	1	3	7	20	30	57
GRAND TOTAL	716	3.9	46	<1	1	2	3	9	18	41

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.0	6	<1	<1	2	3	7	8	8
20-34	12	3.0	6	<1	<1	2	4	7	8	8
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	8	10.5	187	1	1	4	14	34	41	41
65+	3	18.7	412	5	5	9	34	42	42	42
2. MULTIPLE DX										
0-19 YRS	5	33.8	919	2	2	36	59	71	71	71
20-34	14	14.5	259	1	1	10	15	47	52	53
35-49	10	17.5	285	1	2	11	26	45	52	52
50-64	6	17.2	171	3	4	13	24	38	40	40
65+	9	11.2	73	2	2	9	15	25	30	30
TOT. SINGLE DX	32	6.3	99	<1	1	3	6	13	39	42
" MULTIPLE DX	44	17.1	299	1	2	12	23	47	54	71
TOTAL 0-19 YRS	11	17.0	630	<1	1	3	29	61	70	71
20-34	26	9.2	172	<1	1	4	12	21	47	53
35-49	13	14.0	259	1	1	6	23	41	50	52
50-64	14	13.4	178	1	2	10	19	40	41	41
65+	12	13.1	140	2	3	9	15	34	41	42
GRAND TOTAL	76	12.5	241	1	1	6	14	40	50	67

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.5	4	<1	<1	2	3	6	7	8
20-34	31	5.0	16	1	1	4	7	11	15	15
35-49	27	6.0	114	<1	1	4	5	9	29	54
50-64	29	7.2	110	1	1	3	8	18	34	48
65+	40	7.6	64	1	1	5	10	19	26	35
2. MULTIPLE DX										
0-19 YRS	27	5.4	39	1	1	4	7	9	14	34
20-34	38	11.1	117	2	2	5	17	31	35	37
35-49	76	16.1	251	1	2	11	23	37	50	74
50-64	188	17.2	286	1	2	12	22	45	60	77
65+	324	18.7	315	2	3	13	26	43	60	99+
TOT. SINGLE DX	152	5.9	64	1	1	3	7	12	23	48
" MULTIPLE DX	653	17.0	285	2	2	12	23	41	58	94
TOTAL 0-19 YRS	52	4.0	25	<1	1	2	6	8	9	33
20-34	69	8.3	80	1	2	4	11	22	32	37
35-49	103	13.5	234	1	1	8	17	33	48	71
50-64	217	15.9	274	1	2	11	20	42	59	77
65+	364	17.5	300	1	3	12	25	42	59	99
GRAND TOTAL	805	14.9	262	1	2	9	20	37	53	90

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	8	14.5	40	5	6	14	19	24	24	24
35-49	10	16.1	50	7	8	15	20	27	29	29
50-64	11	16.2	50	6	7	17	21	25	29	29
65+	15	14.3	42	6	8	12	16	23	29	31
2. MULTIPLE DX										
0-19 YRS	10	22.4	281	8	8	16	26	52	55	55
20-34	21	25.0	460	5	6	21	30	62	77	85
35-49	41	23.4	187	6	8	22	29	41	49	68
50-64	157	27.4	313	8	9	24	35	54	71	99
65+	398	28.0	386	8	10	22	38	59	77	99+
TOT. SINGLE DX	44	15.2	44	6	7	14	20	24	29	31
" MULTIPLE DX	627	27.4	356	8	9	22	35	56	73	99+
TOTAL 0-19 YRS	10	22.4	282	8	8	16	26	52	55	55
20-34	29	22.1	362	5	6	15	26	47	71	85
35-49	51	22.0	168	6	8	19	29	37	46	68
50-64	168	26.6	304	8	9	23	34	52	70	98
65+	413	27.5	381	8	10	21	37	58	76	99+
GRAND TOTAL	671	26.6	348	8	9	21	34	53	73	99

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	13.8	73	8	8	8	20	27	27	27
20-34	1	17.0		17	17	17	17	17	17	17
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	9	14.3	79	3	3	13	18	28	31	31
65+	27	18.3	124	7	8	16	21	30	40	60
2. MULTIPLE DX										
0-19 YRS	6	20.8	197	4	5	20	28	41	42	42
20-34	9	36.6	370	13	13	36	61	82	99+	99+
35-49	13	25.8	539	6	6	19	29	72	77	78
50-64	80	23.9	292	6	8	18	31	53	63	94
65+	387	23.5	301	6	8	17	33	52	70	99+
TOT. SINGLE DX	44	16.4	105	5	7	15	20	30	32	60
" MULTIPLE DX	495	23.8	307	6	8	17	33	53	71	99+
TOTAL 0-19 YRS	11	17.6	141	4	6	14	27	34	41	42
20-34	10	34.6	368	13	13	34	59	78	98	99+
35-49	15	23.3	509	5	6	17	28	71	76	78
50-64	89	22.9	278	6	7	17	29	51	60	92
65+	414	23.1	292	6	8	17	32	52	66	99+
GRAND TOTAL	539	23.2	294	6	8	17	32	52	66	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	13.5	211	1	3	6	21	39	44	44
20-34	3	11.3	70	6	6	7	17	21	21	21
35-49	3	16.3	24	13	13	14	20	22	22	22
50-64	8	18.4	232	2	3	12	30	41	45	45
65+	6	16.2	229	4	4	12	19	42	45	45
2. MULTIPLE DX										
0-19 YRS	9	15.0	136	2	3	15	22	32	39	39
20-34	10	12.5	169	3	3	7	13	36	37	37
35-49	20	29.7	755	2	6	15	42	75	90	95
50-64	49	26.4	390	7	8	21	38	75	98	99+
65+	83	28.7	341	6	9	23	44	54	65	94
TOT. SINGLE DX	31	15.3	175	2	4	11	22	39	45	45
" MULTIPLE DX	171	26.5	397	4	7	21	40	58	79	99+
TOTAL 0-19 YRS	20	14.2	169	1	3	9	22	37	41	44
20-34	13	12.2	139	3	3	7	15	36	37	37
35-49	23	27.9	675	3	7	14	37	68	89	95
50-64	57	25.3	372	5	8	19	35	73	91	99+
65+	89	27.8	341	5	8	22	43	53	63	93
GRAND TOTAL	202	24.8	378	4	6	19	37	53	75	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	4.2	25	<1	<1	1	6	14	15	19
20-34	21	9.1	88	1	1	7	10	14	29	46
35-49	9	6.2	17	<1	1	7	9	12	13	13
50-64	7	8.0	63	1	1	7	13	21	22	22
65+										
2. MULTIPLE DX										
0-19 YRS	10	6.8	12	1	2	6	9	12	13	13
20-34	19	8.3	68	2	2	6	9	21	30	33
35-49	13	14.2	276	2	2	9	13	35	59	65
50-64	8	7.8	12	2	3	9	10	11	11	11
65+	3	2.3	1	1	1	3	3	3	3	3
TOT. SINGLE DX	65	6.5	52	<1	1	5	9	14	17	42
" MULTIPLE DX	53	9.0	102	2	2	7	10	14	28	64
TOTAL 0-19 YRS	38	4.9	23	<1	<1	3	7	13	14	19
20-34	40	8.7	77	1	2	7	10	15	30	46
35-49	22	10.9	181	1	2	8	10	20	43	65
50-64	15	7.9	33	1	1	8	11	15	20	22
65+	3	2.3	1	1	1	3	3	3	3	3
GRAND TOTAL	118	7.6	75	<1	1	6	10	14	21	52

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.6	6	<1	<1	2	3	6	8	11
20-34	75	3.0	6	<1	<1	2	4	7	8	12
35-49	36	3.8	28	<1	<1	2	4	7	14	30
50-64	28	5.2	54	<1	1	2	5	13	18	37
65+	27	10.6	136	1	1	7	13	25	42	47
2. MULTIPLE DX										
0-19 YRS	14	4.3	18	<1	<1	3	5	9	15	17
20-34	52	7.4	219	<1	1	3	6	12	30	88
35-49	31	9.6	73	<1	1	7	13	23	28	35
50-64	53	9.7	221	1	1	5	11	22	79	99+
65+	82	16.3	193	2	3	13	23	37	91	90
TOT. SINGLE DX	189	4.5	42	<1	<1	2	5	9	15	39
" MULTIPLE DX	232	11.2	193	1	1	7	14	26	47	99+
TOTAL 0-19 YRS	37	3.2	11	<1	<1	2	4	7	10	17
20-34	127	4.8	98	<1	<1	2	5	8	12	62
35-49	67	6.5	57	<1	<1	3	9	15	26	34
50-64	81	8.2	167	<1	1	4	10	17	58	99+
65+	109	14.9	184	1	2	11	21	34	47	81
GRAND TOTAL	421	8.2	136	<1	1	4	10	21	33	82

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	6.0	48	2	2	2	11	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	8.0	45	1	1	8	13	17	17	17
50-64	6	8.7	84	2	2	6	7	29	27	27
65+	3	5.7	2	4	4	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS										
20-34	4	9.0	88	3	3	5	14	23	23	23
35-49	2	6.0		6	6	6	6	6	6	6
50-64	1	8.0		8	8	8	8	8	8	8
65+	3	12.3	46	7	7	10	17	20	20	20
TOT. SINGLE DX	18	7.1	45	1	1	6	8	16	23	27
" MULTIPLE DX	10	9.3	45	3	4	7	10	21	23	23
TOTAL 0-19 YRS	3	6.0	48	2	2	2	11	14	14	14
20-34	5	7.4	79	1	1	5	10	23	23	23
35-49	7	7.4	31	1	1	6	11	16	17	17
50-64	7	8.6	70	2	2	6	8	23	27	27
65+	6	9.0	33	4	4	7	10	19	20	20
GRAND TOTAL	28	7.9	45	1	2	6	9	19	23	27

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	219	1.5		<1	<1	1	2	2	3	3
20-34	1098	1.6		<1	<1	1	2	2	3	5
35-49	1702	1.8	1	<1	<1	2	2	3	3	7
50-64	1166	2.1	2	<1	<1	2	2	3	5	8
65+	616	2.6	6	<1	<1	2	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	54	2.2	10	<1	<1	2	2	3	6	22
20-34	390	2.5	9	<1	<1	2	2	4	7	18
35-49	956	2.8	9	<1	<1	2	3	5	8	15
50-64	831	3.8	20	<1	1	2	4	8	12	24
65+	694	5.8	50	1	1	3	7	12	19	37
TOT. SINGLE DX	4801	1.9	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	2925	3.7	24	<1	<1	2	4	8	12	25
TOTAL 0-19 YRS	273	1.6	2	<1	<1	1	2	2	3	6
20-34	1488	1.8	3	<1	<1	1	2	3	4	10
35-49	2658	2.2	5	<1	<1	2	2	3	5	10
50-64	1997	2.8	11	<1	<1	2	3	5	8	18
65+	1310	4.3	32	<1	1	2	4	9	14	30
GRAND TOTAL	**7726**	**2.6**	**11**	**<1**	**<1**	**2**	**2**	**5**	**8**	**17**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	1.9		<1	<1	2	2	3	3	4
20-34	38	2.7	2	<1	1	2	3	5	6	7
35-49	57	3.8	5	<1	1	3	5	7	8	12
50-64	67	3.9	4	<1	1	3	5	7	8	9
65+	98	5.4	6	2	2	5	7	9	10	13
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	16	3.7	5	<1	1	3	5	7	9	10
35-49	68	6.0	73	3	3	4	6	7	10	54
50-64	104	5.1	13	2	2	5	6	8	11	23
65+	211	9.1	99	2	3	6	10	17	28	48
TOT. SINGLE DX	298	4.0	6	<1	1	3	6	8	9	11
" MULTIPLE DX	400	7.3	72	2	2	5	8	13	20	48
TOTAL 0-19 YRS	39	2.0	1	<1	<1	2	2	3	4	5
20-34	54	3.0	4	<1	1	2	4	6	7	10
35-49	125	5.0	44	1	2	4	5	7	8	53
50-64	171	4.6	11	1	2	4	6	8	9	14
65+	309	7.9	73	2	2	6	8	13	21	43
GRAND TOTAL	**698**	**5.9**	**47**	**1**	**2**	**5**	**7**	**10**	**14**	**37**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	80	6.3	3	3	4	6	7	9	9	11
35-49	437	6.4	7	3	4	6	8	9	11	15
50-64	694	6.5	5	4	4	6	8	9	11	14
65+	644	7.4	12	4	4	7	9	11	13	22
2. MULTIPLE DX										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	61	7.6	49	4	4	6	8	10	13	51
35-49	413	6.7	9	3	4	6	8	10	12	17
50-64	861	7.2	12	3	4	6	8	11	13	22
65+	986	9.0	31	4	4	8	10	15	18	29
TOT. SINGLE DX	1856	6.8	8	4	4	6	8	10	12	16
" MULTIPLE DX	2324	7.9	22	4	4	7	9	12	15	25
TOTAL 0-19 YRS	4	3.5	14	1	1	2	6	9	9	9
20-34	141	6.9	23	4	4	6	8	9	10	33
35-49	850	6.5	8	3	4	6	8	10	12	16
50-64	1555	6.8	9	4	4	6	8	10	12	19
65+	1630	8.4	24	4	4	7	10	13	16	27
GRAND TOTAL	**4180**	**7.4**	**16**	**4**	**4**	**7**	**8**	**11**	**14**	**23**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	2.8	1	1	1	3	4	4	5	7
20-34	579	2.9	3	<1	<1	3	4	5	6	9
35-49	564	3.3	4	<1	1	3	5	6	7	9
50-64	329	3.5	3	<1	1	3	4	6	7	11
65+	71	2.9	2	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	66	3.2	2	1	1	3	4	5	6	8
20-34	409	3.6	5	1	1	3	5	6	7	11
35-49	683	4.1	5	1	1	4	5	7	8	12
50-64	464	4.3	10	1	2	4	5	7	8	16
65+	83	4.3	19	2	2	3	4	7	9	31
TOT. SINGLE DX	1720	3.2	4	<1	1	3	4	5	6	9
" MULTIPLE DX	1705	4.0	8	1	1	4	5	7	8	13
TOTAL 0-19 YRS	243	2.9	2	1	1	3	4	5	5	7
20-34	988	3.2	4	<1	1	3	4	5	7	10
35-49	1247	3.7	5	1	1	3	5	6	7	11
50-64	793	4.0	8	1	2	4	5	6	8	14
65+	154	3.6	12	1	2	3	4	6	8	14
GRAND TOTAL	**3425**	**3.6**	**6**	**1**	**1**	**3**	**5**	**6**	**7**	**11**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	459	2.9	3	1	1	3	4	5	6	9
20-34	807	2.9	2	1	1	3	4	5	6	9
35-49	142	3.0	2	1	1	3	4	5	6	8
50-64	26	3.1	7	<1	1	3	3	5	7	15
65+	6	3.7	5	2	2	3	4	8	8	8
2. MULTIPLE DX										
0-19 YRS	63	4.7	66	1	2	3	4	8	12	58
20-34	131	4.0	6	1	2	3	5	7	9	13
35-49	43	4.4	5	2	2	4	5	8	10	12
50-64	20	10.0	90	1	1	6	18	28	66	99+
65+	7	5.4	17	2	2	4	6	13	14	14
TOT. SINGLE DX	1440	2.9	3	1	1	3	4	5	6	9
" MULTIPLE DX	264	4.7	29	1	2	3	5	9	12	35
TOTAL 0-19 YRS	522	3.1	11	1	1	3	4	5	6	10
20-34	938	3.1	4	1	1	3	4	5	6	10
35-49	185	3.4	4	1	1	3	4	6	7	10
50-64	46	6.1	54	1	1	3	6	18	24	99+
65+	13	4.6	11	2	2	3	5	9	13	14
GRAND TOTAL	**1704**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	776	1.8	2	<1	<1	1	2	3	5	10
20-34	777	2.8	14	<1	<1	2	3	5	8	20
35-49	704	2.5	10	<1	<1	2	3	5	7	14
50-64	641	2.9	15	<1	<1	2	3	6	9	20
65+	460	3.6	26	<1	<1	2	3	7	11	29
2. MULTIPLE DX										
0-19 YRS	272	3.9	41	<1	<1	2	4	8	13	35
20-34	516	6.5	113	<1	1	3	6	15	25	65
35-49	553	6.9	92	<1	1	4	8	16	25	49
50-64	698	7.5	95	<1	1	4	9	17	27	48
65+	935	10.4	161	1	2	6	13	24	35	73
TOT. SINGLE DX	3358	2.6	13	<1	<1	2	3	5	7	18
" MULTIPLE DX	2974	7.8	118	<1	1	4	9	18	28	66
TOTAL 0-19 YRS	1048	2.4	14	<1	<1	1	2	4	7	15
20-34	1293	4.2	57	<1	<1	2	4	8	15	45
35-49	1257	4.4	51	<1	<1	2	4	10	16	39
50-64	1339	5.3	63	<1	<1	3	6	12	19	42
65+	1395	8.2	128	<1	1	4	9	19	30	68
GRAND TOTAL	**6332**	**5.1**	**69**	**<1**	**<1**	**2**	**5**	**12**	**19**	**44**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	988	3.8	34	<1	<1	2	4	8	11	27
20-34	1171	4.6	36	<1	1	3	5	9	15	28
35-49	670	5.0	33	<1	1	3	6	11	15	32
50-64	516	5.8	50	<1	1	3	8	13	18	35
65+	423	7.6	79	1	1	4	9	18	25	43
2. MULTIPLE DX										
0-19 YRS	1630	6.0	90	1	1	3	6	14	23	51
20-34	2526	6.5	91	1	1	3	7	15	25	59
35-49	1305	8.7	119	1	1	5	11	21	31	63
50-64	1281	11.6	189	1	1	7	15	28	43	79
65+	1780	14.6	242	1	2	9	20	35	51	86
TOT. SINGLE DX	3768	5.0	43	<1	1	3	6	11	16	33
" MULTIPLE DX	8522	9.2	153	1	1	5	11	23	35	69
TOTAL 0-19 YRS	2618	5.2	70	<1	1	3	5	11	18	48
20-34	3697	5.9	75	<1	1	3	7	14	22	52
35-49	1975	7.5	93	<1	1	4	9	17	27	53
50-64	1797	9.9	156	1	1	6	12	24	35	71
65+	2203	13.3	219	1	2	8	17	32	46	77
GRAND TOTAL	**12290**	**7.9**	**123**	**1**	**1**	**4**	**9**	**19**	**30**	**61**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	256	5.7	30	<1	1	4	8	13	16	24
20-34	259	6.2	67	<1	1	4	8	13	22	46
35-49	124	6.5	44	<1	1	4	9	16	19	36
50-64	103	8.3	67	<1	1	6	12	22	24	68
65+	111	12.8	112	1	2	11	17	26	33	50
2. MULTIPLE DX										
0-19 YRS	156	12.4	148	1	2	8	16	32	37	57
20-34	241	14.0	231	2	2	9	18	34	46	75
35-49	149	15.1	211	1	2	10	20	34	44	70
50-64	192	18.7	209	2	3	17	28	42	50	99+
65+	318	23.7	296	4	6	20	33	51	62	99+
TOT. SINGLE DX	853	7.2	64	<1	1	4	10	17	23	40
" MULTIPLE DX	1056	17.7	250	2	3	14	24	40	52	96
TOTAL 0-19 YRS	412	8.2	85	1	1	5	11	20	26	45
20-34	500	10.0	162	1	1	6	12	24	37	68
35-49	273	11.2	154	1	1	7	16	26	36	66
50-64	295	15.1	184	1	2	11	22	34	47	99+
65+	429	20.9	272	2	4	17	28	46	57	99+
GRAND TOTAL	1909	13.0	194	1	1	8	18	32	44	76

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	4.6	54	<1	1	2	4	12	15	44
20-34	128	5.3	69	<1	1	2	5	12	17	51
35-49	54	6.5	76	<1	1	3	7	22	28	35
50-64	54	4.4	71	<1	1	2	4	9	13	59
65+	21	8.4	189	1	1	3	8	26	47	53
2. MULTIPLE DX										
0-19 YRS	42	8.0	89	<1	1	4	8	25	30	36
20-34	122	11.7	218	1	1	5	16	31	47	75
35-49	57	13.4	377	1	1	6	15	38	59	86
50-64	73	14.6	337	1	1	7	21	38	68	96
65+	55	23.3	640	1	2	15	36	71	79	99+
TOT. SINGLE DX	334	5.4	75	<1	1	2	5	13	22	50
" MULTIPLE DX	349	14.0	337	1	1	6	18	38	60	86
TOTAL 0-19 YRS	119	5.8	69	<1	1	2	6	15	27	40
20-34	250	8.5	152	<1	1	3	10	21	33	60
35-49	111	10.1	241	1	1	4	10	30	39	85
50-64	127	10.3	248	<1	1	4	10	31	55	86
65+	76	19.2	557	1	2	7	30	59	78	99+
GRAND TOTAL	683	9.8	227	1	1	3	10	28	43	79

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	2.3	4	<1	<1	2	2	4	7	11
20-34	214	2.2	2	<1	<1	2	3	4	5	9
35-49	192	2.9	8	<1	<1	2	4	6	8	12
50-64	212	2.5	7	<1	<1	2	3	5	6	15
65+	89	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	164	3.0	13	<1	<1	2	3	6	9	19
20-34	175	4.6	51	<1	1	3	5	8	12	36
35-49	236	4.8	21	<1	1	4	6	10	13	24
50-64	267	4.8	62	<1	1	3	5	9	14	48
65+	172	7.8	140	1	1	3	9	17	30	77
TOT. SINGLE DX	986	2.4	5	<1	<1	2	3	5	6	11
" MULTIPLE DX	1014	5.0	58	<1	1	3	5	10	16	43
TOTAL 0-19 YRS	443	2.5	8	<1	<1	2	3	5	8	13
20-34	389	3.3	26	<1	<1	2	4	6	8	15
35-49	428	3.9	16	<1	1	3	5	8	11	23
50-64	479	3.8	39	<1	<1	2	4	7	11	33
65+	261	5.8	101	1	1	3	6	14	23	73
GRAND TOTAL	2000	3.7	34	<1	<1	2	4	7	11	28

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01: 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.6	5	1	1	2	3	5	8	9
20-34	27	3.9	24	1	1	2	4	10	17	22
35-49	23	5.6	88	1	1	2	4	15	28	42
50-64	34	3.5	13	1	1	2	4	10	12	14
65+	18	7.0	45	1	1	4	12	15	22	26
2. MULTIPLE DX										
0-19 YRS	19	4.9	42	<1	1	3	5	11	22	29
20-34	34	5.7	19	1	2	4	7	14	15	18
35-49	35	9.9	145	1	2	6	10	30	44	49
50-64	34	7.5	18	2	2	6	11	13	14	15
65+	87	10.2	77	2	3	7	13	20	27	48
TOT. SINGLE DX	115	4.4	36	1	1	2	4	12	15	32
" MULTIPLE DX	209	8.5	70	2	2	6	11	16	22	48
TOTAL 0-19 YRS	32	4.0	28	1	1	3	4	6	13	29
20-34	61	4.9	22	1	1	3	6	12	15	22
35-49	58	8.2	125	1	1	4	10	20	40	49
50-64	68	5.5	20	1	1	4	10	13	14	15
65+	105	9.7	73	2	3	7	13	19	26	47
GRAND TOTAL	324	7.1	61	1	1	5	10	14	21	46

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	180	3.0	7	1	1	2	4	7	10	14
20-34	2528	3.9	19	1	1	2	5	9	12	19
35-49	3006	3.8	16	1	1	2	5	9	12	19
50-64	1850	3.7	16	1	1	2	4	9	12	20
65+	547	4.0	23	1	1	2	4	9	13	24
2. MULTIPLE DX										
0-19 YRS	96	4.0	14	1	1	2	5	9	12	19
20-34	1381	5.8	46	1	1	3	8	13	17	33
35-49	1946	5.6	35	1	1	3	8	12	17	30
50-64	1774	5.8	42	1	1	3	8	13	17	31
65+	953	7.9	79	1	1	5	10	18	25	46
TOT. SINGLE DX	8111	3.8	18	1	1	2	5	9	12	20
" MULTIPLE DX	6150	6.1	47	1	1	3	8	14	18	31
TOTAL 0-19 YRS	276	3.4	10	1	1	2	4	8	10	16
20-34	3909	4.6	30	1	1	2	6	11	14	24
35-49	4952	4.5	25	1	1	2	6	11	14	24
50-64	3624	4.7	30	1	1	3	6	11	15	25
65+	1500	6.5	63	1	1	3	8	15	22	37
GRAND TOTAL	14261	4.8	31	1	1	3	6	11	15	26

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.0	19	1	1	2	4	11	14	19
20-34	223	4.2	51	1	1	2	4	8	11	23
35-49	333	3.8	23	1	1	2	4	8	12	20
50-64	610	3.0	8	1	1	2	3	7	9	15
65+	688	3.3	19	1	1	2	3	7	9	25
2. MULTIPLE DX										
0-19 YRS	46	7.3	70	1	1	4	9	20	28	38
20-34	194	6.5	66	1	1	4	8	13	19	48
35-49	368	7.5	93	1	1	4	9	18	26	49
50-64	1145	5.8	56	1	1	3	7	12	18	43
65+	1579	6.1	58	1	1	3	8	14	20	39
TOT. SINGLE DX	1910	3.4	21	1	1	2	3	7	10	20
" MULTIPLE DX	3332	6.2	63	1	1	3	7	14	20	44
TOTAL 0-19 YRS	102	5.5	45	1	1	2	6	12	20	34
20-34	417	5.3	60	1	1	3	6	11	18	42
35-49	701	5.7	64	1	1	3	6	13	19	45
50-64	1755	4.8	42	1	1	2	6	10	15	29
65+	2267	5.3	49	1	1	3	6	12	17	37
GRAND TOTAL	5242	5.2	49	1	1	3	6	11	17	38

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	9	2.6	6	1	1	2	2	6	9	9
35-49	45	3.0	7	1	1	2	2	8	10	12
50-64	101	2.8	7	1	1	2	2	6	8	14
65+	68	2.8	6	<1	1	2	3	7	8	13
2. MULTIPLE DX										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	12	2.1	1	1	1	2	3	4	4	4
35-49	147	4.2	15	1	1	2	5	11	12	17
50-64	355	4.4	19	1	1	2	5	10	14	23
65+	199	4.6	30	<1	<1	2	6	11	18	25
TOT. SINGLE DX	226	2.8	7	1	1	2	2	6	9	13
" MULTIPLE DX	717	4.4	21	1	1	2	5	10	14	23
TOTAL 0-19 YRS	7	1.6		1	1	2	2	2	2	2
20-34	21	2.3	3	1	1	2	3	4	6	9
35-49	192	3.9	14	1	1	2	5	10	12	16
50-64	456	4.0	17	1	1	2	5	10	13	20
65+	267	4.2	25	<1	<1	2	5	10	14	24
GRAND TOTAL	943	4.0	18	1	1	2	5	10	13	21

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	3.2	9	1	1	2	3	9	11	13
20-34	486	4.1	12	1	1	3	6	10	11	16
35-49	565	4.0	16	1	1	2	5	10	12	20
50-64	829	3.6	14	1	1	2	4	9	11	18
65+	854	3.6	14	1	1	2	4	9	11	18
2. MULTIPLE DX										
0-19 YRS	165	5.1	68	1	1	2	5	11	15	43
20-34	489	7.1	58	1	1	5	9	14	23	47
35-49	847	6.5	[illegible]4	1	1	4	9	14	18	25
50-64	2081	5.9	40	1	1	4	8	13	16	32
65+	2933	7.1	53	1	1	5	10	15	20	36
TOT. SINGLE DX	2868	3.7	14	1	1	2	5	9	11	18
" MULTIPLE DX	6515	6.6	48	1	1	4	9	14	19	35
TOTAL 0-19 YRS	299	4.2	43	1	1	2	4	9	12	35
20-34	975	5.6	38	1	1	4	8	11	15	34
35-49	1412	5.5	29	1	1	3	8	13	16	24
50-64	2910	5.2	34	1	1	3	7	12	15	29
65+	3787	6.3	47	1	1	4	9	14	18	33
GRAND TOTAL	**9383**	**5.7**	**39**	**1**	**1**	**3**	**8**	**13**	**17**	**31**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5269	3.2	14	1	1	2	4	6	8	19
20-34	8841	3.8	19	1	1	3	5	7	10	22
35-49	5902	4.3	20	1	1	3	5	9	12	22
50-64	5456	4.8	23	1	1	3	6	9	12	24
65+	5497	6.0	30	1	2	4	8	12	15	27
2. MULTIPLE DX										
0-19 YRS	6980	4.6	40	1	1	3	5	9	14	32
20-34	11967	5.3	35	1	1	4	6	11	16	31
35-49	12624	6.2	38	1	2	4	7	12	18	30
50-64	22016	7.1	46	1	2	5	9	14	19	35
65+	46155	8.8	61	2	3	7	11	17	23	42
TOT. SINGLE DX	30965	4.4	22	1	1	3	5	9	12	23
" MULTIPLE DX	99742	7.4	53	1	2	5	9	15	21	37
TOTAL 0-19 YRS	12249	4.0	30	1	1	3	4	7	11	28
20-34	20808	4.7	29	1	1	3	5	9	14	28
35-49	18526	5.6	33	1	1	4	7	11	16	28
50-64	27472	6.7	43	1	2	5	8	13	18	33
65+	51652	8.5	59	2	2	6	10	17	22	40
GRAND TOTAL	**130707**	**6.7**	**47**	**1**	**2**	**5**	**8**	**14**	**19**	**35**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2749	5.1	42	1	1	3	5	11	20	34
20-34	2346	6.4	37	1	2	5	8	12	17	31
35-49	2102	6.4	28	1	2	5	8	11	15	28
50-64	1909	6.3	27	1	2	5	8	12	15	25
65+	1921	8.2	51	2	2	7	10	15	19	38
2. MULTIPLE DX										
0-19 YRS	3003	6.5	77	1	1	4	7	13	23	49
20-34	2998	8.2	71	1	2	6	10	17	24	45
35-49	3368	8.2	54	2	2	6	10	17	23	42
50-64	5563	8.9	68	2	2	7	11	18	24	45
65+	13626	10.2	71	2	3	8	13	19	26	46
TOT. SINGLE DX	11027	6.3	39	1	2	5	8	17	17	32
" MULTIPLE DX	28558	9.1	71	2	2	7	11	18	25	45
TOTAL 0-19 YRS	5752	5.8	61	1	1	3	6	12	21	41
20-34	5344	7.4	58	1	2	5	9	15	20	40
35-49	5470	7.5	45	1	2	6	9	14	19	35
50-64	7472	8.3	59	2	2	6	10	16	22	43
65+	15547	10.0	69	2	3	8	12	19	25	45
GRAND TOTAL	**39585**	**8.4**	**64**	**1**	**2**	**6**	**10**	**17**	**23**	**43**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5416	3.2	26	1	1	2	4	5	7	27
20-34	2830	3.7	17	<1	1	3	4	7	10	24
35-49	1803	4.5	20	1	1	3	6	9	12	23
50-64	2043	5.0	17	1	1	4	7	10	13	21
65+	2337	6.1	27	1	2	5	8	12	16	26
2. MULTIPLE DX										
0-19 YRS	7021	5.1	67	1	1	3	5	9	15	50
20-34	4690	5.1	39	1	1	3	6	10	15	32
35-49	4888	6.2	44	1	1	4	7	13	18	33
50-64	10262	7.0	44	1	2	5	9	14	19	33
65+	21768	8.5	59	2	2	6	11	17	22	41
TOT. SINGLE DX	14429	4.2	24	1	1	3	5	8	12	24
" MULTIPLE DX	48629	7.2	56	1	2	5	9	15	20	39
TOTAL 0-19 YRS	12437	4.3	51	1	1	3	4	7	12	42
20-34	7520	4.6	32	1	1	3	5	9	13	29
35-49	6691	5.7	38	1	1	4	7	12	16	32
50-64	12305	6.7	40	1	2	5	8	13	18	31
65+	24105	8.3	57	2	2	6	10	16	22	39
GRAND TOTAL	63058	6.5	50	1	1	4	8	13	19	36

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number — Title

- Biopsy (continued)
  - 618 Pancreas
  - 658 Penis
  - 508 Peripheral nerve
  - 626 Peritoneum
  - 556 Pharynx
  - 570 Pleura
  - 650 Prostate
  - 606 Rectum
  - 651 Scrotum
  - 747 Skin
  - 597 Small intestine
  - 507 Spinal meninges
  - 654 Testes
  - 514 Thyroid
  - 552 Tongue
  - 559 Trachea
  - 670 Uterus
  - 682 Vagina
  - 558 Vocal cord
  - 683 Vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 Intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery
- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 Hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 Aortocoronary
  - 578 Blood vessels (systemic)
  - 572 Coronary
  - 596 Gastric
  - 572 Heart
  - 579 Heart-lung
  - 601 Intestine
  - 596 Stomach
  - 634 Urinary

OPERATION INDEX (continued)

Group Number **Title**

763 Cancer chemotherapy
    Cardiac
573   Catheterization
764   Function tests
      Massage
763   Closed
575   Open
574   Pacemaker insertion or replacement
575   Revascularization, except coronary bypass
572   Coronary bypass
764   Stress tests
509 Carpal tunnel decompression or release
760 Cast application
758 C.A.T. scan
526 Cataract extraction, except intracapsular
525   Intracapsular
    Catheterization
647   Bladder, except suprapubic approach
638   Suprapubic approach
581   Blood vessel
573   Cardiac
645   Ureteral
647   Urethral, indwelling
587   Vein, except umbilical
581   Umbilical
669 Cerclage, cervix
692 Cesarean section, except low cervical
691   Low cervical
763 Chemotherapy
758 Cholangiogram (intravenous) (percutaneous)
616 Cholecystectomy
758 Cholecystogram
617 Cholecystotomy
764 Circulatory monitoring
657 Circumcision, except newborn
    Closure
617   Cholecystostomy
601   Colostomy
      Fistula – *see Fistulectomy*
596   Gastric anastomosis
601   Sigmoidostomy
570   Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Division (continued)
  - 508 Peripheral nerve
  - 511 Sympathetic nerve or ganglion
- 659 Dorsal or lateral slit of prepuce
- Drainage – *see also Incision (and drainage)*
  - 647 Bladder, except surgical approach
    - 638 Surgical approach (suprapubic)
  - 569 Chest
  - 537 Middle ear
- 763 Drug therapy
- 598 Duodenectomy

- 764 ECG (electrocardiogram)
- 758 Echoencephalography
- 764 EEG (electroencephalogram)
- 764 EKG (electrocardiogram)
- 764 Electrocardiogram (ECG) (EKG)
- 764 Electroencephalogram (EEG)
- 752 Electrolysis, skin
- 753 Encephalography
- Endoscopy
  - 636 Bladder
  - 567 Bronchus
  - 619 Colon, except surgical approach
    - 609 Surgical approach (transabdominal)
  - 682 Cul-de-sac, except for tubal ligation
    - 664 Tubal ligation
  - 589 Esophagus
  - 589 Gastric, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 576 Larynx
  - 628 Peritoneum
  - 557 Pharynx
  - 609 Small intestine
  - 589 Stomach, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 570 Thorax, transpleural
  - 636 Urethra
  - 679 Uterus
  - 686 Vagina
- 602 Enterostomy
- 532 Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin